



Designed and Engineered
in the USA

THE OFFICIAL BRAND
OF LIVE MUSIC.



owner's manual
subwoofer enclosures
GT01204BR
GT01204BP-D
GT01204BP
GRAND
TOURING
SERIES

A valid serial number is required for warranty coverage.
Features, specifications and appearance are subject to change without notice.
This product is designed for mobile applications and is not intended for connection to the mains.
JBL, Incorporated • 2 route de Tours, 72500 Château du Loir, France • www.jbl.com
© 2006 Harman International Industries, Incorporated. All rights reserved. Part No. GT01204BRBDD004/06
JBL, Harman International and Grand Touring are trademarks of Harman International Industries, Incorporated,
registered in the United States and/or other countries.
A Harman International® Company

Declaration of Conformity

CE

We, Harman Consumer Group International
2, route de Tours
72500 Château du Loir
France

declare in own responsibility that the products described in this owner's manual
are in compliance with technical standards:

EN 61000-6-3:2001
EN 61000-6-1:2001

Klaus Leberherz
Harman Consumer Group International
Château du Loir, France 4/06



www.jbl.com

Download from Wwww.Somanuals.com. All Manuals Search And Download.

SPECIFICATIONS

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.

	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.





	GT01204BP	GT01204BP-D	GT01204BR
Power Handling, RMS	300W	600W	300W
Power Handling, Peak	1200W	1800W	1200W
Frequency Response	30Hz – 150Hz	35Hz – 150Hz	35Hz – 300Hz
Impedance	4 Ohms	2 x 4 Ohms	4 Ohms

GENERAL CARE
The loudspeaker grilles may be cleaned with a damp cloth.
Do not use any cleaners or solvents on the grilles or the speaker cones.






WARRANTY
GTO enclosures are warranted against defects. The duration of the enclosure's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. To register your product, please visit us at www.jbl.com.







GTO1204BP



GTO1204BP-D



GTO1204BR



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>