

The JBL logo is displayed in a white square in the top right corner. It consists of the letters 'JBL' in a bold, black, sans-serif font, with a registered trademark symbol (®) to its right.

POWER SERIES®


**P560C
P660C
P6560C
P663C
P6563C
P26T**

car audio component
owner's manual





Designed and Engineered
in the USA






P560C, P6560C, P6563C




P560C, P6560C






P660C, P663C





P663C, P6563C




P663C












P6563C




P560C, P660C, P6560C, P663C, P6563C




P26T (P560C, P660C, P6560C, P663C, P6563C)




P560C, P660C, P6560C



P663C, P6563C




P560C, P660C, P6560C





- ① High Cut = 0dB
- ② High Cut = -6dB

P663C, P6563C





- ① High Cut = 0dB
Shelf = 0dB
- ② High Cut = -3dB
Shelf = 0dB
- ③ High Cut = 0dB
Shelf = -6dB
- ④ High Cut = -3dB
Shelf = -6dB



P560C





P660C, P663C




P6560C, P6563C





P26T (P560C, P660C, P6560C, P663C, P6563C)




P26T




3"/80mm



P6560C, P6563C



P560C, P660C, P663C



	P560C	P660C	P6560C	P663C	P6563C	3"/80mm	P26T
BL (T-m)	3.00	4.42	4.43	4.54	4.43	2.39	–
DCR (ohms)	2.24	2.27	2.32	2.30	2.32	2.29	6.62
Mms (g)	8.70	13.61	13.94	14.34	13.94	4.66	–
Sd (sq cm)	100.3	132.7	141.0	132.7	141.0	43.0	–
Cms (µm/N)	424	325	325	301	325	162	–
Vas (l)	5.99	8.04	9.08	7.45	9.08	0.42	–
Fs (Hz)	82.9	75.7	74.8	76.6	74.8	183.2	–
Qes	1.13	0.75	.077	0.77	0.77	2.15	–
Qms	6.85	9.10	7.48	8.91	7.48	5.31	–
Qt	0.97	0.69	0.70	0.71	0.70	1.53	–
1wSPL (dB)	86.7	88.6	88.8	88.3	88.8	82.7	89.0

SPECIFICATIONS	P560C	P660C	P6560C	P663C	P6563C	P26T
Type:	5-1/4" 2-Way Component System	6-1/2" 2-Way Component System	165mm 2-Way Component System	6-1/2" 3-Way Component System	165mm 3-Way Component System	1" Component Tweeter
Nominal Impedance:	2 Ohms	2 Ohms	2 Ohms	2 Ohms	2 Ohms	6 Ohms
Power Handling, RMS:	75W	90W	90W	90W	90W	60W
Power Handling, Peak:	225W	270W	270W	270W	270W	180W
Frequency Response:	55Hz – 23kHz	45Hz – 23kHz	45Hz – 23kHz	45Hz – 23kHz	45Hz – 23kHz	2.5kHz – 23kHz
Sensitivity (2.83V, 1m):	92dB	94dB	94dB	94dB	94dB	94dB

GENERAL CARE: The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaners or solvents on the grilles or the speaker cones.

WARRANTY: Power Series speakers are warranted against defects. The duration of the speaker's warranty depends on the laws in the country in which it was purchased. Your local JBL car audio retailer can help you determine the length of your warranty. For more information, please visit www.jbl.com.

A valid serial number is required for warranty coverage.
Features, specifications and appearance are subject to change without notice.
These products are designed for mobile applications and are not intended for connection to the mains.
Harman Consumer Group, Inc., 250 Crossways Park Drive, Woodbury, NY 11797 USA • www.jbl.com
© 2007 Harman International Industries, Incorporated. All rights reserved. Part No. POWERCOMPDM10/07
JBL and Power Series are trademarks of Harman International Industries, Incorporated, registered
in the United States and/or other countries.

H A Harman International Company



Declaration of Conformity	
CE	
We, Harman Consumer Group, Inc. 2, route de Tours 72500 Château du Loir France	
declare in own responsibility that the products described in this owner's manual are in compliance with technical standards:	
EN 61000-6-3:2001	<i>K. Leberz</i>
EN 61000-6-1:2001	Klaus Leberz Harman Consumer Group, Inc. Château du Loir, France 10/07



www.jbl.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>