

## JVC Full-size Headphones Series




JVC is introducing a new series of full-size headphone HA-RX900, HA-RX700, HA-RX500 and HR-RX300. Among all, the HA-RX900 is the top of RX series features high-quality dynamic sound reproduction with 50mm Neodymium driver unit and two types of superior sound structure which is the JVC original technique. The two superior structures named Ring Port Structure and Acoustic lenses.

### Ring Port Structure



Ring Port Structure provides high-quality dynamic sound. With a ring port structures sound ports located in a circle behind the driver unit, the sound pressure in headphone housing is equalized, realizing stable amplification in the unit as a whole.

### Acoustic lenses




Acoustic lens structure tune direct and indirect sound by subtly offsetting holes in each lens. Pressure dispersion mesh head pad for comfortable long listening.

Features of HA-RX900:

- High-quality dynamic sound reproduction with 50mm Neodymium driver unit and two types of superior sound structure
- Ring port structure provides high-quality dynamic sound
- Acoustic lens structure reproduces natural sound through two pieces of specially-engineered acoustic lenses
- Acoustic lenses (located in front of diaphragm) tune direct and indirect sound by subtly offsetting holes in each lenses
- Wide head pad and soft ear pads for optimum comfort
- 11.48ft(3.5m) pure copper cord for minimization of transmission loss
- 6.3mm plug adapter included

### Stereo Speaker

				
Headphones	HA-RX900	HA-RX700	HA-RX500	HA-RX300
<b>Driver Unit</b>	1.95"	1.95"	1.57"	1.57" (40mm)
<b>Magnet type</b>	Neodymium	Neodymium	Neodymium	Neodymium
<b>Frequency Response</b>	7-26,000Hz	8-25,000Hz	10-22,000Hz	12-22,000Hz
<b>Nominal Impedance</b>	64ohms	48ohms	70ohms	32ohms
<b>Sensitivity</b>	106dB/1mW	105dB/1mW	105dB/1mW	100dB/1mW
<b>Max. Input Capability</b>	1500mW(IEC)	1500mW(IEC)	1200mW(IEC)	1200mW(IEC)
<b>Cord Length</b>	11.48ft	11.48ft	11.48ft (3.5m)	8.20ft (2.5m)
<b>Weight (without cord)</b>	12.35oz	11.64oz	6.94oz (194g)	6.94oz (194g)
<b>Plug</b>	Gold Plated	Gold Plated	Gold Plated	Gold Plated
<b>Accessory</b>	0.25" plug adapter	0.25" plug adapter	Plug Adaptor	Plug Adaptor

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>