

Kenwood KRF-V5090DS



Kenwood is a leading developer and manufacturer of audio and video products for home, car, and personal use. It is recognized by consumers and the consumer electronics industry for providing superior quality, reliability and value. **PRODUCT FEATURES:** Dolby Digital EX 6.1ch decoding; Dolby Pro Logic IIx 7.1ch decoding; DTS-ES 6.1ch decoding (DTS-ES Discrete / DTS-ES Matrix / DTS Neo6); Active EQ / 5 Audio DSP Modes (Arena / Jazz Club / Theater / Stadium / Disco); 96kHz/24-bit audio playback capability; Midnight mode (Dynamic compression system in Dolby Digital mode and DTS mode); Digital MW/FM RDS tuner (PS, RT, PTY); 40 presets; Analog Audio In/Out (Composite 6in/2out) including 6-ch input; Digital Audio In/Out (Optical 1in, Coaxial 2in); 6-Channel Analog Input for DVD-Audio and SACD playback; Pre-outs (Subwoofer/Surround Back Left/Surround Back Right); Composite (3in/2out); Full Auto Digital/Analog Source Input Selector; Set up memory for each channel; Input sensitivity control (Input level adjust by 3 steps); Independent speaker level control adjustment; Digital REC mode (Auto/Manual); Display Dimmer Control; 2 AC Accessory Outlets (Switched); Kenwood new design remote control with the capability of controlling Kenwood DVD players.

www.dooyoo.co.uk :: Audio / Hifi :: Receiver :: Kenwood KRF-V5090DS

General	
Product Type	AV receiver
Width	44 cm
Depth	30.3 cm
Height	14.3 cm
Weight	7.8 kg
Enclosure Colour	Silver

Audio System	
Sound Output Mode	Surround Sound
Built-in Decoders	DTS-ES decoder, Dolby Pro Logic II, Dolby Digital Surround EX, DTS Neo:6, Dolby Digital, DTS decoder, Dolby Pro Logic IIx
Digital Sound Processor (DSP)	Yes
DSP Preset Qty	5
DSP Presets	Disco, Stadium, Jazz club, Arena, Theatre
Surround System Class	5.1 channel
Signal-To-Noise Ratio	95 dB
Amplifier Output details	120 Watt - 6 Ohm - at 1 kHz - THD 10% - 2 channel(s) (front) ; 120 Watt - 6 Ohm - at 1 kHz - THD 10% - 1 channel(s) (centre) ; 120 Watt - 6 Ohm - at 1 kHz - THD 10% - 2 channel(s) (rear) ; 100 Watt - 6 Ohm - at 1 kHz - THD 0.7% - 2 channel(s) (front) ; 100 Watt - 6 Ohm - at 1 kHz - THD 0.7% - 1 channel(s) (centre) ; 100 Watt - 6 Ohm - at 1 kHz - THD 0.7% - 2 channel(s) (rear)

Connectors	
Headphone Jack	Yes
Coaxial Digital Input	Yes
Optical Digital Input	Yes

Radio System	
Type	Radio tuner - AM/FM - digital radio tuner
Preset Station Qty	40 preset stations
Supported RDS Functions	PTY, PS, RT

Remote Control	
Type	Universal remote control - infrared

Connections	
Connector Type	1 x headphones - front ; 1 x digital 5.1 channel audio line-in (RCA phono x 6) - rear ; 2 x SPDIF input (RCA phono) - rear ; 1 x SPDIF input (TOS Link) - rear ; Audio line-in (RCA phono x 2) - rear ; Composite video input (RCA phono) - rear ; 1 x composite video output (RCA phono) - rear ; 1 x monitor output (RCA phono) -

rear | 1 x subwoofer output (RCA phono) - rear

Power

Power Device

Power supply - internal

Power Consumption Operational

280 Watt

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>