

RT-2 Series Bread & Bun Toasters

Classic workhorse toasters.





RT-2 Series Bread & Bun Toasters



These toasters are the standard of the industry, and are now better than ever! Both models have an oversize three-inch by eleven-inch opening, allowing for the toasting of thicker bread products. Toasting is a snap even for inexperienced personnel because of the easy to use controls.

MORE CONSISTENT TOASTING

The RT-2VSE and the RT-2VSHO have a more balanced toasting chamber and higher wattage than previous models. These toasters are the standard of the industry, and are now better than ever!

MORE DURABLE

Extra heavy-duty components assure reliability for years of dependable service. new controls for speed, one- or two-sided toasting and power are improved for ease of operation.

TWO MODELS FOR DIFFERENT VOLUME NEEDS

The RT-2VSE is the 'Energy Saver' of high-volume toasters. Designed for all types of toasting, this model economically operates on a 20 amp service and is rated at a maximum of 750 slices per hour.*

The RT-2VSHO is built for ultra-high volume use in operations where a heavy breakfast trade is a speciality. It is rated at a maximum of 950 slices per hour,* and requires a 30 amp circuit.

SPECIAL FEATURES

Both models have an oversize three-inch by eleveninch product entry opening, allowing for toasting of thicker bread products. Toast color is governed by just one control - conveyor speed - eliminating unwanted adjustments to a heat control by inexperienced personnel. The heavy-duty power switch can be set for on/off or stand-by mode (stand-by allows the toaster to operate at low power consumption when not in continual use, with the capacity of reaching full temperature in a fraction of the normal war-up time.)

TOASTS A VARIETY OF PRODUCTS

In addition to all types of sliced bread, both models can toast or warm English muffins, bagels, ethnic breads, buns, rolls, frozen waffles, and more!

SAVORY WARRANTY

One (1) year warranty from date of purchase on both parts and labor. See price list for details and conditions.

> Plug Type RT-2VSE NFMA 6-20F - 1

RT2-VSHO

121

3' cord and

appropriate

plug attached









Model	Volts	Amps	KW	Dimensions H x W x D	Net Wt. Ibs/kg	Ship Wt. Ibs/kg	Ship Vol. cu ft/cu m
12010	208	15.4	3.2	16.5" x 15.75" x 23.25"	42/19.1	53/25	5/0.15
12011	240	13.3	3.2	16.5" x 15.75" x 23.25"	42/19.1	53/25	5/0.15

RT-2VSHO "High Output" Toasters

Mode	Volts	Amps	KW	Dimensions H x W x D	Net Wt. Ibs/kg	Ship Wt. Ibs/kg	Ship Vol. cu ft/cu m
18000	208	19.5	4.0	16.5" x 15.75" x 23.25"	42/19.1	53/25	5/0.15
18001	240	16.8	4.0	16.5″ x 15.75″ x 23.25″	42/19.1	53/25	5/0.15

*Production: (depending on bread dryness):

RT-2VSE "Energy Saver": 450 to 750 slicers per hour. 1000 to 1200 bun halves per hour. RT-2VHO "High Output": 450 to 950 slicers per hour. 1200 to 1600 bun halves per hour.



For more information

Call 1-888-417-LINC (5462) or visit

www.lincolnfp.com

1111 North Hadley Road, P.O. Box 1229 Fort Wayne, IN 46801-1229, USA

260-459-8200, fax 260-436-0735





Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com