



PRINT



UP TO 35 PPM BLACK



COPY



UP TO 35 PPM COLOR



SCAN



DUPLEX



FAX



NETWORK



Lexmark X730 Series

Lexmark X734de

Lexmark X736de

Lexmark X738de

Lexmark X738dte

Color, power and productivity with the right touch



LEXMARKTM

Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%¹, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

¹ Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

If you want to make an impact with color but need the competitive advantage of multifunction efficiency too, then get to know the Lexmark X730 Series. It not only prints, copies, scans and faxes in both black and color, but also provides outstanding performance and value. You can count on speed and reliability, versatile paper handling, customized solutions and a rich range of features – all easily accessible via Lexmark’s award-winning color touch screen. Experience the giant benefits of a color copier, without the giant size and price!



Unique productivity

A simple touch of the extra-large, intuitive color touch screen is all it takes to move your workflow into high gear. You get fast, high-quality color printing, copying, faxing and scanning – all in one multifunction workhorse.

- Boost efficiency with rapid duplex scanning (Lexmark X736de, Lexmark X738de, Lexmark X738dte)
- Get your print and copy jobs faster with the instant warm-up fuser and scanner lamp
- Eliminate paper-intensive processes by easily scanning to various destinations and formats
- Save time with advanced copy functions, including copy shortcuts, ID card copy, proof-then-copy (hard disk required) and others



Any document, any time

Whatever you want to print – from presentations and reports to labels, envelopes and even banners – the Lexmark X730 Series provides the perfect partner. With its excellent print quality, powerful productivity and robust paper-feeding design, you’ll be fully equipped with the features you need to accelerate your workflow.

- Produce stunning graphics and images with Lexmark’s advanced color laser toner formula
- Add stackable input drawers or a high-capacity feeder to run longer without interruption
- Specialty Media Drawer option adds versatility and is ideal for large stacks of envelopes
- Run preprinted forms easily and reliably with improved feed design and edge alignment



Cutting-edge security

The Lexmark X730 Series is equipped with state-of-the-art security to protect your valuable corporate data. It also features customizable user-access controls, allowing you to enable or disable functions with ease.

- IPSec, SNMPv3 and 802.1x network security
- Secure data encryption and disk wiping
- Industry-leading access restrictions, including LDAP
- Proactively tracks and identifies security risks
- Optional integrated card reader available (contact your Lexmark representative to learn more)



Eco-responsible printing

Lexmark multifunction technology makes it easy to reduce the amount of information you print, copy and distribute in hardcopy format. You’ll save time, costs and office space, while powering fewer devices.

- All models include built-in duplex printing to save paper
- Instant warm-up fuser and scanner lamp cut energy consumption
- Eco-Mode reduces power consumption
- Quiet Mode setting allows ultra-quiet operation
- Lexmark Cartridge Collection Program offers free, convenient recycling



Lexmark X730 Series

Explore the features that keep you moving



Now showing on the big screen

All the critical functions you need are just a touch away



Simplified access

Load documents and retrieve them with ease thanks to the illuminated flatbed scanner, output bin and document feeder



Direct USB

Front USB port for convenient walk-up printing of PDFs and other image files



Advanced faxing

Send and receive color faxes; save time with handy fax shortcuts



Expandable input

Print on multiple paper types; boost your total input capacity up to 3,200 sheets



Low intervention

With the high-yield cartridges, you can run longer and replace them less often

Loads of benefits packed into one device!

What can Lexmark color multifunction do for your business?

If you're still struggling with multiple devices throughout your office – printers, scanners, copiers and fax machines – then your productivity potential is out of reach. Fortunately, with Lexmark's advanced multifunction technology, there's an easy fix!

Solidly robust and competitively fast, Lexmark's color laser MFPs let you unite all your critical document functions into one high-performance solution. By operating and managing fewer devices, you'll optimize office space and save money on hardware, consumables, service contracts and even electricity. Even better, you'll have all the office tools you need to enhance productivity. Combine that with brilliant Lexmark color that empowers your documents, and there's virtually nothing you can't achieve.

The Productivity Checklist. If you've got all these, then you've got a Lexmark!

Multitalented copying

Benefit from a rich range of advanced copy functions to boost your productivity, such as Priority Copy to interrupt long print runs temporarily; ID Card Copy to copy both sides of a card on to a single sheet; and Sample Copy (hard disk required), which lets you stop and take a good look at the first copy before releasing the rest of the job – a great way to save time and reduce paper and toner waste.

Personalized user settings

A real efficiency booster, Lexmark's innovative MyMFP feature lets users save and retrieve their personal settings on a simple flash drive, including their local address book, personal fax numbers, individual copy settings and even their own touch-screen configuration. They simply walk up to the MFP, slide in their flash drive and the MFP literally transforms into their own personal device. A warm welcome each time they use it!

Peace-of-mind service

The Lexmark X730 Series comes standard with Lexmark's 1-Year Onsite Service warranty, which provides you with next-business-day response. You can also extend your warranty with a customized offering to match your specific needs. (For full details see the Lexmark Statement of Limited Warranty on www.lexmark.com.)

Color science at work for you

At Lexmark, great color is more than a marketing promise – it's a serious investment. Our development team is dedicated to delivering breakthrough color technology that truly enhances the value of your print communications. Lexmark's advanced color laser toner formula, combined with new temperature- and humidity-sensing technology, ensures excellent color reproduction and consistent quality from first page to last, across various media types and work environments.



Efficient traffic shaping

When you e-mail a large file from your Lexmark X730 Series MFP, it won't cause a traffic jam on your network. That's because traffic-shaping technology can partition your network traffic and designate lower bandwidth for outbound flows. This is especially useful for busy networks and externally hosted Web servers.

Effortless manageability

Take a load off your IT department. These devices are network-ready and very easy to set up. If you have multiple Lexmark devices installed, the Lexmark Universal Driver offers even easier deployment. Once up and running, on-screen custom messaging makes life simpler too, by providing users with crystal-clear information, like «Toner Low, Call Placed.» What's more, Lexmark MarkVision Professional software provides simplified remote management and automated tools to keep your workday flowing!

Lexmark's Embedded Solutions Framework

Experience more productivity than you could ever imagine! Lexmark's new multifunction devices are solutions-capable. That means they can be easily customized to meet your unique printing needs. Contact your Lexmark representative to find out how simple it is to tailor your MFP with one or more of Lexmark's leading industry solutions. With the touch of an icon you can transform your hardcopy documents into digital workflow, helping you print less, save time, lower costs and reduce the environmental impact of printing.

Get exactly the performance you need



Lexmark X734de

Color laser MFP with business-class quality and functionality

- Offers print, copy, scan and fax
- Up to 30 ppm print speeds in black and color
- Fast 600MHz processor
- 650-sheet standard input, 3,200 maximum
- Ships with 4,000-page* starter Return Program Toner Cartridges
- Replacement yields: 8,000*-page black, 6,000*-page color
- Recommended monthly volume: 2,500 to 9,200 pages



Lexmark X736de

More performance, lower cost per page, includes duplex scanning

- Up to 35 ppm print speeds in black and color
- Powerful 900MHz processor
- Duplex scanning capability
- 650-sheet standard input, 3,200 maximum
- Ships with 6,000-page* starter Return Program Toner Cartridges
- Lexmark High Yield Toner Cartridges: 12,000*-page black, 10,000*-page color
- Recommended monthly volume: 3,000 to 10,000 pages



Lexmark X738de

The ideal platform for advanced workflow solutions

- Up to 35 ppm print speeds in black and color
- Powerful 900MHz processor
- 80GB hard disk standard for expanded functionality
- Duplex scanning capability
- 650-sheet standard input, 3,200 maximum
- Ships with 6,000-page* starter Return Program Toner Cartridges
- Lexmark High Yield Toner Cartridges: 12,000*-page black, 10,000*-page color
- Recommended monthly volume: 3,000 to 10,000 pages

| | Lexmark X734de | Lexmark X736de | Lexmark X738de |
|---|---|--|--|
| Printing | | | |
| Print Technology | Color Laser | | |
| Print Speed (Letter, Black): Up to | 30 ppm | 35 ppm | 35 ppm |
| Print Speed (Letter, Color): Up to | 30 ppm | 35 ppm | 35 ppm |
| Time to First Page (Black) | As fast as <10 seconds | | |
| Time to First Page (Color) | As fast as <10 seconds | | |
| Print Resolution, Black | 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi) | | |
| Print Resolution, Color | 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi) | | |
| Memory, Standard | 512 MB | | |
| Memory, Maximum | 1536 MB | | |
| Hard Disk | Option available | Option available | Included in configuration |
| Print Noise Level, Operating | 53 dBA | | |
| Noise Level, Idle | 35 dBA | | |
| Maximum Monthly Duty Cycle: Up to | 85,000 pages per month | | |
| Recommended Monthly Page Volume | 2,500 - 9,200 pages | 3,000 - 10,000 pages | 3,000 - 10,000 pages |
| Supplies | | | |
| Supplies Yield (*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.) | 6,000*-page color Toner Cartridges (CMY), 8,000*-page Black Toner Cartridge | 6,000*-page color Toner Cartridges (CMY), 8,000*-page Black Toner Cartridge, 10,000*-page color High Yield Toner Cartridges (CMY), 12,000*-page Black High Yield Toner Cartridge | 6,000*-page color Toner Cartridges (CMY), 8,000*-page Black Toner Cartridge, 10,000*-page color High Yield Toner Cartridges (CMY), 12,000*-page Black High Yield Toner Cartridge |
| Cartridge(s) Shipping with Product | 4,000*-page Black starter Return Program Toner Cartridge, 4,000*-page color (CMY) starter Return Program Toner Cartridges | 6,000*-page color (CMY) starter Return Program Toner Cartridges, 6,000*-page Black starter Return Program Toner Cartridge | 6,000*-page color (CMY) starter Return Program Toner Cartridges, 6,000*-page Black starter Return Program Toner Cartridge |
| Copying | | | |
| Copy Speed (Letter, Black): Up to | 30 cpm | 35 cpm | 35 cpm |
| ADF Scan | Simplex | RADF (Reversing Duplex) | RADF (Reversing Duplex) |
| Scanning Resolution | 600 X 600 dpi | | |
| Reduce / Enlarge Range | 25 - 400 % | | |
| Faxing | | | |
| Modem Speed | 33.6 Kbps | | |
| Paper Handling | | | |
| Paper Handling Standard | 250-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray | | |
| Paper Handling Optional | 550-Sheet Drawer, 2,000-Sheet High-Capacity Feeder, 550-Sheet Specialty Media Drawer | | |
| Paper Input Capacity, Standard: Up to | 650 pages 20 lb or 75 gsm bond | | |
| Paper Input Capacity, Maximum: Up to | 3200 pages 20 lb or 75 gsm bond | | |
| Paper Output Capacity, Standard: Up to | 250 pages 20 lb or 75 gsm bond | | |
| Paper Output Capacity, Maximum: Up to | 250 pages 20 lb or 75 gsm bond | | |
| ADF Paper Input Capacity : Up to | 50 pages 20 lb or 75 gsm bond | | |
| Media Types Supported | Card Stock, Envelopes, Glossy Paper, Paper Labels, Plain Paper, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide | | |
| Media Sizes Supported | 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, B5, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio | | |
| Compatibility | | | |
| Network Protocol Support | TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP | | |
| Printer Languages (Standard) | PCL 5c Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, x-HTML, PDF 1.6, Direct Image, Microsoft XPS (XML Paper Specification) | | |
| Standard Ports | Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), PictBridge Certified Port, Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A) | | |
| Microsoft Windows Operating Systems Supported | 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services | | |
| Apple Macintosh Operating Systems Supported | Mac OS X, Mac OS 9.x | | |
| General | | | |
| Function | Color Copying, Color Printing, Color Scanning, Color Network Scanning | | |
| Product Warranty | 1-Year Onsite Service, Next Business Day | | |
| Product Certifications | www.lexmark.com | | |
| Size (in. - H x W x D) | 31.0 x 21.5 x 24.5 in. | | |
| Weight (lb.) | 97 lb. | 97 lb. | 97 lb. |
| Specified Operating Environment | Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 3048 Meters (10,000 Feet) | | |

Maximum Monthly Duty Cycle

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.


Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Trademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

Lexmark X734de




| Part # | Model |
|----------|---|
| MS00300 | Lexmark X734de |
| Part # | Laser Toner/Print Cartridge |
| C734A1KG | C734, C736, X734, X736, X738 Black Return Program Toner Cartridge |
| C734A1CG | C734, C736, X734, X736, X738 Cyan Return Program Toner Cartridge |
| C734A1MG | C734, C736, X734, X736, X738 Magenta Return Program Toner Cartridge |
| C734A1YG | C734, C736, X734, X736, X738 Yellow Return Program Toner Cartridge |
| C734A2KG | C734, C736, X734, X736, X738 Black Toner Cartridge |
| C734A2CG | C734, C736, X734, X736, X738 Cyan Toner Cartridge |
| C734A2MG | C734, C736, X734, X736, X738 Magenta Toner Cartridge |
| C734A2YG | C734, C736, X734, X736, X738 Yellow Toner Cartridge |
| C734X77G | Waste Toner Box |
| C734X20G | C734, C736, X734, X736, X738 Photoconductor Unit |
| C734X24G | C734, C736, X734, X736, X738 Photoconductor Unit, 4-Pack |
| Part # | Paper & Transparencies |
| 12A5950 | Glossy Laser Paper, Letter (200 sheets) |
| 12A8240 | Professional Color Laser Transparencies, Letter |
| Part # | Paper Handling |
| 27S2100 | C734, C736, X734e, X736e, X738e 550-Sheet Drawer |
| 27S2400 | 2,000-Sheet High Capacity Feeder |
| 27S2650 | C734, C736, X734e, X736e, X738e 550-Sheet Specialty Media Drawer |
| 27S2190 | 4.8 inch (12.2 cm) Spacer |
| Part # | Furniture |
| 16M1210 | C734, C736, X734, X736, X738 Caster Base |
| Part # | Memory Options |
| 1025041 | 256MB DDR2-DRAM |
| 1025042 | 512MB DDR2-DRAM |
| 1025043 | 1024MB DDR2-DRAM |
| 14F0245 | 256MB Flash Card |
| 14F0102 | 80+GB Hard Disk |
| 30G0828 | Japanese Font Card |
| 30G0825 | Korean Font Card |
| 30G0827 | Traditional Chinese Font Card |
| Part # | Application Solutions |
| 30G0829 | Lexmark PrintEncryption Card |

| MS00497 | X734, X736, X738 Forms and Bar Code Card |
|---------|---|
| MS00498 | X734, X736, X738 Card for IPDS/SCS/TNe |
| Part # | Connectivity |
| 14F0037 | MarkNet N8120 Gigabit Ethernet Print Server |
| 14F0042 | MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server |
| 14F0040 | MarkNet N8150 802.11b/g/n Wireless Print Server |
| 14T0145 | Lexmark N4050e 802.11g Wireless Print Server |
| 14T0220 | MarkNet™ N7020e Gigabit Ethernet Print Server |
| 1021294 | USB Cable (2-meter) |
| 14F0000 | Parallel 1284-B Interface Card |
| 1021231 | Parallel Cable (10-foot) |
| 14F0100 | RS-232C Serial Interface Card |
| Part # | Extended Warranties |
| 2350816 | 2-Years Total Onsite Service, Next Business Day |
| 2350817 | 3-Years Total Onsite Service, Next Business Day |
| 2350818 | 4-Years Total Onsite Service, Next Business Day |
| 2350819 | 5-Years Total Onsite Service, Next Business Day |
| 2350820 | 1-Year Onsite Service Renewal, Next Business Day |
| Part # | User Replaceable Parts |
| 40X5093 | C73x, X73x Fuser Maintenance 110-120V |
| 40X5096 | C73x, X73x Transfer Belt Maintenance |
| 40X5187 | ADF Separator Pad |
| 40X5188 | ADF Pick Assembly |
| 40X5189 | ADF Pick Pad |
| 40X5168 | Pick Tire |
| 40X5152 | Pick Tire, Special Media Drawer |
| Part # | Installation Service |
| 2350832 | X734 Install, De-Install Service |

In the box

Lexmark X734de Color Laser Multifunction Printer, up to 6,000*-page starter Color (CMY) Return Program Toner Cartridges, up to 6,000*-page starter Black Return Program Toner Cartridge, photoconductor unit, software and documentation CD, power cord(s), RJ-11 phone cable or adapter (country dependent), setup guides (network and local attachment), Statement of Limited Warranty, operator panel language overlays, Lexmark Cartridge Collection Program information

Lexmark X736de



| Part # | Model |
|----------|---|
| MS00301 | Lexmark X736de |
| Part # | Laser Toner/Print Cartridge |
| C736H1KG | C736, X736, X738 Black High Yield Return Program Toner Cartridge |
| C734A1KG | C734, C736, X734, X736, X738 Black Return Program Toner Cartridge |
| C736H1CG | C736, X736, X738 Cyan High Yield Return Program Toner Cartridge |
| C734A1CG | C734, C736, X734, X736, X738 Cyan Return Program Toner Cartridge |
| C736H1MG | C736, X736, X738 Magenta High Yield Return Program Toner Cartridge |
| C734A1MG | C734, C736, X734, X736, X738 Magenta Return Program Toner Cartridge |
| C736H1YG | C736, X736, X738 Yellow High Yield Return Program Toner Cartridge |
| C734A1YG | C734, C736, X734, X736, X738 Yellow Return Program Toner Cartridge |
| C736H2KG | C736, X736, X738 Black High Yield Toner Cartridge |
| C734A2KG | C734, C736, X734, X736, X738 Black Toner Cartridge |
| C736H2CG | C736, X736, X738 Cyan High Yield Toner Cartridge |
| C734A2CG | C734, C736, X734, X736, X738 Cyan Toner Cartridge |
| C736H2MG | C736, X736, X738 Magenta High Yield Toner Cartridge |
| C734A2MG | C734, C736, X734, X736, X738 Magenta Toner Cartridge |
| C736H2YG | C736, X736, X738 Yellow High Yield Toner Cartridge |
| C734A2YG | C734, C736, X734, X736, X738 Yellow Toner Cartridge |
| C734X77G | Waste Toner Box |
| C734X20G | C734, C736, X734, X736, X738 Photoconductor Unit |
| C734X24G | C734, C736, X734, X736, X738 Photoconductor Unit, 4-Pack |
| Part # | Paper & Transparencies |
| 12A5950 | Glossy Laser Paper, Letter (200 sheets) |
| 12A8240 | Professional Color Laser Transparencies, Letter |
| Part # | Paper Handling |
| 27S2100 | C734, C736, X734e, X736e, X738e 550-Sheet Drawer |
| 27S2400 | 2,000-Sheet High Capacity Feeder |
| 27S2650 | C734, C736, X734e, X736e, X738e 550-Sheet Specialty Media Drawer |
| 27S2190 | 4.8 inch (12.2 cm) Spacer |
| Part # | Furniture |
| 16M1210 | C734, C736, X734, X736, X738 Caster Base |

| Part # | Memory Options |
|---------|---|
| 1025041 | 256MB DDR2-DRAM |
| 1025042 | 512MB DDR2-DRAM |
| 1025043 | 1024MB DDR2-DRAM |
| 14F0245 | 256MB Flash Card |
| 14F0102 | 80+GB Hard Disk |
| 30G0828 | Japanese Font Card |
| 30G0825 | Korean Font Card |
| 30G0826 | Simplified Chinese Font Card |
| 30G0827 | Traditional Chinese Font Card |
| Part # | Application Solutions |
| 30G0829 | Lexmark PrintEncryption Card |
| MS00497 | X734, X736, X738 Forms and Bar Code Card |
| MS00498 | X734, X736, X738 Card for IPDS/SCS/TNe |
| Part # | Connectivity |
| 14F0037 | MarkNet N8120 Gigabit Ethernet Print Server |
| 14F0042 | MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server |
| 14F0040 | MarkNet N8150 802.11b/g/n Wireless Print Server |
| 14T0145 | Lexmark N4050e 802.11g Wireless Print Server |
| 14T0220 | MarkNet™ N7020e Gigabit Ethernet Print Server |
| 1021294 | USB Cable (2-meter) |
| 14F0000 | Parallel 1284-B Interface Card |
| 1021231 | Parallel Cable (10-foot) |
| 14F0100 | RS-232C Serial Interface Card |
| Part # | Extended Warranties |
| 2350834 | 2-Years Total Onsite Service, Next Business Day |
| 2350835 | 3-Years Total Onsite Service, Next Business Day |
| 2350836 | 4-Years Total Onsite Service, Next Business Day |
| 2350837 | 5-Years Total Onsite Service, Next Business Day |
| 2350838 | 1-Year Onsite Service Renewal, Next Business Day |
| Part # | User Replaceable Parts |
| 40X5093 | C73x, X73x Fuser Maintenance 110-120V |
| 40X5096 | C73x, X73x Transfer Belt Maintenance |
| 40X5187 | ADF Separator Pad |
| 40X5188 | ADF Pick Assembly |
| 40X5189 | ADF Pick Pad |
| 40X5168 | Pick Tire |
| 40X5152 | Pick Tire, Special Media Drawer |
| Part # | Installation Service |
| 2350850 | X736 Install, De-Install Service |

Other models available

MS00321 - Lexmark X738de: duplex printing and scanning with hard disk standard
MS00322 - Lexmark X738de: duplex printing and scanning with hard disk standard and extra input drawer

In the box

Lexmark X736de Color Laser Multifunction Printer, up to 6,000*-page starter Color (CMY) Return Program Toner Cartridges, up to 6,000*-page starter Black Return Program Toner Cartridge, photoconductor unit, software and documentation CD, power cord(s), RJ-11 phone cable or adapter (country dependent), setup guides (network and local attachment), Statement of Limited Warranty, operator panel language overlays, Lexmark Cartridge Collection Program information

Lexmark's guarantee to you

At Lexmark, we're always working hard to ensure you achieve maximum productivity and minimum downtime. For greater level of peace of mind, you can opt for one of our Lexmark service offerings detailed on www.lexmark.com/services.



Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle.

Cost-saving and environmental features

- Energy Star compliant
- Duplex printing, print and hold, multi-up and support of recycled paper help reduce paper consumption
- Eco-Mode reduces power consumption and Quiet-Mode reduces noise
- Lexmark Cartridge Collection Program helps reduce waste



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>