



XS734de
XS736de

Easy. Smart. Fast.

High performance color MFPs for medium workgroups



XS736de



Why Lexmark?

Founded from an IBM heritage in Lexington, Kentucky, in 1991, Lexmark is one of the few American companies to own, develop and market inkjet, laser and color laser print technologies. Lexmark is poised to deliver on its promise to produce quality, dependable products well into the future.



We listen to our customers and
we deliver solutions.
Raise your expectations, because
we are raising the bar.

Lexmark cares

When it comes to our planet, we know there is no substitute. We strive to provide industry-leading environmental practices that relate not only to our products, but also to everything we do, everywhere in the world. For more details on our environmental, health and safety practices, visit our website at www.lexmark.com.



Over **75 percent** of the world's top banks, retailers and pharmacies use Lexmark.

It's time to put Lexmark to work for you.
To read about our customers, visit
www.lexmark.com/casestudies.



LEXMARKTM

Outstanding Color



Be more colorful

- Boost efficiency with speedy duplex scanning (XS736de)
- Get your print and copy jobs faster with the instant warm-up fuser and scanner lamp
- Produce stunning graphics and images with Lexmark's advanced color laser toner formula
- Specialty Media Drawer option adds versatility and is ideal for large stacks of envelopes
- Industry-leading access restrictions, including LDAP
- All models include built-in duplex printing to save paper
- Eco-Mode reduces power consumption

Lexmark's multifunction devices are **Easy.**
Smart.
Fast.



Color science at work for you

Lexmark is dedicated to delivering breakthrough color technology that truly enhances the value of your print communications. Our advanced color laser toner formula, combined with a new temperature and humidity-sensing technology, ensures excellent color reproduction and consistent quality from first page to last, across various media types and work environments.

Easy

e-Task interface

The Lexmark e-Task interface is the entry point to your Lexmark multifunction device. It's a customizable touch screen with capabilities for high-demand multitasking. The e-Task interface requires virtually no set-up or installation and can be easily integrated with your network.

Lexmark's workflow software enables your business to print less, move more information fast and manage documents more effectively.



embedded Solutions Framework (eSF)


Lexmark's eSF gives you control to accomplish a variety of tasks from the multifunction device, through an intuitive Java®-based platform. We offer a wide variety of embedded applications such as:



Card Copy - This innovative feature helps save paper and time by copying both sides of an insurance or ID card onto the front of a single sheet of paper.



Customer Support Application - An icon on the e-Task interface will link directly to your dealer's contact information for quick and easy service and supplies calls.



Custom Prompts - This application allows users to create up to six custom prompts. User input is stored on a network directory, allowing for easy integration into many electronic document management systems.



Forms on Demand - Users choose and then print selected forms right from the MFP touch screen.



Eco Copy - This innovative feature helps save paper and toner, helping offices run more efficiently.



Background and Idle Screen - This feature enables a timed idle screen to appear and a custom background to be featured on the MFP touch screen.

MFP Usage - This application tracks copy, fax, e-mail and FTP usage on an MFP that has a hard drive. Statistics can be sent via email, FTP or to a network share on a scheduled basis.

Java is a registered trademark of Sun Microsystems, Inc.



Lexmark keeps you secure

Lexmark's MFPs and printers support industry best practices for network device protection, and Lexmark's enhanced security features seamlessly help protect user data without sacrificing performance.

- Confidential print
- Operator panel lock
- Secure data encryption and disk wiping
- MFP lockout
- IPSec, SNMPv3 and 802.1x network security
- IPV6
- Secure user authentication
- Industry-leading access restrictions, including LDAP
- HTTPS
- Proactively tracks and identifies security risks
- Physical locking capabilities (Kensington™)

Vertical Solutions

Lexmark offers a wide variety of bundled software solutions to help customers be more productive and work smarter. Leverage the Lexmark e-Task interface along with the eSF platform to fully customize this MFP for industry-unique applications.



Education Station

Solution integrated into the educational space where classroom testing and paperwork tasks can be performed with just one touch. Consists of Scan to Classroom, Print Test, Grade Test and Forms on Demand.



Clinical Assistant

Solution for the healthcare industry designed to save clinicians time and improve patient care by streamlining common healthcare workflow processes. Consists of Scan to EMR, Physician Order Routing, Forms on Demand and Card Copy.



Legal Partner

Solution for the legal industry designed to simplify law office workflow processes. Consists of Scan to Court, Scan to Network, Copitrak-Capable and Custom Screensaver.

Fast

Network management

Easy network management is accomplished by well-designed tools that facilitate device administration—streamlining workflow in daily business operations. We understand networks.

Lexmark MarkVision Professional provides network administrators with timesaving and easy-to-use print management applications.

The **Lexmark embedded web server** provides administrators access to embedded web pages in order to view, monitor and configure the multifunction device directly from the user's computer.



Scanning capabilities

Lexmark provides a variety of scanning options, in monochrome and color. It is a fast, convenient way to communicate with colleagues and customers by scanning documents to your e-mail, desktop, network folder or FTP.

Scan Preview - Preview a document prior to sending it to print to ensure accuracy and avoid waste.

Scan to E-mail - With a single touch of a button, easily scan your paper based documents to e-mail accounts or groups. Seamlessly integrates into your corporate LDAP directory.

Scan to Desktop - Multiple ways to scan documents to a PC/desktop. The scanned file can be sent to an individual workstation via web browser, ScanBack utility, local or network TWAIN driver or scan to network embedded solution.

Scan to FTP - Ideal way to archive and share large files with multiple people.

Scan to Network - Users can scan documents to a shared network folder or to a desktop with the click of a button, saving space on the server and improving productivity.

LDAP/Active Directory can be used by the MFP to authenticate user credentials, and to look up e-mail or fax numbers from the corporate directory during scan-to-e-mail or scan-to-fax operations.

Quickly and easily scan and archive documents in a wide variety of file formats including: TIFF, MTIFF, JPG, PDF, Secure PDF and XPS.

Feature Gallery



X5736de
with three
additional
drawers

1



Advanced Faxing

Send and receive color faxes; save time with handy fax shortcuts

2



Now Showing on the Big Screen

All the critical functions you need are just a touch away

3



Direct USB

Front USB port for convenient walk-up printing of PDFs and other image files

4



Simplified Access

Load documents and retrieve them with ease thanks to the illuminated flatbed scanner, output bin and document feeder

5



Expandable Input

Print on multiple paper types; boost your total input capacity up to 3,200 sheets

6



Low Intervention

With the high-yield cartridges, you can run longer and replace them less often

Product Configurations



Configurations	 XS734de	 XS736de
Speeds	Black and Color: Copy, Print, Scan up to 30 ppm	Black and Color: Copy, Print, Scan up to 35 ppm
Paper Handling	Paper Capacity: Standard Input: 650 Standard Output: 250 Maximum Input: 3,200 (550 + 550 + 2,000 + 100 Bypass) Maximum Output: 250	
	Media Information: Types: Plain Paper, Paper Labels, Glossy Paper, Card Stock, Transparencies, Envelopes, Vinyl Labels Size: Letter, Legal, A4, A5, JIS B5, Executive, Folio, Statement, Universal (2.75 in. x 5 in. to 8.5 in. x 14 in.), Envelopes (7-3/4, 9, 10, DL, B5, C5) Weight: Plain Paper: 16 to 43 lb. (60 to 162.7 g/m ²); Card Stock: Up to 90 to 110 lb. (162.7 to 198.9 g/m ²)	
	ADF Capacity: Up to 50 Sheets	
Copy	Touch Screen: 7-in. Color, Customizable Memory (Min/Max): 512MB/1536MB Time to First Copy Out: As Fast as 16 Seconds Copy Resolution: Up to 600 x 600 dpi Black and Color Copy Features: Reduce/Enlarge (25-400%), Paper Saver (2-up and 4-up), Collation, Darkness Adjustment, Original Size to Output Size Selection, Copy Select 1-999, Date/Time Stamp, Message Overlay, Priority Copy (Job Interrupt), Copy Countdown	Touch Screen: 7-in. Color, Customizable Memory (Min/Max): 512MB/1536MB Time to First Copy Out: As Fast as 14 Seconds Copy Resolution: Up to 600 x 600 dpi Black and Color Copy Features: Reduce/Enlarge (25-400%), Paper Saver (2-up and 4-up), Collation, Darkness Adjustment, Original Size to Output Size Selection, Copy Select 1-999, Date/Time Stamp, Message Overlay, Priority Copy (Job Interrupt), Copy Countdown
Print	Time to First Page: As Fast as 10 Seconds Resolution: 1200 x 1200 dpi; 4800 Color Quality Processor: 600 MHz Hard Drive: Optional Connectivity (Standard): Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), PictBridge Certified Port, Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A) Connectivity (Optional): Parallel, Serial, Wireless	Time to First Page: As Fast as 10 Seconds Resolution: 1200 x 1200 dpi; 4800 Color Quality Processor: 900 MHz Hard Drive: Optional Connectivity (Standard): Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), PictBridge Certified Port, Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A) Connectivity (Optional): Parallel, Serial, Wireless
Fax	Resolution: 200 x 100 dpi, 200 x 200 dpi, 300 x 300 dpi, 600 x 600 dpi Fax Features: Fax Redirect, Group Fax, Manual Fax, Fax from PC, up to 512-Character Shortcuts, Fax Preservation, LDAP Look-up, Caller ID, Speed Dials, Block Junk Faxes, Broadcast, Fax Shortcuts, Fax Forwarding	
Scan	Scan Features: Resolution: up to 600 x 600 dpi Black and Color Scan Destinations: USB Thumb Drive, E-mail, FTP, LDSS, Network or USB Connected Computer, Windows Network Folder File Formats: TIFF, MTIFF, JPG, PDF, XPS, Secure PDF Duplex Scanner: Available on XS736de	
Supplies Yield	Toner Cartridges: Ships with 4,000*-Page Color (CMY) Starter Return Program Toner Cartridges; 4,000*-Page Black Starter Return Program Toner Cartridge, 12,000*-Page Black Aftermarket High Yield Return Program Cartridge; 10,000*-Page Color (CMY) Aftermarket High Yield Return Program Cartridge *Average standard page yield value declared in accordance with ISO/IEC19798.	Toner Cartridges: Ships with 6,000*-Page Color (CMY) Starter Return Program Toner Cartridges; 6,000*-Page Black Starter Return Program Toner Cartridge, 12,000*-Page Black Aftermarket High Yield Return Program Cartridge; 10,000*-Page Color (CMY) Aftermarket High Yield Return Program Cartridge *Average standard page yield value declared in accordance with ISO/IEC19798.
Recommended Monthly Volume	2,500 - 9,200 Pages per Month	3,000 - 10,000 Pages per Month
Other Options	Contact your dealer about other workflow solutions.	

Part #	Memory Options
1025041	256MB DDR2-DRAM
1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM
14F0245	256MB Flash Card
14F0102	80+GB Hard Disk

Part #	Application Solutions
30G0829	Lexmark PrintCryption Card
MS00497	X734, X736, X738 Forms and Bar Code Card
MS00498	X734, X736, X738 Card for IPDS/SCS/TNe

Part #	Paper Handling
27S2100	C734, C736, X734e, X736e, X738e 550-Sheet Drawer
27S2400	2,000-Sheet High Capacity Feeder
27S2650	C734, C736, X734e, X736e, X738e 550-Sheet Specialty Media Drawer
27S2190	4.8-inch (12.2 cm) Spacer

Part #	Connectivity
1021294	USB Cable (2-Meter)
1021231	Parallel Cable (10-foot)
14F0037	MarkNet N8120 Gigabit Ethernet Print Server
14F0042	MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server
14F0040	MarkNet N8150 802.11b/g/n Wireless Print Server
14T0145	Lexmark N4050e 802.11g Wireless Print Server
14T0220	MarkNet™ N7020e Gigabit Ethernet Print Server
14F0000	Parallel 1284-B Interface Card
14F0100	RS-232C Serial Interface Card



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>