

ProConnect® Compact KVM Switches

Control Multiple PCs with a Single Keyboard, Monitor, and Mouse

Switch PCs with the
Touch of a Button!



2-Port Compact KVM Switch PS2KVM2 (Left)
4-Port Compact KVM Switch PS2KVM4 (Right)
2-Port Compact KVM Switch Kit PS2KVMSK (not Pictured)

Benefits

Control Multiple PCs from a Single Monitor, PS/2 Keyboard and PS/2 Mouse

Toggle Between PCs with a Single Button or Hot Keys

Save Space, Energy and Hardware Costs

Serves as a Quick Docking Station for Notebook Computers

Simplify the Control of Your Servers

No Software Required

Features

- Control Multiple Computers from a Single Keyboard, Monitor, and Mouse
- Switch Instantly Between PCs
- Save Hundreds of Dollars in Equipment and Energy Costs
- Serves as a Quick Docking Station for Notebook Computers
- Supports an Incredible 1920 x 1440 Maximum Screen Resolution
- Full Plug-and-Play Monitor Support
- Caps Lock, Number Lock, and Scroll Lock Settings Are Automatically Recalled for each PC
- Runs with Most PS/2 and Windows 95 Keyboards
- Compatible with Virtually All Major PS/2 Mice
- No Software Required
- Free Technical Support
- 1-Year Limited Warranty

Specifications

Model Number	2-Port Switch: PS2KVM2 4-Port Switch: PS2KVM4 Switch Kit: PS2KVMSK
Standards	PS/2
Protocol	Microsoft PS/2 Protocol
Ports	<i>Keyboard:</i> 1 PS/2 female - Console 2 PS/2 female - CPU <i>Mouse:</i> 1 PS/2 female - Console 2 PS/2 female - CPU <i>Video:</i> 1 HDB-15 female - Console 2 HDB-15 male - CPU Ports
LED Indicators	2-Port Switch: PC 1, PC 2 4-Port Switch: PC 1, PC 2, PC 3, PC 4
Resolution	Max 1920 x 1440 at 85Hz, DDC2B
Scan Interval	3 seconds

Environmental

Dimensions	2-Port Switch: 4.3 x 3.9 x 1.4 inches 4-Port Switch: 5.1 x 3.9 x 1.4 inches
Weight	2-Port Switch: 4.8 oz. 4-Port Switch: 6.1 oz.
Power Input	DC 5V 20mA (max)
Certifications	FCC Class B, CE Mark Commercial
Operating Temp.	9° F to 72° F (5° C to 40° C)
Storage Temp.	9° F to 72° F (-10° C to 60° C)
Operating Hum.	0% to 80% Non-condensing
Storage Hum.	0% to 80% Non-condensing

Package Contents

2-Port Compact KVM Switch

- One 2-Port Compact KVM Switch
- One User Guide and Registration Card

4-Port Compact KVM Switch

- One 4-Port Compact KVM Switch
- One User Guide and Registration Card

2-Port Compact KVM Switch Kit

- One 2-Port Compact KVM Switch
- Two Keyboard, Video, and Mouse Cables (PS/2)
- One User Guide and Registration Card

Sales	(800) 546-5797
Support	(800) 326-7114
Fax	(949) 261-8868
Email	sales@linksys.com
Web	www.linksys.com



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>