

# FLATRON L1730S FLATRON L1730S

17" (17.0" VIS) ACTIVE MATRIX LCD COLOR MONITOR



- ▶ **Brilliant Active Matrix TFT Display**
- ▶ **Super-Fast 12ms Response Time for Ultimate Gaming Experience**
- ▶ **Integrated F-Engine (Picture-Quality Improvement Chip)**
- ▶ **Auto-Synchronous Support from 640 x 350 up to 1280 x 1024 @ 75Hz**
- ▶ **VESA DDC2B, DDC1, Plug and Play Compatible**
- ▶ **Simple One Touch-Auto-Setup Function**
- ▶ **Universal 90-264 VAC Power**
- ▶ **EPA Energy Star and VESA DPMS Compliant**
- ▶ **TCO'99 Low-Emission Compliant**

**FLATRON™**



FLATRON L1730S

FLATRON L1730S

17" (17.0" VIS) ACTIVE MATRIX LCD COLOR MONITOR

FLATRON L1 [www.LGusa.com](http://www.LGusa.com)

The LG FLATRON L1730S will bring new realism to gaming experience, computing and video applications. With integrated F-Engine (picture-quality improvement chip) and its super-fast 12ms response time, viewing is a pleasure not work. Plus it is PC and MAC compatible, has many great features like simple one button auto setup, Plug and Play compatible - all in a sleek, stylish design. The FLATRON L1730S Active Matrix LCD Color Monitor from LG. Dazzling performance.

<b>BEZEL COLOR</b>	Silver
<b>DISPLAY TYPE</b>	17.0" (17.0" VIS) Active Matrix TFT Color LCD Screen
<b>DISPLAY AREA</b>	13.3" x 10.6" (338mm x 270mm)
<b>DISPLAY COLORS</b>	More than 16.1 Million (6 Bit + FRC)
<b>PIXEL PITCH</b>	0.26mm x 0.26mm Pixel
<b>PIXEL CONFIGURATION</b>	RGB Stripe Arrangement
<b>SURFACE TREATMENT</b>	Hard Coating 3H, Anti-Glare
<b>ELECTRONIC INTERFACE</b>	LVDS
<b>BACKLIGHTING</b>	4CCFL
<b>MAXIMUM RESOLUTION</b>	1280 x 1024
<b>BRIGHTNESS</b>	250cd/m <sup>2</sup> (Typical)
<b>CONTRAST RATIO</b>	550:1 (Typical)
<b>RESPONSE TIME</b>	12ms (Typical)
<b>VIEWING ANGLE</b>	H: 160°, V: 140°
<b>HORIZONTAL SCANNING FREQUENCIES</b>	30-83kHz, Auto-Synchronous
<b>VERTICAL SCANNING FREQUENCIES</b>	56-75Hz, Auto-Synchronous
<b>AUTO-SYNC SUPPORT</b>	640 x 350 up to 70Hz, 640 x 480 up to 75Hz, 720 x 400 up to 70Hz, 800 x 600 up to 75Hz, 832 x 624 up to 75Hz, 1024 x 768 up to 75Hz, 1152 x 870 upto 75Hz, 1280 x 1024 up to 75Hz
<b>CONTROL TYPE</b>	On-Screen Display of Adjustments
<b>INPUT SIGNAL</b>	RGB Analog
<b>INPUT TERMINALS</b>	Standard VGA D-Sub 15-pin Connector
<b>SYNC SIGNALING</b>	Separate H/V
<b>MEMORY MODES</b>	13 Factory Preset, 10 User-Settable
<b>VESA PLUG AND PLAY LEVEL</b>	DDC2B, DDC1
<b>DIGITAL ON-SCREEN CONTROLS</b>	Brightness, Contrast, Horizontal/Vertical Position, Clock, Phase (+/-), Language Select
<b>FRONT PANEL CONTROLS</b>	Auto-Adjust, OSD Position, Color Temp (9300K, 6500K, User)
<b>POWER REQUIREMENTS</b>	Power, Menu, Adjust/Source(-,+), Auto/Set
<b>DPMS POWER CONSUMPTION</b>	90-264 VAC, 50-60Hz
<b>TILT/SWIVEL</b>	On: 40 Watts, Standby: 3 Watts, DPMS Off: 3 Watts
<b>VESA MOUNTING COMPLIANCE</b>	Tilt: Down 5°/Up 30°
<b>DIMENSIONS WITH BASE (WxDxH)</b>	Standard VESA Mounting, 100mm x 100mm Screw Spacing
<b>SHIPPING DIMENSIONS (WxDxH)</b>	15.7" x 4.5" x 15.5" (398mm x 115mm x 393mm)
<b>WEIGHT</b>	18.1" x 17.9" x 7.3" (460mm x 455mm x 185mm)
<b>SAFETY/REGULATORY</b>	10.8 lbs (4.9 kg) Net; 14.3 lbs (6.5 kg) Shipping
<b>ACCESSORIES</b>	TCO'99, UL, FCC-B, EPA Energy Star, CSA, CE,
<b>LGEUS WARRANTY</b>	TUV-GS, SEMKO, GOST, ISO 13406-2, C-TICK, VCCI-2
<b>UPC#</b>	Power Cord, Signal Cable, Manual, Install Disk
	3 Year QuickSwap Replacement Program
	719192177901



LG ELECTRONICS U.S.A., INC.

HEADQUARTERS

1000 Sylvan Avenue, Englewood Cliffs, NJ 07632 ▶ Tel: (201) 816-2000, Fax: (201) 816-2188 ▶ [www.LGusa.com](http://www.LGusa.com)

©2004 LG Electronics U.S.A., Inc. All trademarks are property of their respective owners. Design and specifications subject to change without notice. 6/04



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>