

Digital System.

DIGITAL 8•BUS  
**OWNER'S MANUAL**  
Version 3.0



MACKIE'S 56-INPUT, 72-CHANNEL, FULLY AUTOMATED DIGITAL AUDIO MIXING CONSOLE

**MACKIE.**<sup>®</sup>  
*Digital Systems*

Digital System

CAUTION AVIS

RISK OF ELECTRIC SHOCK  
DO NOT OPEN  
RISQUE DE CHOC ELECTRIQUE  
NE PAS OUVRIR

---

CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK  
DO NOT REMOVE COVER (OR BACK)  
NO USER-SERVICEABLE PARTS INSIDE  
REFER SERVICING TO QUALIFIED PERSONNEL  
  
 ATTENTION: POUR EVITER LES RISQUES DE CHOC  
ELECTRIQUE, NE PAS ENLEVER LE COUVERCLE. AUCUN  
ENTRETIEN DE PIECES INTERIEURES PAR L'USAGER. CONFIER  
L'ENTRETIEN AU PERSONNEL QUALIFIE.  
  
 AVIS: POUR EVITER LES RISQUES D'INCENDIE OU  
D'ELECTROCUTION, N'EXPOSEZ PAS CET ARTICLE  
A LA PLUIE OU A L'HUMIDITE



The lightning flash with arrowhead symbol within an equilateral triangle is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure, that may be of sufficient magnitude to constitute a risk of electric shock to persons.

*Le symbole éclair avec pointe de flèche à l'intérieur d'un triangle équilatéral est utilisé pour alerter l'utilisateur de la présence à l'intérieur du coffret de "voltage dangereux" non isolé d'ampleur suffisante pour constituer un risque d'électrocution.*



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

*Le point d'exclamation à l'intérieur d'un triangle équilatéral est employé pour alerter les utilisateurs de la présence d'instructions importantes pour le fonctionnement et l'entretien (service) dans le livret d'instruction accompagnant l'appareil.*

## SAFETY INSTRUCTIONS

1. **Read Instructions** — All the safety and operation instructions should be read before this Mackie product is operated.
2. **Retain Instructions** — The safety and operating instructions should be kept for future reference.
3. **Heed Warnings** — All warnings on this Mackie product and in these operating instructions should be followed.
4. **Follow Instructions** — All operating and other instructions should be followed.
5. **Water and Moisture** — This Mackie product should not be used near water — for example, near a bathtub, washbowl, kitchen sink, laundry tub, in a wet basement, near a swimming pool, swamp, or salivating St. Bernard dog, etc.
6. **Ventilation** — This Mackie product should be situated so that its location or position does not interfere with its proper ventilation. For example, the Component should not be situated on a bed, sofa, rug, or similar surface that may block any ventilation openings, or placed in a built-in installation such as a bookcase or cabinet that may impede the flow of air through ventilation openings.
7. **Heat** — This Mackie product should be situated away from heat sources such as radiators or other devices which produce heat.

PORTABLE CART WARNING

Carts and stands - The Component should be used only with a cart or stand that is recommended by the manufacturer.

A Component and cart combination should be moved with care. Quick stops, excessive force, and uneven surfaces may cause the Component and cart combination to overturn.

8. **Power Sources** — This Mackie product should be connected to a power supply only of the type described in these operating instructions or as marked on this Mackie product.

9. **Power Cord Protection** — Power supply cords should be routed so that they are not likely to be walked upon or pinched by items placed upon or against them, paying particular attention to cords at plugs, convenience receptacles, and the point where they exit this Mackie product.

10. **Object and Liquid Entry** — Care should be taken so that objects do not fall into and liquids are not spilled into this Mackie product.

11. **Damage Requiring Service** — This Mackie product should be serviced only by qualified service personnel when:

- A. The power-supply cord or the plug has been damaged; or
- B. Objects have fallen, or liquid has spilled into this Mackie product; or
- C. This Mackie product has been exposed to rain; or
- D. This Mackie product does not appear to operate normally or exhibits a marked change in performance; or
- E. This Mackie product has been dropped, or its chassis damaged.

12. **Servicing** — The user should not attempt to service this Mackie product beyond those means described in this operating manual. All other servicing should be referred to the Mackie Service Department.

13. **Do not remove the cover on the console.** It is permissible to remove the outer cover on the Remote CPU to install accessory cards. Do not remove the inner power supply cover.

14. **To prevent electric shock, do not use this polarized plug with an extension cord, receptacle, or other outlet unless the blades can be fully inserted to prevent blade exposure.**

*Pour prévenir les chocs électriques ne pas utiliser cette fiche polarisée avec un prolongateur, un prise de courant ou une autre sortie de courant, sauf si les lames peuvent être insérées à fond sans laisser aucune partie à découvert.*

15. **Grounding or Polarization** — Precautions should be taken so that the grounding or polarization means of this Mackie product is not defeated.

16. **This apparatus does not exceed the Class A/Class B (whichever is applicable) limits for radio noise emissions from digital apparatus as set out in the radio interference regulations of the Canadian Department of Communications.**

*ATTENTION — Le présent appareil numérique n'émet pas de bruits radioélectriques dépassant les limites applicables aux appareils numériques de class A/de class B (selon le cas) prescrites dans le règlement sur le brouillage radioélectrique édicté par les ministere des communications du Canada.*

### FCC Information

**NOTE:** This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

**WARNING** — To reduce the risk of fire or electric shock, do not expose this appliance to rain or moisture.

**Note:** The following notice concerns the lithium battery located on the motherboard inside the Remote CPU.

**CAUTION:** DANGER OF EXPLOSION IF BATTERY IS INCORRECTLY REPLACED. REPLACE ONLY WITH THE SAME OR EQUIVALENT TYPE RECOMMENDED BY THE MANUFACTURER. DISPOSE OF USED BATTERIES ACCORDING TO THE MANUFACTURER'S INSTRUCTIONS.

**ATTENTION:** IL Y A DANGER D'EXPLOSION S'IL Y A REMPLACEMENT INCORRECT DE LA BATTERIE, REMPLACER UNIQUEMENT AVEC UNE BATTERIE DU MEME TYPE OU D'UN TYPE ÉQUIVALENT RECOMMANDÉ PAR LE CONSTRUCTEUR. METTRE AU REBUT LES BATTERIES USAGÉES CONFORMÉMENT AUX INSTRUCTIONS DU FABRICANT.

## Statement of Conformity

Mackie Designs' Digital 8•Bus has been tested and conforms to the following standards and directives of the European Council:

73/23/EEC	Low Voltage Directive with amendments 91/263/EEC, 89/392/EEC, and 89/336/EEC
89/336/EEC	EMC Directive
IEC 950(1991)/EN60950:1992	Electrical Safety Requirements
EN55103-1 and EN55103-2	Residential (E1) and Commercial (E2) Environments



Part No. 820-256-00 Rev. A 5/01  
©2001 Mackie Designs Inc., All Rights Reserved.  
Printed in the U.S.A.

# Table of Contents

<b>Preface</b> .....	1
<b>Chapter 1: Getting Ready</b> .....	3
Introduction .....	4
About This Manual .....	4
Let's Get It Working .....	4
Hooking Stuff Up .....	4
A New Way of Thinking: Four Consoles in One! .....	7
Fader Bank Selection .....	8
Let's Get Some Sound Happening .....	8
Figure 1-1 Completing the Microphone Signal Path .....	9
Signal Routing Concept .....	10
Figure 1-2 Simple Microphone Connection/Basic Live Setup .....	11
Figure 1-3 Setting Up to Track .....	11
Figure 1-4 Basic Mixdown Setup .....	12
Keep Close Track of These Concepts .....	12
Figure 1-5 Signal-Flow Diagram .....	13
Figure 1-6 D8B Block Diagram .....	14
Figure 1-7 D8B Gain Structure Diagram .....	16
Specifications .....	17
Physical Dimensions .....	18
Updating Software .....	19
Windows-based Computers .....	19
Macintosh Computers .....	19
Summary .....	20
<b>Chapter 2: Where Is it?</b> .....	21
It's Time to Locate Everything .....	22
Rear Panel Description .....	22
Channels 1–12 Inputs .....	22
Channels 13–24 Inputs .....	22
Card Cage Section .....	22
Master Input/Output Section .....	23
AUX OUT Section .....	24
Remote CPU Description .....	25
Data and Synchronization I/O .....	25
Connecting a Mouse, Keyboard and SVGA Monitor .....	25
Other Connections .....	25
Control Surface Functions .....	26
Channel Strip Section .....	26
Master Section Description .....	28
Master Fader/Bank Select Section .....	28
Master V-Pot Section .....	29
V-Pot Assign Section .....	30
Figure 2-1 Aux Sends 1-8 (Default—Mackie Stereo Effects [MFX]) .....	31
Fat Channel Section .....	32

Studio/Solo Section .....	33
Phones/Cue Mix Section .....	34
Control Room Section .....	34
Clipboard Section .....	35
Master L-R/Shortcuts Section .....	36
Bus Assignment Section.....	36
Automation Section .....	36
Session Setup Section .....	38
Transport Section .....	39
<b>Chapter 3: What's On TV? .....</b>	<b>41</b>
Using the Graphic User Interface (GUI) .....	42
The Beauty of It... .....	42
The Master Strip .....	47
Signal Path Flexibility .....	49
May I See A Menu Please .....	51
The File Menu .....	51
The Edit Menu.....	53
The Channel Menu .....	56
The Options Menu .....	59
Automation Sub-menu .....	60
Transport Sub-menu .....	61
The Plugins Menu .....	61
The Windows Menu.....	63
The Desktop Window (Ctrl+D) .....	64
The Setup Window (Ctrl+1) .....	64
General .....	64
MDS Network .....	64
Digital I/O .....	65
Licensing.....	66
Mix Options .....	66
Locator-MMC .....	68
FTP Server .....	68
The Snapshot Window (Ctrl+2).....	69
The Surround Window (Ctrl+3) .....	70
The Locator Window (Ctrl+4).....	74
The Mix Editor Window (Ctrl+5) .....	75
The Fat Channel Window (Ctrl+6) .....	78
The Panning Window (Ctrl+7).....	82
The Faders Window (Ctrl+8) .....	82
Event Automation Track (Ctrl+9).....	83
The History List Window (Ctrl+H).....	84
The MIDI Map Window (Ctrl+ -).....	85
Erase UFX Memory... .....	86
Upgrade UFX Cards... .....	86

<b>Chapter 4: Applications</b> .....	87
Setting Up for a Session .....	88
Listening Environment .....	88
Channel Configuration/Planning .....	88
Power-up Procedure .....	88
Figure 4-1 Power-up Procedure .....	88
Figure 4-2 Basic Connection for Multitrack Recording .....	89
Setup Window .....	89
Installation and Connection of Optional I/O and Effects Cards .....	91
Installation of FX Cards .....	92
Installation of I/O Cards .....	93
Checklist for Basic Operational Functionality .....	94
Connecting Analog Multitrack(s) .....	94
Connecting ADAT (Lightpipe) Multitrack(s) .....	94
Connecting TASCAM (TDIF) Multitrack(s) .....	95
Multitrack Recording .....	96
Multitrack Tracking Checklist .....	97
Sample Tracking Setup .....	100
Mixdown Setup .....	102
Effects/Plug-ins .....	104
Dynamics and EQ Applications .....	106
MIDI and the D8B .....	107
Word Clock and the D8B – The Kitchen Sync .....	108
Dither – To UV22 or Not to UV22: That Is the Question .....	111
D8B–HDR24/96 Setup .....	112
Using the Digital 8•Bus with ADATs .....	117
Connecting the Digital 8•Bus to a BRC and ADATs .....	118
Connecting the Digital 8•Bus to ADATs Using an External Sync Box .....	120
Connecting the D8B to TASCAM MDMs .....	122
Digital Audio Workstation Setup .....	124
Live Sound/Live Recording Setup .....	126
Post-Production Setup .....	128
Bouncing/Summing Using Bus Outs .....	128
Using Basic Automation .....	129
Automation Procedural Checklists .....	132
<b>Appendices</b> .....	133
Appendix A: Service .....	134
Appendix B: IVL Vocal Studio .....	136
About the IVL Vocal Studio .....	136
The Interface .....	136
Operation–Harmony .....	138
Operation–Pitch Correction .....	142
Appendix C: Plug-in Configuration and Routing .....	144
Appendix D: Shortcuts .....	150
Appendix E: MIDI Implementation Guide .....	153
Appendix F: Compatible Cables .....	154
Colophon .....	163
<b>Index</b> .....	156

## Preface

The Mackie Digital 8•Bus is an amazing digital audio tool. Its flexibility, depth, and creative pizzazz provides the engineer/artist with nearly limitless freedom to produce top quality work.

The D8B Version 3.0 upgrade offers a host of new features that can make your mixes sound better and speed your workflow. Here's a list of the newest features of the Mackie OS Version 3.0.



### WHAT'S NEW WITH 3.0

- Third-party plug-ins via the Mackie UFX card
- Enhanced dynamics
- Input keying and EQ filter
- Soft knee compression toggle
- 48-channel overview screen
- 999 levels of Undo
- Automation Cut, Copy, and Paste
- 24-bit Alt I/O
- Advanced Mix Editor features including:
  - New view-sizing arrows
  - Auto-loop SMPTE time code boxes
  - Loop-in/loop-out and Locate markers in the time bar
  - Contextual right mouse click for track parameters and time bars
  - Event Automation Track
- Enhanced Surround Sound mixing environment with:
  - Depth of Center Control
  - Surround LFE Gain Control for each channel
  - Surround-corrected bus/track assignment
  - Surround Front-to-Rear Pan Control via control surface or MIDI
  - Surround GUI update—new 72-channel overview
- Triumphant Return of the Desktop—drag and drop file management between File windows
- Enhanced, flexible MIDI I/O mapping for all channel strip and master section parameters
- Assignable MIDI commands on transport (REW, FF, STOP, PLAY, REC) and on the D8B master control section
- Insert and patch point feature on channels—source either plug-ins, 8 aux sends, 8 buses, or 72 channels (pre-DSP only)
- 24-bit plug-in inserts across Main L/R buses
- Time offset (delay) on each channel 1-48 with 255 samples
- Channel Layout assigns channel strips in various orders
- Non-destructive Ungrouping
- Optional fader control of level to tape—direct out signal follows the source fader channel
- Multiple direct outs per channel
- Snapshot Library
- Pre/Post assignment of each aux send on each channel
- Improved BBT resolution and clocking accuracy



**MACKIE.**<sup>®</sup>  
*Digital Systems*<sup>™</sup>



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>