



Jig Saw

Satisfy Professional's Needs




Bayonet shank Jig Saw Blade
4326, 4327, 4328, 4329



Makita shank Jig Saw Blade
4326M, 4327M

Extremely Smooth Operation by Powerful Motor



Powerful
450W

Capacity in Wood
65mm*

Low
Vibration

*4326, 4327, 4328, 4329



For more Comfortable Cutting...

Low Vibration

Counterweight balancing system reduces vibration. Reducing vibration makes operator feel more comfortable when cutting various workpieces.



Ergonomically designed rubberized grip

Provides more control and comfort while minimizing hand fatigue and pain.



3 Orbital Settings + Straight Cutting

(4328, 4329)
Optimum cutting action can be selected by simply turning the change lever.



Sliding Dust Cover

Improves dust-collection efficiency and prevents scattering of chips.



Variable speed control by dial
ensures optimum cutting speed per job.
(4327, 4327M, 4328, 4329)

Powerful
450 W



Hex Wrench Storage

Photo : 4329



Connectable to Vacuum Cleaner Using Hose (Optional Accessory)

Rigid and Rust-Resistant Aluminum Base (4329 only)
slides smoothly over the surface of a workpiece.

Bevel cutting

Base can be tilted up to 45 degrees to the left or right.

Thick Blade (1.7mm thickness) is available

in Addition to the Current 1.1mm Thickness Blade. 1.7mm thick blade performs well in straight cutting and curve cutting to thick workpiece. Bosch's equivalent can be installed. (4326, 4327, 4328, 4329)

Comparison of Features

For Model	4326	4326M	4327	4327M	4328	4329
Jig Saw Blade type	Bayonet	Makita	Bayonet	Makita	Bayonet	Bayonet
Orbital cutting	-	-	-	-	●	●
Base plate	Steel	Steel	Steel	Steel	Steel	Aluminum
Variable speed control by dial	-	-	●	●	●	●

Accessories

Anti-Splintering Device
(For cleaner cuts) 5per pkg.

For Model 4329
Part No. 192557-6



For Model 4326/M, 4327/M, 4328
Part No. 192733-2

Guide Rule Set
Part No. 192732-4



Cover Plate
For Model 4329
Part No. 417852-6



Hose Complete 28-3
Part No. 192279-8



Jig Saw

Double Insulation

Dust Collecting

Variable Speed
4327/M, 4328, 4329

Orbital Cutting
4328, 4329

Bayonet Shank Jig Saw Blade
4326, 4327, 4328, 4329

Makita Shank Jig Saw Blade
4326M, 4327M



4326/M, 4327/M, 4328, 4329

	4326/M, 4327/M, 4328	4329
Continuous rating Input	450W	450W
Capacity		
<i>In wood at 90 degrees</i>	: 65mm (2-9/16") (4326, 4327, 4328)	: 65mm (2-9/16")
	: 40mm (1-9/16") (4326M, 4327M)	
<i>In steel at 90 degrees</i>	: 6mm (1/4")	: 6mm (1/4")
Length of stroke	18mm (11/16")	18mm (11/16")
Strokes per minute (spm)	3,100 (4326/M)	500 - 3,100
	500 - 3,100 (4327/M, 4328)	
Dimensions (L x W x H)	217 x 77 x 197mm (8-1/2" x 3" x 7-3/4")	223 x 77 x 197mm (8-3/4" x 3" x 7-3/4")
Net weight	1.8kg (4.0lbs)	1.9kg (4.2lbs)
Power supply cord	2.0m (6.6ft)	2.0m (6.6ft)

Standard Equipment Jig Saw Blade, Hex Wrench

Items of standard equipment and specifications may differ by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN Z23329-2 2007-08

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>