# Corporate Network Card

Product Code: NP1500

The Intel-based adaptor that really means business

NetComm's NP1500 is an enhanced performer with auto-sensing 32-bit 10/100Mbps fast Ethernet technology for desktop PCs.

Specially developed with business users in mind, this Intel chipset-based adaptor is equipped with advanced features that deliver reliability, superior performance and ease of installation for any workstation or high-speed server.

This card features N-Way auto-negotiation for automatic selection of the network speed and full duplex mode to double network data rates up to 20/200Mbps. In fast full-duplex mode, the adaptor's embedded flow control protects against possible data loss during transmission.

A comprehensive set of software drivers is included for the most popular PC Network Operating Systems including Microsoft Windows ® 95, 98, ME, NT, 2000 and XP.

CHECK THESE GREAT FEATURES

- Renowned Intel reliability
- Double your network data rates up to 20/200Mbps – full duplex mode
- 32-bit PCI Bus Master high-speed operation of Rev.2.1 specification
- Wake-on-LAN function (cable included) and remote wake-up
- You can depend on Intel
- 10/100Mbps auto-sensing single shielded RJ-45 connector
- Full duplex mode doubles network data rate to 20/200Mbps
- IEEE 802.3x flow control
- IP multicast address filter
- Low network command processing overhead
- Operates within Windows ® 95, 98, ME, NT, 2000 and XP

NetComm
NETWORKING & COMMUNICATIONS CONVERGED

Corporate Network Card

Product Code: NP1500

3 YEAR WARRANTY*
1 year warranty out of the box.
Extra 2 years **FREE** with online
registration at www.netcomm.com.au
*Conditional upon registration online.

TECHNICAL SPECIFICATIONS

Standards	IEEE 802.3 10BASE-T Ethernet IEEE 802.3u 100BASE-TX Fast Ethernet ANSI/IEEE 802.3 NWay Auto-negotiation	**Humidity**	Operating: 10% ~ 90% RH Storage: 5% ~ 90% RG
Network Media	**Ethernet:** UTP Cat. 3, 4, 5, EIA/TIA-568 100-ohm screened twisted-pair (STP) **Fast Ethernet:** UTP Cat. 5, EIA/TIA-568 100-ohm screened twisted-pair (STP)	**Emission**	FCC Class B CE mark Class B VCCI-B
Protocol	CSMA/CD	**Supplied Drivers**	• Microsoft Windows® 95, 98, ME • Microsoft Windows® 2000 • Microsoft Windows® NT 3.51, 4.0 • Microsoft Windows® for Workgroup 3.11 • Microsoft® LAN Manager for DOS • Novell NetWare Server 3.12, 4.11, 5.0 • Novell Netware ODI for DOS • NDIS 2.0 • Linux
Host Interface	32-bit PCI Rev.2.1		
Diagnostic LEDs	Link Activity 100M Full-duplex/Collision		
Network Data Transfer Rate	**Ethernet:** 10Mbps (Half-duplex) 20Mbps (Full-duplex) **Fast Ethernet:** 100Mbps (Half-duplex) 200Mbps (Full-duplex)		
Wake-Up Method	Magic Packet		
Temperature	Operating: 0 ~ 55º C Storage: -10 ~ 70º C		

PACKAGE CONTENTS

• Fast Ethernet Card

• Driver diskette

• Installation guide

Your Netcomm dealer:

NetComm is Australia's dynamic data communications and networking solutions provider. For more information on this and other NetComm products, please visit www.netcomm.com.au

NetComm Ltd ABN 85 002 490 486

PO Box 1200, Lane Cove NSW 2066 Australia.

PHONE (02) 9424 2070 • **FAX** (02) 9424 2010

www.netcomm.com.au • **EMAIL** sales@netcomm.com.au

Trademarks and registered trademarks are the property of NetComm Ltd or their respective owners.

Specifications are subject to change without notice.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com