

New Holland MY Yard Tractor Specifications



MY16 MY17 MY19

| MODEL | MY16 | MY17 | MY19 |
|---------------------------|---------------------------|--------------|--------------|
| ENGINE | | | |
| Type | Kohler Command | Kawasaki | Kawasaki |
| Horsepower, hp (kW) | 16 (11.9) | 17 (12.7) | 19 (14.2) |
| No. of cylinders | 1 | 2 | 2 |
| Fuel capacity, gal. (L) | 3.9 (14.7) | 3.9 (14.7) | 3.9 (14.7) |
| Full pressure lubrication | Standard | Standard | Standard |
| Full flow oil filter | Standard | Standard | Standard |
| Full pressure lubrication | Standard | Standard | Standard |
| Air cleaner | Dry type with pre-cleaner | Dual Element | Dual Element |

TRANSMISSION

| | | | |
|-----------------------------------|-------------|-------------|-------------|
| Type | Hydrostatic | Hydrostatic | Hydrostatic |
| Make | Hydro-Gear | Hydro-Gear | Hydro-Gear |
| Maximum speed, forward, mph (kph) | 6.9 (11.1) | 6.9 (11.1) | 6.9 (11.1) |
| Maximum speed, reverse, mph (kph) | 3.4 (5.5) | 3.4 (5.5) | 3.4 (5.5) |
| Cruise control | Optional | Standard | Standard |

BRAKES

| | | | |
|--------------------|----------|----------|----------|
| Service brake | Band | Band | Band |
| Parking brake lock | Standard | Standard | Standard |

ELECTRICAL

| | | | |
|---------------------------------|----------|----------|----------|
| Charging system | 15 amp | 13 amp | 13 amp |
| Battery, 12-volt, capacity, cca | 260 | 340 | 340 |
| Headlights, replaceable bulb | Standard | Standard | Standard |
| Warning lights | 2 | 4 | 6 |
| Rear reflectors | Standard | Standard | Standard |

IMPLEMENT CONTROL

| | | | |
|--|----------|----------|----------|
| Implement clutch, electric | Standard | Standard | Standard |
| Implement lift | Manual | Manual | Power |
| Automatic implement shutoff in reverse | Standard | Standard | Standard |
| Rear drawbar | Standard | Standard | Standard |

OPERATOR STATION AND CONTROLS

| | | | |
|---|----------|----------|----------|
| Premium seat, spring-mounted with sliding track | Standard | Standard | Standard |
| Tilt steering wheel, 13 in. automotive type | Standard | Standard | Standard |
| Hourmeter | Standard | Standard | Standard |
| Low oil pressure warning light | Standard | Standard | Standard |
| Starter key w/safety interlock | Standard | Standard | Standard |

WHEELS AND TIRES

| | | | |
|-----------------------------------|---------------|---------------|---------------|
| Front: pneumatic multi-trac tread | 16 x 6.50-8 | 16 x 6.50-8 | 16 x 6.50-8 |
| Rear: pneumatic multi-trac tread | 23 x 10.50-12 | 23 x 10.50-12 | 23 x 10.50-12 |

DIMENSIONS, in. (cm)

| | | | |
|-----------------------------------|--------------|--------------|--------------|
| Length, overall | 71 (180.3) | 71 (180.3) | 71 (180.3) |
| Height over steering wheel | 42.2 (107.2) | 42.2 (107.2) | 42.2 (107.2) |
| Width, overall (less mower) | 35.5 (90.2) | 35.5 (90.2) | 35.5 (90.2) |
| Wheelbase | 49.5 (125.7) | 49.5 (125.7) | 49.5 (125.7) |
| Turning Radius, inside rear wheel | 16.0 (40.6) | 16.0 (40.6) | 16.0 (40.6) |
| Net weight, estimated, lbs. (kg) | 530 (241) | 560 (254) | 580 (263) |

New Holland MY Yard Tractor Specifications



MY16 MY17 MY19

| MODEL | MY16 | MY17 | MY19 |
|---|------|---------------|----------|
| MOWER DECKS | | | |
| 42-inch side discharge..... | | Optional..... | |
| 48-inch side-discharge (mulch kit optional)..... | | Optional..... | |
| 52-inch side-discharge (mulch kit optional) — | | Optional | Optional |
| ATTACHMENTS AND ACCESSORIES | | | |
| 2-bag vacuum grass catcher, 11 cu. ft. | | Optional..... | |
| 36-inch rotary tiller | | Optional..... | |
| 48-inch front blade..... | | Optional..... | |
| 42-inch snow blower | | Optional..... | |
| Electric sprayer, 18 gal., mounted or towable..... | | Optional..... | |
| 36-inch aerator..... | | Optional..... | |
| 36-inch lawn sweeper | | Optional..... | |
| 36-inch lawn roller, 600 lbs. | | Optional..... | |
| Dump cart, 8 cu. ft./400 lb. capacity | | Optional..... | |
| Dump cart, 10 cu. ft./1200 lb. capacity | | Optional..... | |

Visit our Web site at www.newholland.com/na. Or, call toll-free **866-NEW-HLND (866-639-4563)**.

Design, materials and/or specifications are subject to change without notice and without liability therefor. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas.



Safety begins with a thorough understanding of the equipment. Always make sure you and your operators read the Operator's Manual before using the equipment. Pay close attention to all safety and operating decals and never operate machinery without all shields, protective devices and structures in place.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>