

New Holland Economy Compact Tractor Specifications



TC30 T1510 T1520

MODEL	TC30	T1510	T1520
ENGINE			
Gross engine hp (kW)	30 (22.4)	30 (22.4)	35 (26.1)
PTO hp (kW), gear transmission	25.5 (19.0)	25.5 (19.0)	29.5 (22.0)
PTO hp (kW), hydro. transmission	24 (17.9)	24 (17.9)	28 (20.9)
Rated speed, rpm	2600		
Cylinders	3		
Aspiration	Natural		
Displacement, cu. in. (L)	91.3 (1.5)	91.3 (1.5)	101.4 (1.7)
Fuel capacity, gal. (L)	7.1 (27)		

TRANSMISSIONS

Gear			
Speeds forward/reverse	9 x 3		
Min/Max forward speed with R4 tires, mph (k/hr)	0.71 - 12.1 (1.1 - 19.5)		
Hydrostatic			
Ranges	3		
Min/Max forward speed with R4 tires, mph (k/hr)	0 - 13.6 (0 - 21.9)		

BRAKES	Wet disc		
---------------	----------	--	--

POWER TAKE OFF (PTO)

Rear PTO			
Gear transmission, 2WD	Transmission-driven	Transmission-driven	NA
Gear transmission, FWD	Live 540 rpm		
Hydrostatic transmission, FWD	Live 540 rpm		
Mid PTO (optional on gear transmission)			
2WD gear transmission	Transmission-driven with overrunning clutch, 2000 rpm	Transmission-driven with overrunning clutch, 2000 rpm	NA
FWD gear and hydrostatic transmission	Live 2000 rpm		

AXLE OPTIONS

2WD	Optional	Optional	NA
FWD	Standard		

HYDRAULICS

Pump type	Gear		
Pump capacity, gpm (Lpm)	6.2 (23.2)		
Power steering pump, gpm (Lpm)	3.8 (14.2)		
3-point hitch lift capacity, 24 in. aft of hitch, lb. (kg)	1635 (743)		

DIMENSIONS

Overall length, 3-pt raised, in. (mm)	111.4 (2830)		
Overall width with R4 tires, in. (mm)	62 (1575)		
Wheelbase, in. (mm)	63.0 (1600)		
Height to top of ROPS, with R4 tires, in. (mm)	82.3 (2090)		
Shipping weight, FWD with R4 tires/9x3 trans., lbs. (kg)	2385 (1082)	2385 (1082)	2400 (1089)

TIRE OPTIONS

Ag R1, front/rear	7.4 x 14	11.2 x 24	
Turf R3, front/rear	24 x 8.50-14	13.6 x 16	
Industrial R4, front/rear	25 x 8.50-14	15 x 19.5	

OTHER STANDARD FEATURES

Two-position extendable drawbar	NA	Standard	NA
Foldable ROPS	NA	Standard	NA

New Holland Economy Compact Tractor Specifications

TC30 T1510 T1520



OPTIONAL EQUIPMENT

FRONT ATTACHMENTS

- Loader
- Quick-attach rotary broom
- Quick-attach dozer blade
- Quick-attach snow blower

MID ATTACHMENT

- Mid-mount mowers

REAR ATTACHMENTS

- Finishing mowers
- Flail mowers
- Snow blowers
- Utility backhoes
- Rotary tiller
- Post hole digger
- Ballast box

Visit our Web site at www.newholland.com/na. Or, call toll-free **866-NEW-HLND (866-639-4563)**.

Design, materials and/or specifications are subject to change without notice and without liability therefor. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas.



Safety begins with a thorough understanding of the equipment. Always make sure you and your operators read the Operator's Manual before using the equipment. Pay close attention to all safety and operating decals and never operate machinery without all shields, protective devices and structures in place.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>