

Attix Wet/Dry Series

The Attix 8, 12 and 19: The industry standard for wet/dry vacuums

www.nilfisk-alto.us



Wap

Total Cleaning Confidence[®]

Nilfisk ALTO

Mobile & Compact - With Light Weight

ATTIX 8 SERIES WET/DRY ON THE MOVE

A unique, compact and flexible vacuum cleaner. The only vacuum in the market that alerts users when the filter needs cleaning.*



ATTIX 8 - designed to improve mobility

With the new WAP ATTIX 8, Nilfisk-ALTO widens the wet/dry vacuum range. The vacuum is the perfect solution for craftsmen and other professionals in **woodworking, drywall, and automotive** industries. Bring the ATTIX 8 with you to remove all traces of dust and dirt. You will experience a power surplus greater than one would expect from such a small machine.

Silent Operation

The low noise level of 59 dB(A) is a luxury feature for a comfortable working environment

Cable hook & Accessory Holder

Have everything in one place. It also allows for proper storage after use.

New Container Design

The slim design allows for an easy transport. The container has no rips and no secret corners inside, so emptying is not a problem.



WAP ATTIX 8
HEPA Options



WAP HEPA filter systems meet the following standards:

ANSI	Z9.2-1979	EPS	560-OPTS-86-003
OSHA	1910.1001	MIL	51058 F
EPA	560-OPTS-86-002	DOE Nuclear Standard	NE F 3-43

HEPA standards also applicable to WAP Attix 12


Push&Clean
Filter Cleaning System

Push&Clean


Filter Cleaning System

If your work is with “normal” dirt, you may not need a filter cleaning system... But if you are working with fine dust, you are surely familiar with the dreaded task of cleaning clogged filter cartridges to restore normal suction performance.

With Push&Clean, all you have to do to clean the filter is to cover the fitting or the hose and press the button. Powerful air pulses will clean the filter gently, and you are back to work in no time.



PET-fleece* filter cartridge
Washable and long lasting filter cartridge with high filtration rate for a clean air.



Push&Clean button*
For cleaning the filter just cover the fitting or the tube and press the button.

Audio filter alarm

A high-pitched alarm will notify the user that the filter needs cleaning.

Ergonomic and sturdy grip

The machine can be moved round in an easy and comfortable way even with a full container.

Round switch and auxiliary power outlet

The switch can be easily used, even with gloves. It always indicates whether the machine is on or off. The automatic auxiliary power outlet* allows you to use electric tools.

SoftStart*

A gentle start-up motor keeps starting current low and prevents voltage.

Power Regulator*

To adjust suction performance and to prevent the power tool from sticking to the work surface.

Superior Suction Performance

The power you need for better cleaning with less effort in less time.

Hose selection feature*

Adjustment for various diameter of suction hose for optimum cleaning.

*Standard on Attix AS/E

The Push&Clean system:

- Keeps suction performance constantly high
- Extends the life of the filter and reduces your costs
- Saves you working time
- Improves the reliability of the machine

Push&Clean filter cleaning technology

The Push&Clean technology allows a fast and simple cleaning of the filter cartridge. When you block the fitting for the air inlet or the hose and push the filter cleaning button, the surrounding air enters into the container, passing through the filter cartridge in the opposite direction. The dirt is blasted off the filter and the suction performance is high again. A comfortable and powerful but gentle way of cleaning the filter.

Push&Clean



Xtreme Efficiency

ATTIX 12 SERIES XTREME SILENCE

Superior suction power, silent operation and new innovative features.



The Most Silent Worker Around

Even when it does the tough jobs, you won't notice. The ATTIX 12 was developed with many improvements and a new design. Additionally, it gives you the most silent operation of the WAP line. Then add superior suction performance, automatic filter cleaning, and anti-static features, and you have the perfect wet/dry vacuum for the body shop, rental store, and manufacturing industries.

Silent Operation

The low noise level of 59 dB(A) is a luxury feature for a comfortable working environment

Cable hook & Accessory Holder

Have everything in one place. It also allows for proper storage after use.

Extra large wheels and castors

Good mobility even on different or uneven surfaces.



Application-Specific Models Available



XtremeClean
Automatic Filter Cleaning System



WAP now offers the impressive filter cleaning system called XtremeClean. The name is characteristic for the cleaning level of this system: Extremely efficient and completely automatic, saving you time and money. The best filter cleaning system that the market has ever seen.

All you have to do is start the vacuum. The filter is immediately cleaned automatically, and every 30 seconds while you work. So there is no need to interrupt your work to clean the filter. You concentrate on your task, and XtremeClean will take care of the filter.

Powerful air pulses clean the filter gently and:

- Keep the suction performance constantly high
- Extend the life of the filter and reduce your costs
- Save you working time without interruptions
- Improve the reliability of the machine
- Word-Patented

XtremeClean filter cleaning technology

Advanced technology delivers automatic filter cleaning while you work with full vacuum performance. The XtremeClean technology is based on a valve controlled solution, using reversed air flow to clean the one half of the filter cartridge - while you still work with the other half of the filter cartridge. The valve allows the surrounding air to enter into the container, passing through the filter in the opposite direction. The dirt is blasted off the filter and the suction performance is restored.



Ergonomic and sturdy grip

The machine can be moved round in an easy and comfortable way even with a full container.

Round switch and auxiliary power outlet

The switch can be easily used, even with gloves. It always indicates whether the machine is on or off. The automatic auxiliary power outlet* allows you to use electric tools.

SoftStart*

A gentle start-up motor keeps starting current low and prevents voltage.

Power Regulator*

To adjust suction performance and to prevent the power tool from sticking to the work surface.

AntiStatic Feature

To prevent shocks and dirt caused by static charges.

Hose selection feature*

Adjustment for various diameter of suction hose for optimum cleaning.

**Standard on different variants*



Nilfisk-ALTO OFFERS MORE DEDICATED SOLUTIONS...

In order to accommodate specific customer needs, Nilfisk-ALTO has developed a full range of accessories and accessory sets. You will find more accessories and more sets in the main Nilfisk-ALTO catalog.



Accessories for ATTIX 8 & 12



Filter bags

2-ply filter bag in sturdy quality and with high filtration rate. PU 5 pcs. The original Nilfisk-ALTO quality.

ATTIX 8
ATTIX 12

302 000 449
302 000 527



Filter Cartridge

Filter cartridge made of washable PET-fleece with high filtration rate and long service life.

ATTIX 8 & 12
ATTIX 12 XtremeClean

302 000 490
302 000 751



Cloth filter insert "special"

Additional filtration stage with high-level filtration efficiency. Best suitable for very fine dust mixed with moisture. For those that work without filter bags. Made of needled felt. Plastic coated.

ATTIX 8 & 12
ATTIX 12

302 000 606
302 000 525



Accessory net

Helps carrying different goods like accessories or small tools. Content is visible. Kit includes screws.

ATTIX 8
ATTIX 12

302 000 607
302 000 524



Exhaust air collector

To collect the exhaust air and lead it out of the room. Ideal for 100% clean rooms. Can also be used to blow some dirt out of hard-to-reach places. Kit includes screws.

ATTIX 8 & ATTIX 12

302 000 522



Handle, folding

Offers an extreme comfortable handling when the machine is transported. Kit includes screws.

ATTIX 8

302 000 523



Accessory net
For transportation of even more accessories, an accessory net is available and can be mounted on the vac.

Handle (Folding)
A comfortable way to transport your vac.

Exhaust air collector
If you want to get rid of the vacuumed air - just use the exhaust air collector. Can also be used to blow some dirt out of hard-to-reach places.



Selection of some accessory sets



Industrial/floor set **No. 63214**

- 4-piece, 1.5-inch diameter connection
- 13-foot suction hose, oil-resistant 61779
- Curved hand tube, stainless steel 46691
- 2 Suction tubes, stainless steel 15546
- Large-capacity floor nozzle with rubber lips 15349



Industrial set **No. 63216**

- 6-piece, 2-inch diameter connection
- 13-foot suction hose 15358
- Anodised aluminium extension tube 15335
- Industrial floor nozzle, aluminium 15343
- Replacement rubber lips 15346
- Crevice nozzle, special plastic 7102
- Coarse dirt nozzle, aluminium 41100



Chip set **No. 61681**

- 2-piece, 2-inch diameter connection
- 13-foot aluminium suction hose 15182
- Diagonal tube nozzle, rubber 7868



Pipe cleaning set **No. 63215**

- 4-piece, 1.5-inch diameter connection
- 13-foot suction hose 15365
- 8-foot anodised aluminium extension tube 15340
- Tube cleaning nozzles
- 2.75 - 4.75-inch diameter 7964
- 4.75 - 7.75-inch diameter 8054



Animal Care Set **No. 6095**

- 4-piece, 1-inch connection
- 11-foot suction hose 14289
- Spiked currycomb 6094
- Currycomb 6092
- Oven nozzle "XL" 6093




Oven cleaning set **No. 14341**

- 3-piece, 38 mm diameter connection
- 4 m suction hose 6070
- 2.5 m anodized aluminium extension tube 15340
- Oven nozzle "XL" 63380



ATTIX 19 SERIES REVOLUTIONARY

The revolution in wet/dry vacuums



The new Attix 19-gallon wet/dry vacuum features the XtremeClean filter-cleaning system*, the best filter-cleaning system the market has ever seen.

With the XtremeClean system, there's no need to stop working as the filter is continually being cleaned automatically. There are no buttons to press, no canisters to open -- no manual effort at all.

Powerful air pulses gently clean the filter and:

- Reduce down time
- Keep suction performance at its peak
- Improve the reliability of the machine
- Extend the life of the filter
- Save you money

*Available on select models only

ERGONOMIC DESIGN


Comfortable handle, tilt or lift-out container, handy tool tray and suction tube holder.

SILENT POWER

Works at a low 57d(B)A

STURDY

Steel frame and stainless-steel canister



XtremeClean technology lets you keep working longer, even when working with fine dust.

- ☞ XtremeClean filter-cleaning system
- ☞ Semi-automatic filter-cleaning systems
- ☞ Manual filter-cleaning systems



Mobility and Transport

With a comfortable, integrated handle, it's easy to take the Attix 19 wherever the work is.

Versatile and Flexible

Tilt the container to empty, or simply lift it out of the frame to dispense of its contents elsewhere.



HIGH PERFORMANCE

Two-stage turbines and bypass motors

VERSATILITY

Tilting, removable container;
optional features including
XtremeClean and automatic on/off

The Attix 19 Series is ideal for:

- Rental
- Body Shops
- Industrial
- Oil & Lube
- Automotive
- Construction
- Food Processing
- Manufacturing
- Hospitality
- Agriculture
- Pharmaceutical

No situation or job is too tough for the Attix 19 Flood Sucker





Attix Series Specifications

Attix 8 & 12 Series

	ATTIX 8	ATTIX 8 AS/E	ATTIX 8 HEPA	ATTIX 12	ATTIX 12 RDF	ATTIX 12 HEPA	ATTIX 12 RDFD XC	ATTIX 12 AS/PE XC
Part Number	302000405	302000414	900120	302000573	302000582	900121	302000585	302000588
Power	HP 1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Power Peak	HP 7.25	7.25	7.25	8.25	8.25	8.25	8.25	8.25
Air Flow	CFM 120	120	120	140	140	140	140	140
Vacuum Waterlift	in. 90	90	90	105	105	105	105	105
Working Noise	d(BA) 59	59	59	57	57	57	57	57
Container volume	gallons 8	8	8	12	12	12	12	12
L x W x H	in. 15 x 15 x 22	15 x 15 x 22	15 x 15 x 22	20 x 19 x 26	20 x 19 x 26	20 x 19 x 26	20 x 19 x 26	20 x 19 x 26
Weight/Shipping	lbs. 35	35	35	53	53	53	53	53


Standard Features:

Accessory Holder	●	●	●	●	●	●	●	●
AntiStatic Suction Hose		●						●
Cable Hook	●	●	●	●	●	●	●	●
Filter Cleaning System		Push&Clean					XTREME Clean	XTREME Clean
Rubber Cable	●	●	●	●	●	●	●	●
Receptical		●			●		●	●
SoftStart		●			●		●	●
Power Regulator		●					●	●
Tool Deposit	●	●	●	●	●	●	●	●
Auto On/Off		Electric					Electric	Electric/Pneumatic
Audio Filter Alarm		●						
Auto Cleaning							●	●

Standard Accessories:

Hose (dia x length)	in. x ft. 1.5 x 10	1.25 x 16	1.5 x 10	1.5 x 10	1.5 x 10	1.5 x 10	1.5 x 10	1.25 x 16 (Coaxial)
Curved Wand	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome
Extension Tube	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome
Tube Holder	●	●	●	●	●	●	●	●
Floor Nozzle - Combi	●	●	●	●	○	●	○	○
Metal Floor Nozzle	○	○	○	○	●	○	●	○
Crevice Nozzle	●	●	●	●	○	●	○	○
Brush Nozzle	●	●	●	●	○	●	○	○
Universal Nozzle	●	●	●	●	●	●	●	●
Tool Adapter	○	●	○	○	●	○	●	●
Filter Cartridge - Fleece	●	●	○	●	●	○	●	●
Filter Bags	1	1	1	1	1	1	1	1
HEPA Filter	○	○	●	○	○	●	○	○

● - Standard Accessory/Feature ○ - Optional Accessory/Feature



Attix 19

MODEL		Standard	RDFL	AS/PE 2	HEPA	AE
PART NUMBER		302001540	900125	302001542	900124	302001541
Power	HP	1.6	1.6	1.6	1.6	1.6
Power Peak	HP	8.25	8.25	8.25	8.25	8.5
Air Flow	CFM	140	140	140	140	140
Water Lift	in.	105	105	105	105	105
Noise Level	d(BA)	57	57	57	57	57
Container Volume	gallons	19	19	19	19	19
L x W x H	in.	24 x 23 x 38	24 x 23 x 38	24 x 23 x 38	24 x 23 x 38	24 x 23 x 38
Shipping Weight	lbs.	78	78	92	85	97

Accessory Holder	Yes	Yes	Yes	Yes	Yes
Anti-Static Suction Hose	No	No	Yes	No	No
Cable Hook	Yes	Yes	Yes	Yes	Yes
Filter-Cleaning System	No	No	XtremeClean	No	No
Rubber Cable	Yes	Yes	Yes	Yes	Yes
Receptacle	No	Yes	Yes	No	Yes
Soft Start	Yes	Yes	Yes	Yes	Yes
Power Regulator	No	Yes	Yes	No	No
Tool Deposit	Yes	Yes	Yes	Yes	Yes
Auto On/Off	No	No	Electric/Pneumatic	No	No
Auto Cleaning	No	No	Yes	No	No

Hose (diameter x length) (in x ft)	1.5" x 13'	1.5" x 13'	2x(1.25" x 16')	1.5" x 13"	1.5" x 13'
Curved Wand (Part# 46691)	●	●	●	●	●
Extension Tube (Part# 15546)	○	●	●	●	●
Metal Floor Nozzle (Part# 5147)	○	●	●	●	Industrial Squeegee (Part# 5149)
Crevice Nozzle (Part# 6084)	●	●	○	●	○
Rubber Nozzle (Part# 5067)	●	○	○	●	○
Tool Adapter (Part# 300200535)	○	○	●	○	○
Filter Cartridge (washable) (Part# 302000461/302000751)	●	●	●	●	●
Filter Bag - 5 Pack (Part# 302001484)	●	●	●	●	
Anti-Static Hose (Part# 30657)	○	○	●	○	○
Inlet and Y Connector (Part# 15953/15331)	○	○	●	○	○

● - Standard Accessory/Feature ○ - Optional Accessory/Feature



Attix Wet/Dry Series

The **Attix 8** is unique, compact, and flexible. It offers a low noise level of 59 d(BA), an ergonomic and sturdy grip, and a cable hook and accessory holder. It also features superior suction performance, all in a slim package, easy to transport and store.

- Powerful vacuum motor generates 120 CFM and 90" of water lift
- Quiet motor technology generates low noise rating of 57 d(BA)
- 8 gallon tank capacity
- PET-fleece filter cartridge is washable for long life
- Smooth interior tank design makes dumping easy and clean
- Hose, wand, floor tool, and attachments included

The **Attix 12** offers high suction performance and innovative features, like a power regulator that adjusts suction performance, an AntiStatic feature that prevents shocks, and an adjustable hose selection feature. It also offers silent operation at 57 d(BA), a cable hook, tube and accessory holder, and an ergonomic and sturdy grip.

- Powerful vacuum motor generates 140 CFM and 105" of water lift
- Quiet motor technology generates low noise rating of 57 d(BA)
- 12 gallon tank capacity
- PET-fleece filter cartridge is washable for long life
- Motor brush "switch off" technology protects the motor when brushes are worn
- Hose, wand, floor tool, and attachments included

The **Attix 19** is powerful, but very versatile. It sports a comfortable handle and tube holder and offers power in the form of two-stage turbines, but at a silent level at 57 d(BA). Its steel frame and canister make it rugged and dependable. The tilting, removable container makes it extremely user friendly.

- Powerful vacuum motor generates 140 CFM and 105" of water lift
- Quiet motor technology generates low noise rating of 57 d(BA)
- 19 gallon tank capacity
- Sturdy doll mount construction allows for easy transport
- Durable stainless steel canister
- Tilting canister feature makes it easy to dump contents



DISTRIBUTED BY:

Nilfisk-ALTO Cleaning Systems
2100 Highway 265 South • Springdale, AR 72764
Phone: 877.366.2586 • Fax: 800.405.9092
info@altocsi.com • www.nilfisk-alto.us

**Nilfisk
ALTO**

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>