

OPTIMUS®

Cat. No. 12-1734

6¹/₂-Inch 3-Way Flush Mount Speaker System

Your Optimus 6¹/₂-Inch 3-Way Flush Mount Speaker System is designed to provide clean sound and superb performance. Each speaker's 6¹/₂-inch woofer, 2-inch midrange, and 1-inch tweeter combine to give you superb sound across the entire audio spectrum. You can mount your speakers on any solid flat surface using the supplied hardware. To get the best sound from your speakers, please read this entire manual carefully for the proper wiring and mounting procedures.

We recommend that you temporarily wire the speakers to your sound system before you mount them, so you can test the speakers and wire connections.

WIRING THE SPEAKERS

All Radio Shack auto sound systems come with eight color-coded speaker wires. This chart shows Radio Shack's standard color codes.

Speaker Terminal	Wire Color
Left Rear	Green (+)/Green-Black (-)
Left Front	White (+)/White-Black (-)
Right Rear	Violet (+)/Violet-Black (-)
Right Front	Gray (+)/Gray-Black (-)

For each speaker wire, match the negative conductor (with the black stripe) to the negative (-) speaker terminal to ensure proper phasing (+ to + and - to -). (Improper phasing causes poor bass response.)

Note: Other auto sound systems' wires might not use the same color codes. If your auto sound system is other than a Radio Shack brand, check its owner's manual for the speaker wire color codes.

Connect the stereo's speaker wires to the speakers, using the color code in the chart as a guide. Then turn on your stereo to be sure that you connected the speakers properly.

Caution: Do not connect any speaker wires to chassis ground. Use all of the specified wires to connect the speakers to your vehicle's auto sound system.

© 1995 Tandy Corporation.
All Rights Reserved.

Optimus and Radio Shack are registered trademarks used by Tandy Corporation.



Two-Speaker System

The surface should be sturdy enough to support the weight of the speakers.

2. Using the supplied template, cut two speaker holes.
3. Drill three $\frac{5}{32}$ -inch holes for each speaker's mounting screws, and another for each speaker's wire.
4. Route the speaker wire from your auto sound system, through the mounting surface to the speaker location, and connect it to the speaker (see "Wiring the Speakers").

Four-Speaker System




If your auto sound system has a front-to-rear fader, connect your speakers as follows.

Caution: Avoid areas where the wires will be pinched or stepped on.

5. Cover each drilled hole with one of the supplied nut plates.
6. Remove the cover from each speaker to expose the mounting holes.
7. Insert each speaker into its mounting location, then align each speaker's mounting holes with the drilled holes.
8. Thread one of the supplied screws through each hole and tighten it.
9. Firmly press the cover onto each speaker.

MOUNTING THE SPEAKERS

1. Select a flat area (such as your car's rear deck) for the mounting surface.







SPECIFICATIONS

Speaker Size.....	6 ¹ / ₂ -Inch Woofer 2-Inch Midrange 1-Inch Tweeter
Barium Magnet Weight	14.12 Oz
Power Handling.....	40 Watts Each (RMS)
Maximum Power	80 Watts Each
Impedance	4 Ohms
Frequency Response	50 Hz – 20 kHz
Sensitivity	89 dB
Weight.....	2 Lbs, 2 Oz (960 gms)
Dimensions	4 ¹ / ₂ × 7 ¹ / ₈ × 7 ¹ / ₈ Inches (HWD) (114 × 181 × 181 mm)

Specifications are typical; individual units might vary. Specifications are subject to change and improvement without notice.







RADIO SHACK LIMITED WARRANTY

This product is warranted against defects for 90 days from date of purchase from Radio Shack company-owned stores and authorized Radio Shack franchisees and dealers. Within this period, we will repair it without charge for parts and labor. Simply **bring your Radio Shack sales slip** as proof of purchase date to any Radio Shack store. Warranty does not cover transportation costs. Nor does it cover a product subjected to misuse or accidental damage.

EXCEPT AS PROVIDED HEREIN, RADIO SHACK MAKES NO EXPRESS WARRANTIES AND ANY IMPLIED WARRANTIES ARE LIMITED IN DURATION TO THE DURATION OF THE WRITTEN LIMITED WARRANTIES CONTAINED HEREIN. Some states do not permit limitation or exclusion of implied warranties; therefore, the aforesaid limitation(s) or exclusion(s) may not apply to the purchaser. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

We Service What We Sell




9/94



RADIO SHACK
A Division of Tandy Corporation
Fort Worth, Texas 76102

3A5

Printed in Korea



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>