

**Frequency range (-10 dB, half space):**

38 Hz to 500 Hz

Frequency response (+/- 3 dB anechoic):

49 Hz to 180 Hz

Sensitivity (1 Watt/1 meter):

95 dB

Power rating (program):

400 Watts

Peak power capacity:

800 Watts

Maximum SPL:

118 dB

Transducer complement:

18" Heavy duty woofer with 3" voice coil and 65 oz. magnet

Box tuning frequency:

Low frequency section: 46 Hz

Recommended infrasonic filter frequency:

40 Hz, at a minimum of 18 dB/octave roll-off

Recommended crossover frequency:

150 Hz or less

Nominal impedance (Z):

8 Ohms

Input connections:

Two 1/4" phone jacks in parallel

Enclosure materials and finish:

MDF covered in black carpet

Dimensions (H x W x L):27.00" x 21.88" x 19.63"
686 mm x 556 mm x 499 mm**Weight:**

73 lbs. (33.2 kg)

Features:

- Vented bass subwoofer enclosure
- 18" heavy duty woofer, 3" VC, 65 oz. magnet
- Top pole-mount
- 400 Watts program power handling
- Internal low-pass crossover network
- Two 1/4" phone jacks in parallel
- Perforated steel grille
- Steel handles and corners
- T-nut component mounting
- Compact dimensions



SPECIFICATIONS PV[®]118 Sub

Description


The PV 118 Sub is a compact vented subwoofer system utilizing an 18" heavy duty woofer with a 3" voice coil and a 65 oz. magnet. The black, perforated steel grille and steel corners provide protection and a professional appearance, and the sturdy steel handles allow for ease of transport. A top pole mount for 1-3/8" stand poles is incorporated,

and two 1/4" phone jacks are connected in parallel for daisy chaining or to send a full-range signal to a P.A. cabinet. The impressive 400 Watt program power rating allows for plenty of gut-pounding bass. The internal low-pass crossover network, along with the vented enclosure, provides great bass response that will add the thump you desire.

3 + 2 YEAR LIMITED WARRANTY

NOTE: For details, refer to the warranty statement. Copies of this statement may be obtained by contacting Peavey Electronics Corporation, P.O. Box 2898, Meridian, Mississippi 39301-2898.

PV 118 Input Plate



Features and specifications subject to change without notice.

Peavey Electronics Corporation • 711 A Street • Meridian • MS • 39301 • (601) 483-5365 • FAX (601) 486-1278 • www.peavey.com
©2004 Printed in the U.S.A. 8/04



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>