



740 SERIES MULTI-DISPLAY TIMERS




Model 740-T44




Model 740-T66




Model 740-T88



Model 740-T44H



Model 740-T66H



Model 740-T88H



The 740 Series Multi-Display Timers include three economical, single-function timers in four, six, and eight channel horizontal or vertical configurations.

These easy-to-use timers count down in minutes and seconds, or hours and minutes. Each channel has its own display, and can be programmed independently. Individual menu stickers identify the product being timed on each channel, and are replaceable as restaurant menus change. The sleek vertical design allows the 740 Series Multi-Display timers to be mounted anywhere in the kitchen, buffet or dining area.

Prince Castle timers are easy to program and simple to use. The push of a button activates each channel; an audible alarm and flashing channel button alert the operator when timing is complete.

Prince Castle timers are standard 120V and are backed by a one-year parts and labor warranty. International voltages are available.

STANDARD FEATURES

- New slim design - only 1.09 in. (2.77cm) thick.
- Timers count down in minutes and seconds, or hours and minutes (maximum 59 minutes, 59 seconds or 59 hours, 59 minutes).
- Four, six and eight channel units are available.
- Each channel is single function and has its own display showing the amount of time remaining.
- Each channel is programmed independently, and all channels can be used simultaneously.
- Easy to program using up and down adjustment buttons.
- "Traffic signal" indicator lights change as count-down elapses
- Includes menu stickers to identify channels.
- Includes wall-mounted transformer with 10-ft. (3 m) cord.
- Manual alarm shut-off
- One-year parts and labor warranty.

740 SERIES MULTI-DISPLAY TIMERS







PRINCE CASTLE INC. 
WORLDWIDE

SPECIFICATIONS


DIMENSIONS

MODEL NUMBER	WIDTH IN. (CM)	HEIGHT IN. (CM)	DEPTH IN. (CM)	NET WT. LB. (KG.)	SHIPPING WT. LB. (KG.)
740-T44	4.19 (10.65)	10.37 (23.34)	1.09 (2.77)	4.5 (2.0)	6 (2.7)
740-T44H	11.07 (28.12)	4.0 (10.16)	1.09 (2.77)	4.5 (2.0)	6 (2.7)
740-T66	4.19 (10.65)	10.37 (23.34)	1.09 (2.77)	4.5 (2.0)	6 (2.7)
740-T66H	11.07 (28.12)	4.0 (10.16)	1.09 (2.77)	4.5 (2.0)	6 (2.7)
740-T88	4.19 (10.65)	11.87 (30.15)	1.09 (2.77)	5.3 (2.4)	7 (3.2)
740-T88H	14.07 (35.74)	4.0 (10.16)	1.09 (2.77)	5.3 (2.4)	7 (3.2)


ELECTRICAL

MODEL NUMBER	DESCRIPTION	VOLTS*	HZ.	WATTS	AMPS	PLUG NUMBER	PLUG CONFIG.
740-T44	4-Channel Timer	120	60	11.5 max	.096 max	NEMA 5-15P	
740-T44H	4-Channel horizontal	120	60	11.5 max	.096 max	NEMA 5-15P	
740-T66	6-Channel Timer	120	60	11.5 max	.096 max	NEMA 5-15P	
740-T66H	6-Channel horizontal	120	60	11.5 max	.096 max	NEMA 5-15P	
740-T88	8-Channel Timer	120	60	11.5 max	.096 max	NEMA 5-15P	
740-T88H	8-Channel horizontal	120	60	11.5 max	.096 max	NEMA 5-15P	

*Single phase.



*Designs and specifications are subject to change without notice.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>