

Colour Television

14PT1363

14PT1563

Product highlights

- Scart
- 24 Hours on/off timer
- Sharpness Control
- Teletext (only for 14PT1563)
- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight



Remote control unit varies with model



Let's make things better.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- Scart
- 24 Hours on/off timer
- Sharpness Control
- Teletext (only for 14PT1563)
- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- Scart
- 24 Hours on/off timer
- Sharpness Control
- Teletext (only for 14PT1563)
- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight



Remote control unit varies with model



Miglioriamo il tuo mondo.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Por si fazemos melhor.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Juntos hacemos tu vida mejor.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- Scart
- 24 Hours on/off timer
- Sharpness Control
- Teletext (only for 14PT1563)
- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight



Remote control unit varies with model



Let's make things better.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- Scart
- 24 Hours on/off timer
- Sharpness Control
- Teletext (only for 14PT1563)
- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Miglioriamo il tuo mondo.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Por si fazemos melhor.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Juntos hacemos tu vida mejor.

Download from www.Somanuals.com. All Manuals Search And Download.



PHILIPS

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

Release date : March 1998
Predecessor(s) : 14PT1332/14PT1532
Date of issue : January 1998

Features and specifications subject to change without notice

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

- Release date : March 1998
- Predecessor(s) : 14PT1332/14PT1532
- Date of issue : January 1998

Features and specifications subject to change without notice

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

- Release date : March 1998
- Predecessor(s) : 14PT1332/14PT1532
- Date of issue : January 1998

Features and specifications subject to change without notice

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

Release date : March 1998
Predecessor(s) : 14PT1332/14PT1532
Date of issue : January 1998

Features and specifications subject to change without notice

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

Release date : March 1998
Predecessor(s) : 14PT1332/14PT1532
Date of issue : January 1998

Features and specifications subject to change without notice

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

Release date : March 1998
Predecessor(s) : 14PT1332/14PT1532
Date of issue : January 1998

Features and specifications subject to change without notice



VIS_RC8205_FR1.EPS



VIS_RC8201_F3.EPS



VIS_RC8201_FR3.EPS



14PT1563_FTL1.EPS

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>