

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model

Let's make things better.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model

Miglioriamo il tuo mondo.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model

Por si fazemos melhor.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model

Juntos hacemos tu vida mejor.

Download from www.Somanuals.com. All Manuals Search And Download.



PHILIPS

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model



Let's make things better.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model



Miglioriamo il tuo mondo.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model



Por si fazemos melhor.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television

14PT2663

14PT2683

NICAM

Product highlights

- Stereo
- Scart
- Teletext
- Headphone Socket
- 60 Pre-selections
- Handle and light weight



Remote control unit varies with model



Juntos hacemos tu vida mejor.

Download from www.Somanuals.com. All Manuals Search And Download.



PHILIPS

Product highlights

- **Stereo**
For an excellent sound even in a small screen size.
- **1 Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting features

- Headphone Socket
- 60 Pre-selections
- Handle and light weight for easy portability
- Automatic switch-off
- Low standby power 6 watts
- Remote control for installation and operation
- Powerful portable aerial with high selectivity
- Menu driven operation
- Hyperband Reception
- Multistandard Reception Optional

Product Information

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 2 x 1 W
- Loudspeakers : Two 3" full range side firing

Operation

- Remote control : RC8205
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sleep timer
- Timer : 120 minutes
- Programs : 60 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page

Reception

- Tuning system : 60 fold VST
- Transmission system :
/00, /11 PAL B/G
/05, /07 PAL I
/01 PAL BG
SECAM LL'
- Channel selections :
/00, /01, /07, /11 VHF, UHF, S, H
/05 UHF
- Sound system :
/00 2 carriers FM
/01, /05, /07, /11 Nicam

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 6W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- TV Dimensions (whd) : 38,9 x 34,5 x 37,4 cm
- Packaging Dim. (whd) : 49,5 x 46,4 x 47,6cm
- Cabinet Painting : Light Grey 10762

Release date : September 1997
Predecessor :
Date of issue : October 1997

Features and specifications subject to change without notice



RC8205

Product highlights

- **Stereo**
For an excellent sound even in a small screen size.
- **1 Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting features

- Headphone Socket
- 60 Pre-selections
- Handle and light weight for easy portability
- Automatic switch-off
- Low standby power 6 watts
- Remote control for installation and operation
- Powerful portable aerial with high selectivity
- Menu driven operation
- Hyperband Reception
- Multistandard Reception Optional

Product Information

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 2 x 1 W
- Loudspeakers : Two 3" full range side firing

Operation

- Remote control : RC8205
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sleep timer
- Timer : 120 minutes
- Programs : 60 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page

Reception

- Tuning system : 60 fold VST
- Transmission system :
/00, /11 PAL B/G
/05, /07 PAL I
/01 PAL BG
SECAM LL'
- Channel selections :
/00, /01, /07, /11 VHF, UHF, S, H
/05 UHF
- Sound system :
/00 2 carriers FM
/01, /05, /07, /11 Nicam

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 6W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- TV Dimensions (whd) : 38,9 x 34.5 x 37.4 cm
- Packaging Dim. (whd) : 49,5 x 46,4 x 47,6cm
- Cabinet Painting : Light Grey 10762

- Release date : September 1997
- Predecessor :
- Date of issue : October 1997

Features and specifications subject to change without notice



RC8205

Product highlights

- **Stereo**
For an excellent sound even in a small screen size.
- **1 Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting features

- Headphone Socket
- 60 Pre-selections
- Handle and light weight for easy portability
- Automatic switch-off
- Low standby power 6 watts
- Remote control for installation and operation
- Powerful portable aerial with high selectivity
- Menu driven operation
- Hyperband Reception
- Multistandard Reception Optional

Product Information

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 2 x 1 W
- Loudspeakers : Two 3" full range side firing

Operation

- Remote control : RC8205
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sleep timer
- Timer : 120 minutes
- Programs : 60 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page

Reception

- Tuning system : 60 fold VST
- Transmission system :
/00, /11 PAL B/G
/05, /07 PAL I
/01 PAL BG
SECAM LL'
- Channel selections :
/00, /01, /07, /11 VHF, UHF, S, H
/05 UHF
- Sound system :
/00 2 carriers FM
/01, /05, /07, /11 Nicam

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 6W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- TV Dimensions (whd) : 38,9 x 34,5 x 37,4 cm
- Packaging Dim. (whd) : 49,5 x 46,4 x 47,6cm
- Cabinet Painting : Light Grey 10762



RC8205

Release date : September 1997
Predecessor :
Date of issue : October 1997

Features and specifications subject to change without notice

Product highlights

- **Stereo**
For an excellent sound even in a small screen size.
- **1 Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting features

- Headphone Socket
- 60 Pre-selections
- Handle and light weight for easy portability
- Automatic switch-off
- Low standby power 6 watts
- Remote control for installation and operation
- Powerful portable aerial with high selectivity
- Menu driven operation
- Hyperband Reception
- Multistandard Reception Optional

Product Information

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 2 x 1 W
- Loudspeakers : Two 3" full range side firing

Operation

- Remote control : RC8205
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sleep timer
- Timer : 120 minutes
- Programs : 60 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page

Reception

- Tuning system : 60 fold VST
- Transmission system :
/00, /11 PAL B/G
/05, /07 PAL I
/01 PAL BG
SECAM LL'
- Channel selections :
/00, /01, /07, /11 VHF, UHF, S, H
/05 UHF
- Sound system :
/00 2 carriers FM
/01, /05, /07, /11 Nicam

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 6W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- TV Dimensions (whd) : 38,9 x 34,5 x 37,4 cm
- Packaging Dim. (whd) : 49,5 x 46,4 x 47,6cm
- Cabinet Painting : Light Grey 10762

- Release date : September 1997
- Predecessor :
- Date of issue : October 1997

Features and specifications subject to change without notice



RC8205

Product highlights

- **Stereo**
For an excellent sound even in a small screen size.
- **1 Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting features

- Headphone Socket
- 60 Pre-selections
- Handle and light weight for easy portability
- Automatic switch-off
- Low standby power 6 watts
- Remote control for installation and operation
- Powerful portable aerial with high selectivity
- Menu driven operation
- Hyperband Reception
- Multistandard Reception Optional

Product Information

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 2 x 1 W
- Loudspeakers : Two 3" full range side firing

Operation

- Remote control : RC8205
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sleep timer
- Timer : 120 minutes
- Programs : 60 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page

Reception

- Tuning system : 60 fold VST
- Transmission system :
/00, /11 PAL B/G
/05, /07 PAL I
/01 PAL BG
SECAM LL'
- Channel selections :
/00, /01, /07, /11 VHF, UHF, S, H
/05 UHF
- Sound system :
/00 2 carriers FM
/01, /05, /07, /11 Nicam

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 6W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- TV Dimensions (whd) : 38,9 x 34.5 x 37.4 cm
- Packaging Dim. (whd) : 49,5 x 46,4 x 47,6cm
- Cabinet Painting : Light Grey 10762



RC8205

Release date : September 1997
Predecessor :
Date of issue : October 1997

Features and specifications subject to change without notice

Product highlights

- **Stereo**
For an excellent sound even in a small screen size.
- **1 Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting features

- Headphone Socket
- 60 Pre-selections
- Handle and light weight for easy portability
- Automatic switch-off
- Low standby power 6 watts
- Remote control for installation and operation
- Powerful portable aerial with high selectivity
- Menu driven operation
- Hyperband Reception
- Multistandard Reception Optional

Product Information

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 2 x 1 W
- Loudspeakers : Two 3" full range side firing

Operation

- Remote control : RC8205
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sleep timer
- Timer : 120 minutes
- Programs : 60 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page

Reception

- Tuning system : 60 fold VST
- Transmission system :
/00, /11 PAL B/G
/05, /07 PAL I
/01 PAL BG
SECAM LL'
- Channel selections :
/00, /01, /07, /11 VHF, UHF, S, H
/05 UHF
- Sound system :
/00 2 carriers FM
/01, /05, /07, /11 Nicam

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 6W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- TV Dimensions (whd) : 38,9 x 34.5 x 37.4 cm
- Packaging Dim. (whd) : 49,5 x 46,4 x 47,6cm
- Cabinet Painting : Light Grey 10762



RC8205

Release date : September 1997
Predecessor :
Date of issue : October 1997

Features and specifications subject to change without notice



VIS_RC8205_FR1.EPS



VIS_14PT2663_FTL2.EPS

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>