

# Halogená® Decorative

The elegant, long life lamp for all your decorative needs



***Ideal for multiple applications especially chandeliers, sconces or any clear decorative light fixture***

## ► Halogen Features

- Dimmable—create your own mood
- Clear multi-faceted shape produces spectacular sparkle

## ► Superior Light Quality

- Gives off bright white light
- Sparkle enhances your architectural features
- Maintains high light quality when dimmed

## ► Lasts 2 Years<sup>1</sup>

- Fewer light bulb changes: Saves time
- Excellent solution for hard-to-reach fixture

1) Lasts 2 years based on 4 hours average usage per day/7 days per week.



# PHILIPS

## Halogená® Decoratives

Electrical and Technical Data (Subject to change without notice)

Product Number	Product Description	Product Name	Bulb Finish	Nominal Watts	Bulb Type	Base Volts	Published Lumens	M.O.L. (In.)	Color Temp.	Rated Avg. Life, Hours <sup>1</sup>	Life, Years <sup>2</sup>	
38904-9	BC25F15/HAL/CL	Traditional Flame	Clear	25	F15	Medium	120	300	4 1/2%	2900	3000	2
38905-6	BC40F15/HAL/CL	Traditional Flame	Clear	40	F15	Medium	120	540	4 1/2%	2900	3000	2
38551-8	BC60F15/HAL/POST TOP	Postlight	Clear	60	F15	Medium	120	900	4 1/2%	2900	3000	2
38906-4	BC25F10-1/2/HAL/CL	Stylized Flame	Clear	25	F10 1/2	Medium	120	300	4 3/4%	2900	3000	2
38895-9	BC40F10-1/2/HAL/CL	Stylized Flame	Clear	40	F10 1/2	Medium	120	540	4 3/4%	2900	3000	2
38898-3	BC60F10-1/2/HAL/CL	Stylized Flame	Clear	60	F10 1/2	Medium	120	900	4 3/4%	2900	3000	2
38903-1	BC25F10-1/2C/HAL/CL	Stylized Flame	Clear	25	F10 1/2	Candelabra	120	300	4 3/4%	2900	3000	2
38901-5	BC40F10-1/2C/HAL/CL	Stylized Flame	Clear	40	F10 1/2	Candelabra	120	540	4 3/4%	2900	3000	2
39029-4	BC60F10-1/2C/HAL/CL	Postlight	Clear	60	F10 1/2	Candelabra	120	900	4 3/4%	2900	3000	2
36472-9	BC25CP19/HAL/CL	Brilliant Crystal	Clear	25	CP19	Medium	120	300	4 3/4%	2900	3000	2
36485-1	BC40CP19/HAL/CL	Brilliant Crystal	Clear	40	CP19	Medium	120	540	4 3/4%	2900	3000	2
36411-7	BC60CP19/HAL/CL	Brilliant Crystal	Clear	60	CP19	Medium	120	900	4 3/4%	2900	3000	2

## Ordering and Shipping Data (Subject to change without notice)

Product Number	Product Description	UPC Code (0 46677-)	Case Bar Code (5 00 46677-)	Case Qty.	SKU Dimensions (W x D x H)(In.)	Case Dimensions (W x D x H)(In.)	Case Cube (cu. ft.)	Case Wt. (lbs.)	SKUs Per Layer	No. of Layers	Cases per Pallet	Pallet Dimensions (W x D x H)(In.)
38904-9	BC25F15/HAL/CL	28938 6	38904 3	4/1	5.5 x 1.9 x 4.7	6.3 x 8.1 x 5.3	0.16	0.8	144	9	324	37.9 x 48.8 x 47.8
38905-6	BC40F15/HAL/CL	28939 3	38905 0	4/1	5.5 x 1.9 x 4.7	6.3 x 8.1 x 5.3	0.16	0.8	144	9	324	37.9 x 48.8 x 47.8
38551-8	BC60F15/HAL/POST TOP	28206 6	28206 1	4/1	5.5 x 1.9 x 4.7	6.3 x 8.1 x 5.3	0.16	0.8	144	9	324	37.9 x 48.8 x 47.8
38906-4	BC25F10-1/2/HAL/CL	28943 0	38906 7	4/1	5.5 x 1.9 x 4.7	6.1 x 8.8 x 5.3	0.16	0.8	120	9	270	36.8 x 44.1 x 47.3
38895-9	BC40F10-1/2/HAL/CL	28944 7	38895 4	4/1	5.5 x 1.9 x 4.7	6.1 x 8.8 x 5.3	0.16	0.8	120	9	270	36.8 x 44.1 x 47.3
38898-3	BC60F10-1/2/HAL/CL	28945 4	38898 5	4/1	5.5 x 1.9 x 4.7	6.1 x 8.8 x 5.3	0.16	0.8	120	9	270	36.8 x 44.1 x 47.3
38903-1	BC25F10-1/2C/HAL/CL	28946 1	38903 6	4/1	5.5 x 1.9 x 4.7	6.1 x 8.8 x 5.3	0.16	0.8	120	9	270	36.8 x 44.1 x 47.3
38901-5	BC40F10-1/2C/HAL/CL	28952 2	38901 2	4/1	5.5 x 1.9 x 4.7	6.1 x 8.8 x 5.3	0.16	0.8	120	9	270	36.8 x 44.1 x 47.3
39029-4	BC60F10-1/2C/HAL/CL	28955 3	39029 2	4/1	5.5 x 1.9 x 4.7	6.1 x 8.8 x 5.3	0.16	0.8	120	9	270	36.8 x 44.1 x 47.3
36472-9	BC25CP19/HAL/CL	36472 4	36472 9	6/1	6.5 x 2.4 x 5.9	7.0 x 20.4 x 6.5	0.54	2.0	126	7	147	40.8 x 49.0 x 45.5
36485-1	BC40CP19/HAL/CL	36485 4	36485 9	6/1	6.5 x 2.4 x 5.9	7.0 x 20.4 x 6.5	0.54	2.0	126	7	147	40.8 x 49.0 x 45.5
36411-7	BC60CP19/HAL/CL	36411 3	36411 8	6/1	6.5 x 2.4 x 5.9	7.0 x 20.4 x 6.5	0.54	2.0	126	7	147	40.8 x 49.0 x 45.5

1) Rated average life is the length of operation (in hours) at which point an average of 50% of the lamps will still be operational and 50% will not.

2) Lasts 2 years based on 4 hours average usage per day/7 days per week.



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>