


- Ultra Flat BLS picture tube
- Wide Screen Modes
- **Smart Picture**
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- **Incredibles Surround**
- Easy Tune (ATS/ACI)
- Daily on/off clock





















- Ultra Flat BLS picture tube
- Wide Screen Modes
- **Smart Picture**
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- **Incredibles Surround**
- Easy Tune (ATS/ACI)
- Daily on/off clock















- Ultra Flat BLS picture tube
- Wide Screen Modes
- **Smart Picture**
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- **Incredibles Surround**
- Easy Tune (ATS/ACI)
- Daily on/off clock















- Ultra Flat BLS picture tube
- Wide Screen Modes
- **Smart Picture**
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- **Incredibles Surround**
- Easy Tune (ATS/ACI)
- Daily on/off clock

















- Ultra Flat BLS picture tube
- Wide Screen Modes
- **Smart Picture**
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- **Incredibles Surround**
- Easy Tune (ATS/ACI)
- Daily on/off clock


















- Ultra Flat BLS picture tube
- Wide Screen Modes
- **Smart Picture**
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- **Incredibles Surround**
- Easy Tune (ATS/ACI)
- Daily on/off clock



















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- · Incredibles Surround
- Easy Tune (ATS/ACI)
- Daily on/off clock



Black Line D



Smart 🕑 🔘









- Ultra Flat BLS picture tube
- Wide Screen Modes
- **Smart Picture**
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- **Incredibles Surround**
- Easy Tune (ATS/ACI)
- Daily on/off clock






Smart D 🔘





- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- Daily on/off clock















- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- · Incredibles Surround
- Easy Tune (ATS/ACI)
- Daily on/off clock



Black Line D




Smart 🕑 🔘





- Ultra Flat BLS picture tube
- Wide Screen Modes
- Smart Picture
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- Incredibles Surround
- Easy Tune (ATS/ACI)
- Daily on/off clock













- Ultra Flat BLS picture tube
- Wide Screen Modes
- **Smart Picture**
- Smart Sound
- · Contrast Plus and Colour Transient Improvement
- Acoustic Horns
- **Incredibles Surround**
- Easy Tune (ATS/ACI)
- Daily on/off clock





Smart D 🔘







· Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

Contrast Plus and Colour Transient **Improvement**

For a picture with more contrast and nicer colours.

Acoustic Horns

Which allows the sound to be projected to the front of the cabinet.

Incredible Surround

Which increases the stereo effect by better filling the room.

Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

· Viewing modes

- Conventional 4:3
- Zoom 14:9
- Zoom 16:9
- Subtitle Zoom
- Super Zoom
- Wide screen

Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

Supporting Features

· Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

· Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

Technical specifications

Chassis

: Mid 1.2 Type

Picture

Screen diameter : 70 cm FSQ Visible diagonal 66 cm 16x9 U-BLS Picture tube

S-Video display

- Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- Settings via menu of:
- Brightness, Colour, Contrast, Sharpness, Tint, Noise reduction
- Game and Digital optimal settings
- Scavem

Sound

Sound system 2 speakers stereo Loudspeakers 2x5" acoustic horn

Output (RMS) 24W Frequency respons 60Hz-20Hz

+1/-3dB (amplifier)

Incredible surround : switchable by menu

Bi-langual switch on remote control

Smart control key on remote control for four independent sound settings

Headphone with independent volume control

Settings via menu of :

- Treble, Bass, Balance, Incredible surround, Headphone volume

Operation

Easy menu-driven installation and operation

Multi-language selection for menu

Automatic Channel Installation (ACI)

100 preselections

Programme name for all programmes

Easy Logic remote control with VCR functions

Personal Preference setting per programme

Release date : March 1997 Predecessor(s) 28PW6301 December 1998 Date of issue

ATS (Automatic Tuning System)

Learning knob for direct access to menu

Direct access for picture, sound and feature menu

Sleeptimer up to 180 minutes

Daily on/off clock, to program automatic switch

Smart Clock for automatic downloding of the internal clock

Electronic lock

· Program title display (transmitted by teletext)

· Message mode

Teletext

· Reception standards : WST/TOP/FLOF

8 pages of Teletext memory

Teletext time with one button on the remote control

· Favourite page

Reception

Tuning system : 100 fold PLL Colour transmission system off air: /00, /11 PAL B/G PAL B/G/L/I SECAM B/G/L/L' D/K/K'

PAL B/G/D/K SECAM B/G/D/K/K'

· NTSC playback 4,43 MHz VHE UHE Channel selections

S-Channels, Hyperband

· Frequency range 47.25-855.25 MHz · Aerial input : 75 Ohm (Coax)

Connections

Side

- Stereo headphone out (3.5 mm jack)

- S-VHS in

- Audio L/R in (cinch)

- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out : CVBS-in/out + Y/C in - FXT2 - Audio out L/R constant level (cinch)

Remote control

 RC type : RC 7535

Miscellaneous

Ambient temperature: +5/+55°C

Mains AC220-240V ±10%

Power consumption:

Stand-by power cons: 3W at 220VW Weight excl pack 33 kg

Weight incl. pack

· Cabinet Painting

Dimensions: excl. pack (wxhxd) : 75.2x46.0x49.2 cm incl. pack (wxhxd) : 86.0x59.6x.62.6 cm

41 kg

Mid Grey 10763



RC 7535









· Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

Contrast Plus and Colour Transient Improvement

For a picture with more contrast and nicer colours.

· Acoustic Horns

Which allows the sound to be projected to the front of the cabinet.

· Incredible Surround

Which increases the stereo effect by better filling the room.

Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

· Viewing modes

- Conventional 4:3
- Zoom 14:9
- Zoom 16:9 - Subtitle Zoom
- Super Zoom
- Wide screen

· Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

Supporting Features

· Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

· Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

· Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

Technical specifications

Chassis

• Type : Mid 1.2

Picture

Screen diameter
Visible diagonal
Picture tube
70 cm FSQ
66 cm
16x9 U-BLS

· S-Video display

- Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- · Settings via menu of:
 - Brightness, Colour, Contrast, Sharpness, Tint, Noise reduction
- · Game and Digital optimal settings
- Scavem

Sound

Sound systemLoudspeakers2 speakers stereo2x5" acoustic horn

Output (RMS) : 24WFrequency respons : 60Hz-20Hz

+1/-3dB (amplifier)

Incredible surround : switchable by menu

Bi-langual switch on remote control

 Smart control key on remote control for four independent sound settings

Headphone with independent volume control

· Settings via menu of :

- Treble, Bass, Balance, Incredible surround, Headphone volume

Operation

Easy menu-driven installation and operation

Multi-language selection for menu

Automatic Channel Installation (ACI)

· 100 preselections

Programme name for all programmes

· Easy Logic remote control with VCR functions

· Personal Preference setting per programme

Release date : March 1997
Predecessor(s) : 28PW6301
Date of issue : December 1998

· ATS (Automatic Tuning System)

Learning knob for direct access to menu functions

· Direct access for picture, sound and feature menu

Sleeptimer up to 180 minutes

 Daily on/off clock, to program automatic switch on and off

 Smart Clock for automatic downloding of the internal clock

· Electronic lock

· Program title display (transmitted by teletext)

Message mode

Teletext

• Reception standards : WST/TOP/FLOF

• 8 pages of Teletext memory

 Teletext time with one button on the remote control

· Favourite page

Reception

D/K/K' 88 PAL B/G/D/K SECAM B/G/D/K/K'

NTSC playback : 4,43 MHzChannel selections : VHF, UHF,

S-Channels, Hyperband

Frequency range : 47.25-855.25 MHzAerial input : 75 Ohm (Coax)

Connections

· Side

- Stereo headphone out (3.5 mm jack)

- S-VHS in

- Audio L/R in (cinch)

- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out - EXT2 : CVBS-in/out + Y/C in - Audio out L/R constant level (cinch)

Remote control

RC type : RC 7535

Miscellaneous

Ambient temperature: +5/+55°C

• Mains : AC220-240V ±10%

Power consumption : 110W

Stand-by power cons: 3W at 220VWWeight excl pack: 33 kg

Weight incl. packDimensions:

- excl. pack (wxhxd) : 75.2x46.0x49.2 cm - incl. pack (wxhxd) : 86.0x59.6x.62.6 cm • Cabinet Painting : Mid Grey 10763

41 kg



RC 7535









· Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

Contrast Plus and Colour Transient **Improvement**

For a picture with more contrast and nicer colours.

Acoustic Horns

Which allows the sound to be projected to the front of the cabinet.

Incredible Surround

Which increases the stereo effect by better filling the room.

Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

· Viewing modes

- Conventional 4:3
- Zoom 14:9 - Zoom 16:9
- Subtitle Zoom
- Super Zoom
- Wide screen

Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

Supporting Features

· Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

· Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

Technical specifications

Chassis

: Mid 1.2 Type

Picture

Screen diameter : 70 cm FSQ Visible diagonal 66 cm 16x9 U-BLS Picture tube

S-Video display

- Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- Settings via menu of:
- Brightness, Colour, Contrast, Sharpness, Tint, Noise reduction
- Game and Digital optimal settings
- Scavem

Sound

Sound system 2 speakers stereo Loudspeakers 2x5" acoustic horn

Output (RMS) 24W Frequency respons 60Hz-20Hz

+1/-3dB (amplifier)

Incredible surround : switchable by menu

Bi-langual switch on remote control

Smart control key on remote control for four independent sound settings

Headphone with independent volume control

Settings via menu of :

- Treble, Bass, Balance, Incredible surround, Headphone volume

Operation

Easy menu-driven installation and operation

Multi-language selection for menu

Automatic Channel Installation (ACI)

100 preselections

Programme name for all programmes

Easy Logic remote control with VCR functions

Personal Preference setting per programme

Release date : March 1997 Predecessor(s) 28PW6301 December 1998 Date of issue

ATS (Automatic Tuning System)

Learning knob for direct access to menu

Direct access for picture, sound and feature menu

Sleeptimer up to 180 minutes

· Daily on/off clock, to program automatic switch

Smart Clock for automatic downloding of the internal clock

Electronic lock

· Program title display (transmitted by teletext)

· Message mode

Teletext

· Reception standards : WST/TOP/FLOF

8 pages of Teletext memory

Teletext time with one button on the remote control

· Favourite page

Reception

Tuning system : 100 fold PLL Colour transmission system off air: PAL B/G /00, /11 PAL B/G/L/I SECAM B/G/L/L' D/K/K'

PAL B/G/D/K SECAM B/G/D/K/K'

· NTSC playback 4,43 MHz VHE UHE Channel selections

S-Channels, Hyperband

· Frequency range 47.25-855.25 MHz · Aerial input : 75 Ohm (Coax)

Connections

Side

- Stereo headphone out (3.5 mm jack)

- S-VHS in

- Audio L/R in (cinch)

- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out : CVBS-in/out + Y/C in - FXT2 - Audio out L/R constant level (cinch)

Remote control

 RC type : RC 7535

Miscellaneous

Ambient temperature: +5/+55°C

Mains AC220-240V ±10%

Power consumption: 110W

Stand-by power cons: 3W at 220VW Weight excl pack 33 kg

Weight incl. pack

· Cabinet Painting

Dimensions: excl. pack (wxhxd) : 75.2x46.0x49.2 cm incl. pack (wxhxd) : 86.0x59.6x.62.6 cm

41 kg

Mid Grey 10763



RC 7535







· Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

Contrast Plus and Colour Transient **Improvement**

For a picture with more contrast and nicer colours.

Acoustic Horns

Which allows the sound to be projected to the front of the cabinet.

Incredible Surround

Which increases the stereo effect by better filling the room.

Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

· Viewing modes

- Conventional 4:3
- Zoom 14:9 - Zoom 16:9
- Subtitle Zoom
- Super Zoom
- Wide screen

Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

Supporting Features

· Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

· Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

Technical specifications

Chassis

: Mid 1.2 Type

Picture

Screen diameter : 70 cm FSQ Visible diagonal : 66 cm 16x9 U-BLS Picture tube

- S-Video display
- Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- Settings via menu of:
 - Brightness, Colour, Contrast, Sharpness, Tint, Noise reduction
- Game and Digital optimal settings
- Scavem

Sound

Sound system 2 speakers stereo Loudspeakers 2x5" acoustic horn

Output (RMS) 24W Frequency respons 60Hz-20Hz

+1/-3dB (amplifier)

Incredible surround : switchable by menu

Bi-langual switch on remote control

Smart control key on remote control for four independent sound settings

Headphone with independent volume control

Settings via menu of :

- Treble, Bass, Balance, Incredible surround, Headphone volume

Operation

Easy menu-driven installation and operation

Multi-language selection for menu

Automatic Channel Installation (ACI)

100 preselections

Programme name for all programmes

Easy Logic remote control with VCR functions

Personal Preference setting per programme

Release date : March 1997 Predecessor(s) 28PW6301 December 1998 Date of issue

ATS (Automatic Tuning System)

Learning knob for direct access to menu

Direct access for picture, sound and feature menu

Sleeptimer up to 180 minutes

· Daily on/off clock, to program automatic switch

- Smart Clock for automatic downloding of the internal clock
- Electronic lock
- · Program title display (transmitted by teletext)
- · Message mode

Teletext

· Reception standards : WST/TOP/FLOF

8 pages of Teletext memory

Teletext time with one button on the remote control

· Favourite page

Reception

Tuning system : 100 fold PLL Colour transmission system off air: /00, /11 PAL B/G PAL B/G/L/I SECAM B/G/L/L' D/K/K'

PAL B/G/D/K SECAM B/G/D/K/K'

· NTSC playback 4.43 MHz VHE UHE Channel selections

S-Channels, Hyperband

· Frequency range 47.25-855.25 MHz · Aerial input : 75 Ohm (Coax)

Connections

Side

- Stereo headphone out (3.5 mm jack)

- S-VHS in

- Audio L/R in (cinch)

- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out : CVBS-in/out + Y/C in - FXT2 - Audio out L/R constant level (cinch)

Remote control

 RC type : RC 7535

Miscellaneous

Ambient temperature: +5/+55°C

Mains AC220-240V ±10%

Power consumption: 110W

Stand-by power cons: 3W at 220VW Weight excl pack 33 kg Weight incl. pack 41 ka

Dimensions:

excl. pack (wxhxd) : 75.2x46.0x49.2 cm incl. pack (wxhxd) : 86.0x59.6x.62.6 cm · Cabinet Painting Mid Grey 10763



RC 7535







· Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

Contrast Plus and Colour Transient Improvement

For a picture with more contrast and nicer colours.

Acoustic Horns

Which allows the sound to be projected to the front of the cabinet.

· Incredible Surround

Which increases the stereo effect by better filling the room.

Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

· Viewing modes

- Conventional 4:3
- Zoom 14:9
- Zoom 16:9
- Subtitle Zoom
- Super Zoom
- Wide screen

· Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

Supporting Features

· Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

· Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

· Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

Technical specifications

Chassis

• Type : Mid 1.2

Picture

Screen diameter
Visible diagonal
Picture tube
70 cm FSQ
66 cm
16x9 U-BLS

· S-Video display

- Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- Settings via menu of:
- Brightness, Colour, Contrast, Sharpness, Tint,
 Noise reduction
- · Game and Digital optimal settings
- Scavem

Sound

Sound systemLoudspeakers2 speakers stereo2x5" acoustic horn

Output (RMS) : 24WFrequency respons : 60Hz-20Hz

+1/-3dB (amplifier)
Incredible surround : switchable by menu

Bi-langual switch on remote control
 Smart control key on remote control for four

 Smart control key on remote control for four independent sound settings

Headphone with independent volume control

· Settings via menu of :

- Treble, Bass, Balance, Incredible surround, Headphone volume

Operation

Easy menu-driven installation and operation

Multi-language selection for menu

· Automatic Channel Installation (ACI)

· 100 preselections

Programme name for all programmes

· Easy Logic remote control with VCR functions

Personal Preference setting per programme

Release date : March 1997
Predecessor(s) : 28PW6301
Date of issue : December 1998

· ATS (Automatic Tuning System)

- Learning knob for direct access to menu functions
- · Direct access for picture, sound and feature menu
- Sleeptimer up to 180 minutes
- Daily on/off clock, to program automatic switch on and off
- Smart Clock for automatic downloding of the internal clock
- · Electronic lock
- · Program title display (transmitted by teletext)
- Message mode

Teletext

· Reception standards : WST/TOP/FLOF

8 pages of Teletext memory

 Teletext time with one button on the remote control

· Favourite page

Reception

Tuning system : 100 fold PLL
 Colour transmission system off air: /00, /11 PAL B/G /01 PAL B/G/L/I SECAM B/G/L/L'

D/K/K' B PAL B/G/D/K SECAM B/G/D/K/K'

NTSC playback : 4,43 MHzChannel selections : VHF, UHF,

S-Channels, Hyperband

Frequency range : 47.25-855.25 MHzAerial input : 75 Ohm (Coax)

Connections

- · Side
- Stereo headphone out (3.5 mm jack)
- S-VHS in
- Audio L/R in (cinch)
- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out - EXT2 : CVBS-in/out + Y/C in - Audio out L/R constant level (cinch)

Remote control

RC type : RC 7535

Miscellaneous

Ambient temperature: +5/+55°C

• Mains : AC220-240V ±10%

• Power consumption : 110W

Stand-by power cons: 3W at 220VWWeight excl pack: 33 kg

Weight incl. packDimensions:

- excl. pack (wxhxd) : 75.2x46.0x49.2 cm - incl. pack (wxhxd) : 86.0x59.6x.62.6 cm • Cabinet Painting : Mid Grey 10763

41 kg



RC 7535







· Ultra Flat BLS picture tube

The flat screen offers an improved viewing angle and less disturbing reflections.

The BLS offers high contrast and reduced reflections, for natural colours and improved daytime viewing

Contrast Plus and Colour Transient **Improvement**

For a picture with more contrast and nicer colours.

Acoustic Horns

Which allows the sound to be projected to the front of the cabinet.

Incredible Surround

Which increases the stereo effect by better filling the room.

Easy Tune

Easy way of channel installation thanks to ACI (Automatic Channel Installation) by means of special teletext transmission of local cable operator.

· Viewing modes

- Conventional 4:3
- Zoom 14:9 - Zoom 16:9
- Subtitle Zoom
- Super Zoom
- Wide screen

Additional Easy of use 16:9 features

- Subtitle shift
- Continuous zoom
- WideScreen Signalling Bit

Supporting Features

· Ease of use

Easy logic Remote Control with cursor control for TV and VCR functions. Smart control keys and programmable keys available.

Daily on/off clock

Easy to set wake up clock as well as programmable switch off.

· Power consumption

Low standby power: 3W at 220V.

Easy access

Side connectors mounted on a toblerone.

Information Line

Which indicates the currently watched program title.

Technical specifications

Chassis

: Mid 1.2 Type

Picture

Screen diameter : 70 cm FSQ Visible diagonal 66 cm Picture tube 16x9 U-BLS

- S-Video display
- Colour Transient Improvement (CTI)
- Tint, adjustable white colour
- Blackstretch
- Smart control key on remote control for four independent picture settings
- Settings via menu of:
- Brightness, Colour, Contrast, Sharpness, Tint, Noise reduction
- Game and Digital optimal settings
- Scavem

Sound

Sound system 2 speakers stereo Loudspeakers 2x5" acoustic horn

Output (RMS) 24W Frequency respons 60Hz-20Hz

+1/-3dB (amplifier)

Incredible surround : switchable by menu Bi-langual switch on remote control

Smart control key on remote control for four independent sound settings

Headphone with independent volume control

Settings via menu of :

- Treble, Bass, Balance, Incredible surround, Headphone volume

Operation

Easy menu-driven installation and operation

Multi-language selection for menu

Automatic Channel Installation (ACI)

100 preselections

Programme name for all programmes

Easy Logic remote control with VCR functions

Personal Preference setting per programme

Release date : March 1997 Predecessor(s) 28PW6301 Date of issue December 1998 ATS (Automatic Tuning System)

Learning knob for direct access to menu

Direct access for picture, sound and feature menu

Sleeptimer up to 180 minutes

Daily on/off clock, to program automatic switch

Smart Clock for automatic downloding of the internal clock

Electronic lock

· Program title display (transmitted by teletext)

· Message mode

Teletext

· Reception standards : WST/TOP/FLOF

8 pages of Teletext memory

Teletext time with one button on the remote control

· Favourite page

Reception

Tuning system : 100 fold PLL Colour transmission system off air: /00, /11 PAL B/G PAL B/G/L/I SECAM B/G/L/L'

D/K/K' PAL B/G/D/K SECAM B/G/D/K/K'

· NTSC playback 4,43 MHz VHE UHE Channel selections

S-Channels, Hyperband

· Frequency range 47.25-855.25 MHz · Aerial input : 75 Ohm (Coax)

Connections

Side

- Stereo headphone out (3.5 mm jack)

- S-VHS in

- Audio L/R in (cinch)

- Video CVBS-in (cinch)

Rear

- EXT1 : RGB-in + CVBS-in/out : CVBS-in/out + Y/C in - FXT2 - Audio out L/R constant level (cinch)

Remote control

 RC type : RC 7535

Miscellaneous

Ambient temperature: +5/+55°C

Mains AC220-240V ±10%

Power consumption: 110W

Stand-by power cons: 3W at 220VW Weight excl pack 33 kg Weight incl. pack 41 ka

Dimensions:

excl. pack (wxhxd) : 75.2x46.0x49.2 cm incl. pack (wxhxd) : 86.0x59.6x.62.6 cm · Cabinet Painting Mid Grey 10763



RC 7535





Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com