

Philips  
Stereo audio cable

6 ft

SWA2102W



## Ensure a reliable connection

with this stereo audio cable

Depend on this cable to provide you with a reliable audio connection between components.

### Enjoy good audio quality

- Nickel-plated connectors for reliable contact

### Protects against signal loss

- Bare copper shielding

### Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

### Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

**PHILIPS**  
sense and simplicity

Stereo audio cable  
6 ft

## Specifications

### Packaging dimensions

- **Packaging dimensions (W x H x D):**  
2.75 x 7.75 x 1.5 inch
- **Nett weight:** .11 lb
- **Gross weight:** .132 lb
- **Tare weight:** .022 lb

### Outer Carton

- **Outer carton (L x W x H):** 16.1 x 8.9 x 8.1 inch

- **Nett weight:** 2.646 lb
- **Gross weight:** 4.938 lb
- **Tare weight:** 2.292 lb

### Inner Carton

- **Inner carton (L x W x H):** 8.1 x 5.1 x 3.6 inch
- **Nett weight:** .441 lb
- **Gross weight:** .688 lb
- **Tare weight:** .247 lb

SWA2102W/17

## Product highlights

### Color-coded connectors

*Color coded connections make it easy to install your cable into the correct inputs and outputs*

### Bare copper shielding

*Bare copper shielding protects against signal loss.*

### Easy grip

*This non-slip grip makes connecting your components easy and ergonomically comfortable.*

### Plug and play

*Plug and play offers easy installation of components without time-consuming installations.*

### Molded plug

*Molded plugs ensure secure connections between components and offer extended durability.*

### Flexible PVC Jacket

*Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.*

### Rubber strain relief

*Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.*

### Nickel-plated connectors

*Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.*



Issue date 2008-08-19

Version: 1.0.4

12 NC: 8670 000 36893  
UPC: 6 09585 14788 1

© 2008 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>