


Philips  
Stereo dubbing cable

3.0 m

SWA3173W



# Turn up your audio experience

with this audio dubbing cable

Experience a new level of listening while transferring audio signals between your components. Superior construction delivers improved sound performance.

## Enjoy better audio quality

- 24 carat gold-plated connectors optimize signal
- High purity copper conductor for reliable signal transfer

## Protects against signal loss

- Copper braided reinforced aluminum shielding

## Easy installation

- Non-slip ergonomic grip for easy use
- Plug and play for easy use

## Enjoy extended durability

- Flexible PVC jacket
- Rubber strain relief
- Protective metal shell for extended durability

## Environmentally friendly

- Environmentally friendly lead-free construction

**PHILIPS**  
sense and simplicity

Stereo dubbing cable  
3.0 m

## Specifications

### Packaging dimensions

- EAN: 87 12581 39265 9
- Number of products included: 1
- Packaging type: Blister
- Packaging dimensions (W x H x D): 19 x 28.5 x 2.5 cm
- Nett weight: 0.14 kg
- Gross weight: 0.26 kg
- Tare weight: 0.12 kg

### Outer Carton

- EAN: 87 12581 39703 6
- Number of consumer packagings: 4
- Outer carton (L x W x H): 29.5 x 10.5 x 12 cm
- Nett weight: 0.56 kg
- Gross weight: 1.3 kg
- Tare weight: 0.74 kg

SWA3173W/10

## Product highlights

### Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

### Lead-free construction

Lead-free construction of environmentally friendly materials.

### Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.

### Braided shielding

Copper braided reinforced aluminum shielding protects against signal loss and interference.

### Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

### Plug and play

Plug and play offers easy installation of components without time-consuming installations.

### Metal shell

The metal shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.

### 24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

### High purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.



Issue date 2008-10-26

Version: 1.0.6

12 NC: 8670 000 36749  
EAN: 87 12581 39265 9

© 2008 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>