



Philips
S-video / stereo audio
cable

6 ft

SWV2070

Ensure a reliable connection

with this S-Video to Stereo Audio Cable

Depend on this connection for transferring audio/video signals between your components.

Enjoy good picture and sound quality

- Nickel-plated connectors for reliable contact
- Crafted with quality construction

Protects against signal loss

- Bare copper shielding

Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

PHILIPS
sense and simplicity

S-video / stereo audio cable
6 ft

Specifications

Packaging

- **EAN/UPC/GTIN:** 6 09585 12316 8
- **Quantity:** 1
- **Gross Weight:** 0.300 kg
- **Tare Weight:** 0.010 kg
- **Net Weight:** 0.290 kg
- **Length:** 22.20 cm
- **Width:** 14.60 cm
- **Height:** 6.50 cm

Outer Carton

- **EAN/UPC/GTIN:** 1 06 09585 12316 5
- **Gross Weight:** 1.190 kg
- **Height (cm):** 16.80 cm
- **Length (cm):** 25.40 cm
- **Net Weight:** 1.150 kg
- **Quantity:** 4
- **Tare Weight:** 0.040 kg
- **Width (cm):** 19.70 cm

SWV2070/17

Product highlights

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Bare copper shielding

Bare copper shielding protects against signal loss.

Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.

Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

Quality construction

Quality construction uses only top grade materials to create products of extended durability.



Issue date 2007-12-08

Version: 2.0.6

12 NC: 8670 000 26073
UPC: 6 09585 12316 8

© 2007 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>