

Philips  
S-video/stereo audio cable

12 ft

SWV3524



# Turn up your viewing experience

with this S-video to stereo audio cable

Step up to a better audio / video connection between components.

#### Enjoy better picture quality

- 24 carat gold-plated connectors optimize signal

#### Enjoy better audio quality

- High purity copper conductor for reliable signal transfer

#### Protects against signal loss

- Copper braided reinforced aluminum shielding

#### Easy installation

- Plug and play for easy use
- Color coded connectors for instant recognition

#### Enjoy extended durability

- Protective metal shell for extended durability
- Flexible PVC jacket
- Rubber strain relief

**PHILIPS**  
sense and simplicity

S-video/stereo audio cable  
12 ft

## Specifications

### Packaging

- EAN/UPC/GTIN: 6 09585 12058 7
- Quantity: 1
- Gross Weight: 0.56 kg
- Tare Weight: 0.11 kg
- Net Weight: 0.45 kg
- Length: 27.9 cm
- Width: 16.5 cm
- Height: 5.0 cm

### Outer Carton

- EAN/UPC/GTIN: 1 06 09585 12058 4
- Quantity: 2
- Gross Weight: 1.30 kg
- Tare Weight: 0.23 kg
- Net Weight: 1.07 kg
- Length (cm): 29.0 cm
- Width (cm): 18.0 cm
- Height (cm): 12.5 cm

SWV3524/17

## Product highlights

### 24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

### Braided shielding

Copper braided reinforced aluminum shielding protects against signal loss and interference.

### Plug and play

Plug and play offers easy installation of components without time-consuming installations.

### Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

### High purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.

### Metal shell

The metal shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.

### Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

### Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2008-08-30

Version: 3.0.7

12 NC: 8670 000 24737  
UPC: 6 09585 12058 7

© 2008 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>