

Philips
Scart switcher

4-Way

RCA inputs/outputs Manual

SWS3685W



Turn up your viewing experience

with this 4-way switcher

Manually switch between four scart input sources using A, B, C, D push buttons. It provides a solid connection for switching audio/video signals to your TV.

Enjoy better picture/sound quality

- 24 carat gold-plated connectors optimize signal

Protects against signal loss

- Copper braided reinforced aluminum shielding

Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

Enjoy extended durability

- Protective metal shell for extended durability
- Flexible PVC jacket
- Rubber strain relief

Environmentally friendly

- Environmentally friendly lead-free construction

PHILIPS
sense and simplicity

Specifications

Inner Carton

- EAN: 87 12581 36518 9
- Number of consumer packagings: 2
- Gross weight: 1.16 kg
- Inner carton (L x W x H): 30.5 x 21.6 x 11.4 cm
- Nett weight: 0.72 kg
- Tare weight: 0.44 kg

Outer Carton

- EAN: 87 12581 36517 2
- Number of consumer packagings: 12
- Gross weight: 7.76 kg
- Outer carton (L x W x H): 66.7 x 31.8 x 22.9 cm

- Nett weight: 4.32 kg
- Tare weight: 3.44 kg

Packaging dimensions

- EAN: 87 12581 36516 5
- Number of products included: 1
- Packaging type: Blister
- Packaging dimensions (W x H x D):
19.7 x 28.6 x 4.45 cm
- Gross weight: 0.48 kg
- Nett weight: 0.36 kg
- Tare weight: 0.12 kg

Product highlights

24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

Braided shielding

Copper braided reinforced aluminum shielding protects against signal loss and interference.

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Metal shell

The metal shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2008-11-30

Version: 1.0.8

12 NC: 8670 000 34099
EAN: 87 12581 36516 5

© 2008 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>