

Philips  
Manual switcher

2-Way

SWV3053



# Turn up your viewing experience

with this 2-way manual switcher

Step up to a better connection for transferring audio/video signals between your components.

#### Enjoy better picture quality

- 24 carat gold-plated connectors optimize signal

#### Enjoy better audio quality

- High purity copper conductor for reliable signal transfer
- 24 carat gold-plated connectors optimize signal

#### Protects against signal loss

- Copper braided reinforced aluminum shielding

#### Easy installation

- Plug and play for easy use
- Color coded connectors for instant recognition

#### Enjoy extended durability

- Protective metal shell for extended durability
- Flexible PVC jacket
- Rubber strain relief

**PHILIPS**  
sense and simplicity

Manual switcher  
2-Way

## Specifications

### Packaging

- EAN/UPC/GTIN: 87 10895 93379 7
- Quantity: 1
- Gross Weight: 0.166 kg
- Tare Weight: 0.063 kg
- Net Weight: 0.103 kg
- Length: 19.50 cm
- Width: 16.00 cm
- Height: 7.50 cm

### Inner Carton

- EAN/UPC/GTIN: 87 10895 96131 8
- Quantity: 2
- Gross weight: 0.440 kg
- Tare weight: 14.20 kg

- Net weight: 0.330 kg
- Length (cm): 16.20 cm
- Width (cm): 0.110 cm
- Height (cm): 19.70 cm

### Outer Carton

- EAN/UPC/GTIN: 87 10895 96132 5
- Quantity: 12
- Gross weight: 3.190 kg
- Tare weight: 1.210 kg
- Net weight: 1.980 kg
- Length (cm): 51.00 cm
- Width (cm): 33.00 cm
- Height (cm): 22.50 cm

SWV3053/10

## Product highlights

### High purity copper

*This copper conductor provides high accuracy in signal transfer with minimal resistance.*

### 24 carat gold-plated connector

*24 carat gold-plated connectors ensure the best signal quality for your components.*

### Braided shielding

*Copper braided reinforced aluminum shielding protects against signal loss and interference.*

### Plug and play

*Plug and play offers easy installation of components without time-consuming installations.*

### Metal shell

*The metal shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.*

### Flexible PVC Jacket

*Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.*

### Rubber strain relief

*Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.*

### Color-coded connectors

*Color coded connections make it easy to install your cable into the correct inputs and outputs*



Issue date 2008-04-12

Version: 4.0.7

12 NC: 9082 100 06252  
EAN: 87 10895 93379 7

© 2008 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>