

Philips  
Automatic Switcher

**3-Way**

Composite A/V Connections

**SWV3574**



# Turn up your viewing experience

with this 3-way automatic switcher

Step up to a better connection for transferring audio/video signals between your components.

#### Enjoy better picture quality

- 24 carat gold-plated connectors optimise signal

#### Enjoy better audio quality

- High purity copper conductor for reliable signal transfer

#### Protects against signal loss

- Copper braided reinforced aluminum shielding

#### Easy installation

- Colour coded connectors for instant recognition
- Plug and play for easy use
- Power adapter included

#### Enjoy extended durability

- Protective metal shell for extended durability
- Flexible PVC jacket for extended durability
- Rubber strain relief for extended durability

**PHILIPS**

sense and simplicity

## Specifications

### Packaging

- Quantity: 1
- Gross Weight: 0.820 kg
- Tare Weight: 0.120 kg
- Net Weight: 0.700 kg
- Length: 18.50 cm
- Width: 17.50 cm
- Height: 9.50 cm

### Inner Carton

- EAN/UPC/GTIN: 87 10895 96141 7
- Quantity: 2
- Gross weight: 1.600 kg
- Tare weight: 0.200 kg

- Net weight: 1.400 kg
- Length (cm): 35.00 cm
- Width (cm): 24.00 cm
- Height (cm): 14.00 cm

### Outer Carton

- EAN/UPC/GTIN: 87 10895 96142 4
- Quantity: 12
- Gross weight: 9.00 kg
- Tare weight: 0.60 kg
- Net weight: 8.400 kg
- Length (cm): 50.00 cm
- Width (cm): 37.00 cm
- Height (cm): 47.00 cm

## Product highlights

### 24carat gold-plated connectors

24 carat gold-plated connectors ensure the best signal quality for your components.

### High purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.

### Braided Shielding

Copper braided reinforced aluminum shielding protects against signal loss and interference.

### Colour-coded connectors

Colour coded connections make it easy to install your cable into the correct inputs and outputs

### Plug and play

Plug and play offers easy installation of components without time-consuming installations.

### Power Adapter Included

Power adapter included

### Metal shell

The metal shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.

### Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

### Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2007-08-03

Version: 5.0

12 NC: 9082 100 06927  
EAN: 87 10895 94175 4

© 2007 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>