

Philips
Automatic switcher

3-Way
Composite A/V Connections

SWV3574



Turn up your viewing experience

with this 5-way manual switcher

Step up to a better connection for transferring audio/video signals between your components.

Enjoy better picture quality

• 24 carat gold-plated connectors optimize signal

Enjoy better audio quality

• High purity copper conductor for reliable signal transfer

Protects against signal loss

· Copper braided reinforced aluminum shielding

Easy installation

- · Color coded connectors for instant recognition
- · Plug and play for easy use
- · Power adapter included

Enjoy extended durability

- · Protective metal shell for extended durability
- Flexible PVC jacket
- · Rubber strain relief



Automatic switcher 3-Way Composite A/V Connections

Specifications

Packaging

- Quantity: IGross Weight: 0.720 kg
- Tare Weight: 0.120 kg • Net Weight: 0.600 kg
- Length: 18.50 cm
- Width: 17.50 cm
- Height: 9.50 cm

Inner Carton

- EAN/UPC/GTIN: 87 10895 96143 I
- Quantity: 2
- Gross weight: 1.400 kg
- · Tare weight: 0.200 kg

- Net weight: 1.200 kg • Length (cm): 19.20 cm
- Width (cm): 17.70 cm
- Height (cm): 18.70 cm

Outer Carton

- EAN/UPC/GTIN: 87 10895 96144 8
- Quantity: 12
- Gross weight: 9.00 kg
- Tare weight: 1.80 kg
- Net weight: 7.20 kg Length (cm): 50.00 cm
- Width (cm): 37.00 cm
- Height (cm): 47.00 cm

Product highlights

24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

High purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.

Braided shielding

Copper braided reinforced aluminum shielding protects against signal loss and interference.

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Power Adapter Included

Power adapter included

Metal shell

The metal shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2008-01-18

© 2008 Koninklijke Philips Electronics N.V. All Rights reserved.

Version: 3.0.7

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 9082 100 06378 EAN: 87 10895 93468 8

www.philips.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com