Philips Speaker wire

10 m

18 gauge

# SWA2105W



# Ensure a reliable connection

# with this speaker wire

Depend on this speaker wire to provide you with a reliable audio connection between your speakers and tuner.

### **Enjoy better audio quality**

• High purity copper conductor for reliable signal transfer

# **Easy installation**

- Plug & Play for easier installation
- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use

# **Enjoy extended durability**

- Flexible PVC jacket
- Molded plug for secure connections
- · Rubber strain relief

#### Protects against signal loss

· Bare copper shielding



# Specifications

### **Packaging Data**

- Quantity: 1
- EAN/UPC/GTIN: 87 10895 99455 2

#### **Inner Carton**

- EAN/UPC/GTIN: 87 10895 99820 8
- Quantity: 6
- · Length: 245 mm
- Width: 150 mm • Height: 105 mm
- Gross weight: 1.28 kg
- Net weight: 1.08 kg
- · Tare weight: 0.20 kg

#### **Outer Carton**

• EAN/UPC/GTIN: 87 10895 99821 5



- Quantity: 36
- Length: 340 mm
- Width: 320 mm
- · Height: 265 mm
- Gross weight: 8.18 kg
- Net weight: 6.48 kg • Tare weight: 1.7 kg

## **Dimensions**

- Product length: 23.5 cm
- Product dimensions (W x H): 95 x 22 mm
- Gross weight: 0.20 kg
- Net weight: 0.18 kg
- Tare weight: 0.02 kg

# **Highlights**

# **High purity copper**

This copper conductor provides high accuracy in signal transfer with minimal resistance.

Flexible PVC Jacket
Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

### Bare copper shielding

Bare copper shielding protects against signal loss.

#### **Color-coded connectors**

Color coded connections make it easy to install your cable into the correct inputs and outputs

#### Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

#### **Molded plug**

Molded plugs ensure secure connections between components and offer extended durability.

### Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2009-04-12

© 2009 Koninklijke Philips Electronics N.V. All Rights reserved.

Version: 2.0.7

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 9082 100 09815 EAN: 87 10895 99455 2

www.philips.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com