

Philips  
Stereo audio cable

3.0 m

SWA2523W



## Ensure a reliable connection

with this stereo audio cable

Depend on this cable to provide you with a reliable audio connection between components.

### Enjoy good picture quality

- Nickel-plated connectors for reliable contact

### Enjoy good audio quality

- 24 carat gold-plated connectors optimise signal
- High-purity copper conductor for reliable signal transfer

### Protects against signal loss

- Bare copper shielding

### Easy installation

- Colour-coded connectors for instant recognition
- Non-slip ergonomic grip for easy use

### Enjoy extended durability

- Moulded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

**PHILIPS**  
sense and simplicity

Stereo audio cable  
3.0 m

# Specifications

## Packaging Data

- Quantity: 1
- EAN/UPC/GTIN: 87 10895 99311 1

## Inner Box

- EAN/UPC/GTIN: 87 10895 99832 1
- Length: 245 mm
- Width: 105 mm
- Height: 102 mm
- Quantity: 4
- Gross weight: 0.40 kg
- Net weight: 0.24 kg
- Tare weight: 0.16 kg

## Outer Box

- EAN/UPC/GTIN: 87 10895 99833 8

- Quantity: 24
- Length: 340 mm
- Width: 265 mm
- Height: 230 mm
- Gross weight: 2.8 kg
- Net weight: 1.44 kg
- Tare weight: 1.36 kg

## Dimensions

- Product length: 23.5 cm
- Product dimensions (W x H): 95 x 22 mm
- Gross weight: 0.08 kg
- Net weight: 0.06 kg
- Tare weight: 0.02 kg

SWA2523W/10

# Highlights

## Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

## 24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

## High-purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.

## Bare copper shielding

Bare copper shielding protects against signal loss.

## Colour-coded connectors

Colour-coded connections make it easy to install your cable into the correct inputs and outputs

## Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

## Moulded plug

Moulded plugs ensure secure connections between components and offer extended durability.

## Flexible PVC Jacket

Flexible PVC jacket provides protection to the delicate core of the cable. It also offers extended durability and ease of installation.

## Rubber strain relief

Rubber strain relief provides a secure yet flexible juncture between the cable and the plug.



Issue date 2009-04-11

Version: 2.0.6

12 NC: 9082 100 09706  
EAN: 87 10895 99311 1

© 2009 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>