

Philips
Audio recording cable

1.0 m

Composite A/V Connections

SWA2540



Ensure a reliable connection

with this audio recording cable

Depend on this cable to connect a recordable device to your receiver to play and record music.

Enjoy good audio quality

- Nickel-plated connectors for reliable contact

Protects against signal loss

- Bare copper shielding

Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

Environmentally friendly

- Environmentally friendly lead-free construction

PHILIPS
sense and simplicity

Audio recording cable
1.0 m Composite A/V Connections

Specifications

Packaging

- EAN/UPC/GTIN: 87 10895 97792 0
- Quantity: 1
- Gross Weight: 0.150 kg
- Tare Weight: 0.020 kg
- Net Weight: 0.130 kg
- Length: 23.50 cm
- Width: 9.50 cm
- Height: 3.50 cm

Inner Carton

- EAN/UPC/GTIN: 87 10895 98157 6
- Quantity: 4
- Gross weight: 0.750 kg
- Tare weight: 0.150 kg

- Net weight: 0.600 kg
- Length (cm): 25.00 cm
- Width (cm): 10.70 cm
- Height (cm): 15.50 cm

Outer Carton

- EAN/UPC/GTIN: 87 10895 98158 3
- Quantity: 24
- Gross weight: 4.800 kg
- Tare weight: 0.300 kg
- Net weight: 4.500 kg
- Length (cm): 34.00 cm
- Width (cm): 26.80 cm
- Height (cm): 34.00 cm

SWA2540/10

Product highlights

Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

Bare copper shielding

Bare copper shielding protects against signal loss.

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.

Lead-free construction

Lead-free construction of environmentally friendly materials.



Issue date 2007-12-07

Version: 2.0.4

12 NC: 9082 100 08762
EAN: 87 10895 97792 0

© 2007 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>