Philips Audio recording cable

5 m

Composite A/V Connections

# SWA2542W



# Ensure a reliable connection

# with this audio recording cable

Depend on this cable to connect a recordable device to your reciever to play and record music.

#### Enjoy good audio quality

- Nickel-plated connectors for reliable contact
- · High purity copper conductor for reliable signal transfer

#### Protects against signal loss

· Bare copper shielding

## **Easy installation**

- · Color coded connectors for instant recognition
- · Non-slip ergonomic grip for easy use

# Enjoy extended durability

- Molded plug for secure connections
- · Flexible PVC jacket



# Audio recording cable 5 m Composite A/V Connections

#### **Specifications**

# **Packaging dimensions**

- Packaging dimensions (W x H x D): 19.5 x 23.5 x 6.5 cm
- Nett weight: .34 kg
- Gross weight: .4 kg
- Tare weight: .06 kg

#### **Outer Carton**

• Outer carton (L  $\times$  W  $\times$  H): 64.7  $\times$  26  $\times$  52 cm

- Nett weight: 8.16 kg
- Gross weight: 11.7 kg
- Tare weight: 3.54 kg

#### **Inner Carton**

- Inner carton (L  $\times$  W  $\times$  H): 24.4  $\times$  20.6  $\times$  24.1 cm
- Nett weight: 1.36 kg
- · Gross weight: 1.8 kg
- Tare weight: .44 kg

#### SWA2542W/10

### **Product highlights**

#### **Color-coded connectors**

Color coded connections make it easy to install your cable into the correct inputs and outputs

#### Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

#### Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

#### Bare copper shielding

Bare copper shielding protects against signal loss.

#### Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

## Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

#### High purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.



Issue date 2008-08-17

Version: 1.1.3

© 2008 Koninklijke Philips Electronics N.V.

All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 35566 EAN: 87 12581 38305 3

www.philips.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com