

Philips
HDMI-DVI conversion
cable

12 ft

SWV6424D



Enjoy the ultimate viewing

with this premium video cable

Take your components to optimum performance. This top of the line cable offers the best connection for transferring video signals between components.

Enjoy better picture quality

- 24 carat gold-plated connectors optimize signal
- 99.97% Oxygen-Free Copper (OFC)
- High-bandwidth Digital Content Protection

Protects against signal loss

- 100% aluminum shielding
- Oxygen-free copper conductor for ideal signal transfer
- Copper braided shielding

Easy installation

- Non-slip ergonomic grip for easy use
- Plug and play for easy use

Enjoy extended durability

- Heavy-duty brass shell for extended durability
- Super pliable jackets for outstanding flexibility
- Reliable metal strain relief

PHILIPS
sense and simplicity

Specifications

Packaging Data

- Quantity: 1
- EAN/UPC/GTIN: 6 09585 13513 0
- Gross weight: .54 kg
- Tare weight: .1 kg
- Net weight: .44 kg
- Length: 270 mm
- Width: 182 mm
- Height: 59 mm

Inner Carton

- EAN/UPC/GTIN: 1 06 09585 13513 7
- Quantity: 2
- Gross weight: 1.22 kg
- Tare weight: .16 kg

- Net weight: 1.06 kg
- Length: 295 mm
- Width: 125 mm
- Height: 200 mm

Outer Carton

- EAN/UPC/GTIN: 2 06 09585 13513 4
- Quantity: 4
- Gross weight: 2.86 kg
- Tare weight: .4 kg
- Net weight: 2.46 kg
- Length: 311 mm
- Width: 267 mm
- Height: 226 mm

Highlights

24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

100% aluminum shielding

This protective layer of aluminum guards against electromagnetic interference for improved signal quality.

Solid high purity OFC

This oxygen-free copper conductor provides the highest accuracy in signal transfer with minimal resistance.

Copper braided shielding

This protective layer of copper blocks radio frequency interference for improved signal quality.

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Heavy-duty brass shell

The heavy-duty brass shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.

Super pliable jackets

Super pliable PVC jackets are abrasion-resistant for outstanding flexibility and protection against everyday wear and tear.



Issue date 2009-04-11

Version: 2.0.5

12 NC: 8670 000 30747
UPC: 6 09585 13513 0

© 2009 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>