

Philips
HDMI cable

12 ft

SWV6434D



Enjoy the ultimate viewing

with this premium A/V cable

Take your components to optimum performance. This top of the line cable offers the best connection for transferring audio and video signals between components.

Enjoy better picture quality

- 24 carat gold-plated connectors optimize signal
- High-bandwidth Digital Content Protection

Enjoy better audio quality

- 99.97% Oxygen-Free Copper (OFC)

Protects against signal loss

- 100% aluminum shielding
- Copper braided shielding

Easy installation

- Non-slip ergonomic grip for easy use
- Plug and play for easy use

Enjoy extended durability

- Heavy-duty brass shell for extended durability
- Super pliable jackets for outstanding flexibility

PHILIPS
sense and simplicity

HDMI cable
12 ft

Specifications

Inner Carton

- EAN/UPC/GTIN: 1 06 09585 13512 0
- Quantity: 2
- Gross weight: 1.2 kg
- Tare weight: .16 kg
- Net weight: 1.04 kg
- Length (cm): 29.5 cm
- Width (cm): 12.5 cm
- Height (cm): 20 cm

Outer Carton

- Quantity: 4
- Gross weight: 2.78 kg
- Tare weight: .4 kg
- Net weight: 2.38 kg

- Length (cm): 31.1 cm
- Width (cm): 26.7 cm
- Height (cm): 22.6 cm
- EAN/UPC/GTIN: 2 06 09585 13512 7

Packaging

- Quantity: 1
- Gross Weight: .52 kg
- Tare Weight: .1 kg
- Net Weight: .42 kg
- Height: 5.9 cm
- Length: 27 cm
- Width: 188.2 cm
- EAN/UPC/GTIN: 6 09585 13512 3

SWV6434D/17

Highlights

24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

HDCP Compliant

High-bandwidth Digital Content Protection (HDCP) allows you to play protected content media such as movies and concerts. It checks the signal to prevent piracy, allowing only legal copies of content to display.

99.97% OFC solid conductor

99.97% Oxygen-free copper (OFC) cable core provides optimum signal quality.

100% aluminum shielding

This protective layer of aluminum guards against electromagnetic interference for improved signal quality.

Copper braided shielding

This protective layer of copper blocks radio frequency interference for improved signal quality.

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Heavy-duty brass shell

The heavy-duty brass shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.

Super pliable jackets

Super pliable PVC jackets are abrasion-resistant for outstanding flexibility and protection against everyday wear and tear.



Issue date 2009-04-11

Version: 2.0.6

12 NC: 8670 000 30746
UPC: 6 09585 13512 3

© 2009 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>