

Philips  
Composite A/V to scart  
cable

1,5 m

Stereo Audio

SWV6632



## Enjoy the ultimate viewing experience

with this premium A/V cable

Take your components to optimum performance. This top of the line cable offers the best connection for transferring audio/video signals between components.

### Enjoy better picture quality

- 24 carat gold-plated connectors optimize signal

### Enjoy better audio quality

- 99.97% Oxygen-Free Copper (OFC)

### Protects against signal loss

- 100% aluminum shielding
- Copper braided shielding

### Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

### Enjoy extended durability

- Heavy-duty brass shell for extended durability
- Super pliable jackets for outstanding flexibility

**PHILIPS**  
sense and simplicity

Composite A/V to scart cable  
1,5 m Stereo Audio

## Specifications

### Inner Carton

- EAN/UPC/GTIN: 87 10895 99394 4
- Quantity: 2
- Gross weight: 1.18 kg
- Tare weight: .18 kg
- Net weight: 1 kg
- Length (cm): 31.5 cm
- Width (cm): 15 cm
- Height (cm): 21 cm

### Outer Carton

- EAN/UPC/GTIN: 87 10895 99395 1
- Quantity: 4
- Gross weight: 2.96 kg
- Tare weight: .6 kg

- Net weight: 2.36 kg
- Length (cm): 33 cm
- Width (cm): 32.5 cm
- Height (cm): 23.5 cm

### Packaging

- EAN/UPC/GTIN: 87 10895 99393 7
- Quantity: 1
- Gross Weight: .5 kg
- Tare Weight: .1 kg
- Net Weight: .4 kg
- Height: 9 cm
- Length: 28.5 cm
- Width: 20 cm

SWV6632/10

## Product highlights

### 24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

### 100% aluminum shielding

This protective layer of aluminum guards against electromagnetic interference for improved signal quality.

### Copper braided shielding

This protective layer of copper blocks radio frequency interference for improved signal quality.

### Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

### Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

### Plug and play

Plug and play offers easy installation of components without time-consuming installations.

### Heavy-duty brass shell

The heavy-duty brass shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.

### Super pliable jackets

Super pliable PVC jackets are abrasion-resistant for outstanding flexibility and protection against everyday wear and tear.

### 99.97% OFC Solid Conductor

99.97% Oxygen-free copper (OFC) cable core provides optimum signal quality.



Issue date 2008-09-02

Version: 1.1.5

12 NC: 9082 100 09761  
EAN: 87 10895 99393 7

© 2008 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>