

Philips  
Scart cable

5 m

SWV6694



## Enjoy the ultimate viewing experience

with this premium A/V cable

Take your components to optimum performance. This top-of-the-line cable offers the best connection for transferring audio/video signals between components.

### Enjoy better picture quality

- 24 carat gold-plated connectors optimise signal
- 99.97% Oxygen-Free Copper (OFC)

### Protects against signal loss

- 100% aluminium shielding
- Copper-braided shielding
- Foam Polyethylene (FPE) Dielectric

### Easy installation

- Non-slip ergonomic grip for easy use
- Plug and play for easy use

### Enjoy extended durability

- Heavy-duty brass shell for extended durability
- Super pliable jackets for outstanding flexibility
- Reliable metal strain relief

**PHILIPS**  
sense and simplicity

Scart cable  
5 m

# Specifications

## Inner Box

- EAN/UPC/GTIN: 87 10895 99378 4
- Quantity: 2
- Gross weight: 2.64 kg
- Tare weight: 25 kg
- Net weight: 2.39 kg
- Length (cm): 35 cm
- Width (cm): 24.5 cm
- Height (cm): 27.5 cm

## Outer Box

- EAN/UPC/GTIN: 87 10895 99379 1
- Quantity: 4
- Gross weight: 6.28 kg
- Tare weight: 94 kg

- Net weight: 5.34 kg
- Length (cm): 50 cm
- Width (cm): 37 cm
- Height (cm): 29 cm

## Packaging

- EAN/UPC/GTIN: 87 10895 99377 7
- Quantity: 1
- Gross weight: 1.18 kg
- Tare weight: .1 kg
- Net weight: 1.08 kg
- Height: 12 cm
- Length: 33 cm
- Width: 25 cm

SWV6694/10

# Highlights

## 24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

## 99.97% OFC solid conductor

99.97% Oxygen-free copper (OFC) cable core provides optimum signal quality.

## 100% aluminium shielding

This protective layer of aluminium guards against electromagnetic interference for improved signal quality.

## Copper-braided shielding

This protective layer of copper blocks radio frequency interference for improved signal quality.

## FPE Dielectric

Foam Polyethylene (FPE) dielectric is a superior insulation material that protects against signal loss.

## Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

## Plug and play

Plug and play offers easy installation of components without time-consuming installations.

## Heavy-duty brass shell

The heavy-duty brass shell protects the internal connection of the cable. It ensures durability and the reliability of your connection.

## Super pliable jackets

Super pliable PVC jackets are abrasion-resistant for outstanding flexibility and protection against everyday wear and tear.

## Metal strain relief

Full metal connector ensures extended durability by preventing damage during use and installation.



Issue date 2009-03-07

Version: 1.0.4

12 NC: 9082 100 09749  
EAN: 87 10895 99377 7

© 2009 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>