

Philips
Coaxial cable

700 m

No ends Spool



SWV7100W

Ensure a reliable connection

with this coaxial cable

Depend on this cable to provide you with a reliable video connection between components.

Protects against signal loss

- Bare copper shielding

Enjoy extended durability

- Flexible PVC jacket

PHILIPS
sense and simplicity

Coaxial cable
700 m No ends Spool

Specifications

Packaging dimensions

- **Packaging dimensions (W x H x D):**
20 x 21.6 x 20 cm
- **Net weight:** 30.51 kg
- **Gross weight:** 31.51 kg
- **Tare weight:** 1 kg

Outer Box

- **Outer carton (L x W x H):** 41 x 41 x 41 cm
- **Net weight:** 30.51 kg
- **Gross weight:** 31.51 kg
- **Tare weight:** 1 kg

SWV7100W/10

Product highlights

Flexible PVC Jacket

Flexible PVC jacket provides protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Bare copper shielding

Bare copper shielding protects against signal loss.



Issue date 2009-02-16

Version: 1.0.6

12 NC: 8670 000 39495
EAN: 87 12581 41922 6

© 2009 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>