

Philips
Coaxial cable

100 m

No ends Spool



SWV7109W



Ensure a reliable connection

with this coaxial cable

Depend on this cable to provide you with a reliable video connection between components.

Protects against signal loss

- Bare copper shielding

Enjoy extended durability

- Flexible PVC jacket

PHILIPS
sense and simplicity

Coaxial cable
100 m No ends Spool

SWV7109W/10

Specifications

Packaging dimensions

- **Packaging dimensions (W x H x D):**
20 x 21.6 x 20 cm
- **Nett weight:** 4.42 kg
- **Gross weight:** 4.43 kg
- **Tare weight:** .01 kg

Outer Carton

- **Outer carton (L x W x H):** 53.3 x 23.5 x 20.9 cm

- **Nett weight:** 53.04 kg
- **Gross weight:** 60 kg
- **Tare weight:** 6.96 kg

Inner Carton

- **Inner carton (L x W x H):** 21.5 x 16.5 x 18.4 cm
- **Nett weight:** 17.68 kg
- **Gross weight:** 20 kg
- **Tare weight:** 2.32 kg

Product highlights

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Bare copper shielding

Bare copper shielding protects against signal loss.



Issue date 2009-02-03

Version: 1.0.5

12 NC: 8670 000 39494
EAN: 87 12581 41921 9

© 2009 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>