

Philips
Quad shield cable

2.0 m

White F connector

SWV7162W



Ensure a reliable connection

with this quad shield cable

Depend on this cable to provide you with a reliable video connection between components.

Protects against signal loss

- Bare copper shielding

Easy installation

- Non-slip ergonomic grip for easy use

Enjoy extended durability

- Flexible PVC jacket

PHILIPS
sense and simplicity

Quad shield cable
2.0 m White F connector

SWV7162W/10

Specifications

Packaging dimensions

- Packaging dimensions (W x H x D):
9.5 x 23.5 x 3.7 cm
- Nett weight: .067 kg
- Gross weight: .1 kg
- Tare weight: .033 kg

Outer Carton

- Outer carton (L x W x H): 25.5 x 16 x 34.5 cm

- Nett weight: .804 kg
- Gross weight: 2.5 kg
- Tare weight: 1.696 kg

Inner Carton

- Inner carton (L x W x H): 24.1 x 14.3 x 10.2 cm
- Nett weight: .268 kg
- Gross weight: .482 kg
- Tare weight: .214 kg

Highlights

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Bare copper shielding

Bare copper shielding protects against signal loss.

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.



Issue date 2009-04-11

Version: 1.0.7

12 NC: 8670 000 39491
EAN: 87 12581 41918 9

© 2009 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>