

Philips  
HDMI cable

0,75 m

SWV7431W



## Ensure a reliable connection

with this HDMI cable

Depend on this cable to provide you with a reliable HD video connection between components.

### Enjoy good picture quality

- Signal degradation is minimized with gold plated connectors

### Protects against signal loss

- Bare copper shielding

### Easy installation

- Non-slip ergonomic grip for easy use
- Plug & Play for easier installation

### Enjoy extended durability

- Flexible PVC jacket
- Molded plug for secure connections
- Rubber strain relief

**PHILIPS**  
sense and simplicity

HDMI cable  
0,75 m

SWV7431W/10

# Specifications

## Inner Carton

- Gross weight: 0.5724 kg
- Inner carton (L x W x H): 24.8 x 10.5 x 17.8 cm
- Nett weight: 0.328 kg
- Tare weight: 0.2444 kg
- EAN: 87 12581 47559 8
- Number of consumer packagings: 4

## Outer Carton

- Gross weight: 3.8 kg
- Outer carton (L x W x H): 34.3 x 26.7 x 38.1 cm
- Nett weight: 1.968 kg
- Tare weight: 1.832 kg

- EAN: 87 12581 47558 1
- Number of consumer packagings: 24

## Packaging dimensions

- Packaging dimensions (W x H x D):  
9.5 x 23.7 x 4 cm
- Gross weight: 0.12 kg
- Nett weight: 0.082 kg
- Tare weight: 0.038 kg
- EAN: 87 12581 46290 1
- Number of products included: 1
- Packaging type: Blister

# Highlights

## Bare copper shielding

Bare copper shielding protects against signal loss.

## Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

## Plug & Play

Plug & Play gives you the ability to install or add a new component and have it work without having to perform any complex installation procedure or technical analysis.

## Gold plated connectors

High quality connectors which minimize signal loss.

## Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

## Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

## Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2009-04-11

Version: 1.1.8

12 NC: 8670 000 49391  
EAN: 87 12581 46290 1

© 2009 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>