

Philips  
HDMI cable

1,5 m

SWV7432W



## Ensure a reliable connection

with this HDMI cable

Depend on this cable to provide you with a reliable HD video connection between components.

### Enjoy good picture quality

- Signal degradation is minimized with gold plated connectors

### Protects against signal loss

- Bare copper shielding

### Easy installation

- Non-slip ergonomic grip for easy use
- Plug & Play for easier installation

### Enjoy extended durability

- Flexible PVC jacket
- Molded plug for secure connections
- Rubber strain relief

**PHILIPS**  
sense and simplicity

HDMI cable  
1,5 m

## Specifications

### Inner Carton

- EAN: 87 12581 41817 5
- Number of consumer packagings: 4
- Gross weight: 0.720 kg
- Inner carton (L x W x H): 25.1 x 16.3 x 12.2 cm
- Nett weight: 0.360 kg
- Tare weight: 0.360 kg

### Outer Carton

- EAN: 87 12581 41818 2
- Number of consumer packagings: 24
- Gross weight: 5.800 kg
- Outer carton (L x W x H): 62.7 x 26.9 x 30.5 cm

- Nett weight: 2.160 kg
- Tare weight: 3.640 kg

### Packaging dimensions

- EAN: 87 12581 41812 0
- Number of products included: 1
- Packaging type: Blister
- Packaging dimensions (W x H x D): 9.4 x 23.6 x 3.8 cm
- Gross weight: 0.140 kg
- Nett weight: 0.090 kg
- Tare weight: 0.050 kg

SWV7432W/10

## Product highlights

### Bare copper shielding

*Bare copper shielding protects against signal loss.*

### Easy grip

*This non-slip grip makes connecting your components easy and ergonomically comfortable.*

### Plug & Play

*Plug & Play gives you the ability to install or add a new component and have it work without having to perform any complex installation procedure or technical analysis.*

### Gold plated connectors

*High quality connectors which minimize signal loss.*

### Flexible PVC Jacket

*Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.*

### Molded plug

*Molded plugs ensure secure connections between components and offer extended durability.*

### Rubber strain relief

*Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.*



Issue date 2008-08-30

Version: 2.0.7

12 NC: 8670 000 39443  
EAN: 87 12581 41812 0

© 2008 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>