

6 head HiFi Stereo VCR

SB630

6 head HiFi Stereo VCR

- **Plug & Play** installation including automatic time download and correction
- **SMART Picture** for an individual picture preference setting
- **Shuttle Control** - You can precisely and easily locate a point on the tape
- **Audio Stereo outputs** to connect to your HIFI system and enjoy a complete Home Cinema System
- **Front AV input** for easy recording from your Camcorder
- **Digital Studio Picture Control and Digital Studio Tracking System** for an excellent playback performance
- **Laser-Cut Heads** - the maximum precision for the ultimate recording quality

**TURBO
DRIVE**

SHOWVIEW



Let's make things better.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Product Information

Reception

- Tuner: Full (UHF + VHF + Hyperband) Tuner
- Tuning: PLL, CH - FREQ entry, 99 presets
- Tuning/Install Features: Manual Search/Store, Plug & Play

User Interface

- Time and Date Download: PDC, Text (Time)
- Special Features: Child Lock
- Picture Improvement System: Digital Studio Picture Control, SMART Picture, Edge Noise Canceller
- Additional Playback Standard: NTSC
- Audio Recording System: FM Audio, Linear
- Audio Recording Level: Automatic
- TV Related Functions: Follow TV, Direct Record

Programming

- Number of Events: 6/month
- Programming Mode: OTR, Remote
- Record Control & Transmitter Identification: PDC, VPS
- Automatic Sat. Recording: From Ext. 2
- Record Speed: Long Play, Standard Play

Tape Deck

- Number of Video / FM Audio / Flying Erase Heads: 4 / 2 / 0
- Play: +1, -1, Repeat
- Additional Playback Features: Perfect Still, Multiple Search Speeds, Variable Slow Motion Speed
- Index Related Functions: Blank Tape Search, Next/Previous index search
- Tape Length Recognition: Automatic
- Tape Counter: Linear relative, Time left
- Automatic Functions at Tape End: Rewind after Play - Eject after Record
- Winding / Rewinding Time (E180): 100 sec.
- Head Cleaning Mode: Automatic, Manual

Connectors Rear

- EXT1: Black, Euro CVBS in/out
- EXT2: Blue, Euro Decoder, RGB loop through
- Audio Connector Rear: Cinch stereo out
- Terrestrial Antenna In & Out: 75 Ohms (IECtype)
- Mains Connector: Standard (IECtype)

Connectors Front

- Audio/Video Connectors Front: Cinch CVBS in, Cinch stereo in

General

- Voltage / Frequency: 198-264 V / 50Hz
- Backup Presets: 1yr
- Backup Clock, Timer Events & Calendar: 7hrs
- Power Cons. in Play / Std-By / Low Power Std By: 16W / 9,5W / <6W
- Remote Control - Code Emission: TV-Multicode All, TV-RC5, VCR1-RC5, VCR2-RC5
- Equipment Supplied: Aerial cable, Mains cord, Remote Control, Batteries
- Weight incl. / excl. package in kg: 5,5 / 3,6
- Set Size - W x D x H (mm): 380 x 260 x 93
- Packaging - W x D x H (mm): 450 x 382 x 180

Product Highlights

• Plug & Play

Let the VCR guide you through the installation steps and within short your videorecorder will be installed without the need of the user manual. Installing a VCR has never been easier!

• Automatic Time download

The Teletext contains an extremely precise time information. Your videorecorder knows that and during the installation, it automatically reads out this precious information. You can then use your VCR as the clock reference in your home, as the time is readjusted every day. You even don't have to worry about changing from summer to winter time!

• Automatic Satellite Recording

All you need to do is connect your Satellite Tuner to SCART 2 and programme what you want to record on your VCR. When time has come, the Satellite Tuner wakes the VCR up and starts the recording.

• SMART Picture

With this unique feature, you can adapt the picture to your own preference: you can exaggerate the contours on this cartoon or suppress the noise from that rental tape. We offer you the possibility to play your tapes the way you like to see them.

• Digital Studio Picture Control

Thanks to a digitally controlled Noise-Reduction Circuit, you are sure to obtain the best picture quality with any kind of tape.

• Digital Studio Tracking System

Studio Tracking System controls the tape speed so that the video and audio heads read the recorded signal exactly from one track. The heads move accurately along the track to avoid crosstalk from neighbouring tracks.

• TURBO DRIVE

Enjoy the ease of use and the comfort of one of the fastest VCR decks in the world.

	/02	/13	/16
TV System Off Air	PAL B/G	PAL B/G	PAL B/G
Sound System Off Air	Mono, German Stereo	Mono, German Stereo, NICAM	Mono, German Stereo, NICAM
Modulator System	Pal G	Pal G	Pal G
Modulator Features	---	---	---
Modulator Range	Ch 21 - Ch 55	Ch 21 - Ch 55	Ch 21 - Ch 55
Modulator Preadjustment	591.25 MHz (Ch 36)	591.25 MHz (Ch 36)	591.25 MHz (Ch 36)
OSD Menu Languages	Dutch, French,	Danish, English, Finnish, Norwegian,	Dutch, French,
Delivery Menu Language	German, Italian	Swedish	Portugese, Spanish
Record/Playback Standard	German	English	Dutch
Programming System	PAL	PAL	PAL
Remote Control RT194	Daily/Weekly, Showview	Daily/Weekly, Showview	Daily/Weekly, Showview
	/101	/101	/101

Subject to modification without notice

ShowView is a registered Trademark of Gemstar Development Group

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>