



- › Air Studios Audio Tuning
- › 60 Watts per channel (FTC)

#### DESIGN & BUILD

- › Twin Mono Symmetrical Amplifier Design
- › Dual Isolated Power Supplies for Precision Channel Separation and Imaging
- › LAPT Output Transistors Ensure High-Speed Output Over a Broad Frequency Range with Minimal Distortion
- › Parallel Drive Schottky Barrier Diodes Provide a High Speed Attack
- › Curved Profile Glossy Aluminum Front Panel
- › Stream Direct Mode
- › Bass & Treble Control
- › Rigid Chassis Construction
- › Large Insulator Feet
- › Gold Plated Speaker terminals
- › High Quality Aluminum Remote

#### CONNECTIONS

- › CD
- › Phono (MM)
- › Tape In / Out
- › Aux
- › XM Ready\*
- › Headphone Output

# ELITE

# SX-A6MK2-K

## ELITE G-CLEF INTEGRATED STEREO AMPLIFIER

### INTEGRATED TECHNOLOGIES



### CONNECTIONS

Rear Panel



### SPECIFICATIONS

- Weight: 10 kg / 22 lbs
- Dimensions (W x H x D) : 420 x 100 x 359 mm

### UPC

- 12562960104

\*XM Connect-and-Play antenna and subscription service (each sold separately) required to receive XM and XM-HD Surround Radio.

Specifications and design subject to change.

PIONEER, ELITE, and the Pioneer and Elite logos are registered trademarks of Pioneer Corporation.

XM and XM Ready are registered trademarks of XM Satellite Radio Inc.

The AIR STUDIOS logo is a trademark of Air Studios, Inc.

© 2010 Pioneer Electronics (USA) Inc.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>