



- › Air Studios Audio Tuning
- › **70 Watts per channel (FTC)**

DESIGN & BUILD

- › Twin Mono Symmetrical Amplifier Design
- › Dual Isolated **Toroidal** Power Supplies for Precision Channel Separation and Imaging
- › LAPT Output Transistors ensure high-speed output over a broad frequency range with minimal distortion
- › Parallel Drive Schottky Barrier Diodes Provide High Speed Attack
- › Curved Profile Glossy Aluminum Front Panel
- › Stream Direct Mode
- › **Sound Retriever**
- › **Motorized Volume**
- › Bass & Treble Control
- › **Gold Input Terminals**
- › SR System Control In / Out
- › **Pre-Amp Output**
- › **Rigid Honeycomb Chassis**
- › Large **TAoc** Insulator Feet
- › Gold Plated Speaker Terminals
- › High Quality Aluminum Remote

CONNECTIONS

- › CD
- › **USB Input**
- › Phono (MM & **MC Switchable**)
- › Tape In / Out
- › Aux
- › XM Ready*
- › Headphone Output

Bold denotes step-up features from SX-A6MK2-K

INTEGRATED TECHNOLOGIES



CONNECTIONS

Rear Panel



SPECIFICATIONS

- › Weight: 11.5 kg / 25.35 lbs
- › Dimensions (W x H x D) : 420 x 113 x 369 mm

UPC

- › 12562960111

*XM Connect-and-Play antenna and subscription service (each sold separately) required to receive XM and XM-HD Surround Radio.

Specifications and design subject to change.

PIONEER, ELITE, and the Pioneer and Elite logos are registered trademarks of Pioneer Corporation.

XM and XM Connect-and-Play are registered trademarks of XM Satellite Radio Inc.

The AIR STUDIOS logo is a trademark of Air Studios, Inc.

© 2010 Pioneer Electronics (USA) Inc.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>