

The Jazzy[®] Select[™] 6 Ultra provides the advantages of in-line motor technology, maximum front stability and the environmental access benefits of a standard power elevating seat. These features, along with Active-Trac[®] Suspension and 6" front and rear casters make the Jazzy Select 6 Ultra high performing and easy to use.



Jazzy[®] Select[™] 6 Ultra shown in *Jazzy Red* with contemporary design high-back seat, PG VR2 controller and foot platform

800-800-8586 (US) ■ 888-570-1113 (Canada) Visit us on the web: www.pridemobility.com



Download from Www.Somanuals.com. All Manuals Search And Download.

SPECIFICATIONS	
Weight capacity	300 lbs.
Maximum speed	Up to 4 mph
Ground clearance	2"
Turning radius	20.5"
Overall length	36.625" without front riggings
Overall width	23.5"
Wheels	Drive: 10"
Front casters	6" solid
Rear casters	6" solid
Suspension	Active-Trac®
Drive train	Two-motor, in-line, mid-wheel drive
Braking system	Intelligent braking (electronic, regenerative disc brakes)
Standard electronics	40 amp, PG 6-key VR2 controller
Specialty controls	N/A
Battery charger	Off-board, 3 amp
Per-charge range	Up to 15 miles
Battery requirements	(2) 12 volt, deep cycle
Battery size	U-1
Battery weight Base weight Standard seat weight	24.5 lbs. each 114 lbs. 37 lbs. (medium-back)
Max. seat dimensions	20" x 20"
Warranty	5-year limited warranty on frame; 1-year limited warranty on electronics;

1-year limited warranty on drive motors

COLOR CHOICES



MODELS

Jazzy Select 6 Ultra-C Jazzy Select 6 Ultra-SS

FEATURES

- Standard power elevating seat
- 6" casters on front and rear for maximum stability
- Dual in-line motor technology for enhanced efficiency, torque and range
- Battery access through side panel without removal of the seat
- Tool-less front panel access to electronics to minimize service time

OPTIONS

- High-back seat with solid seat pan
- Cup holder
- Weather cover
- Rear basket
- Oxygen tank holder
- Cane/crutch holder
- Walker holder

RECOMMENDED LIFTS



- Full platform
- Power chair lift with straps
- Silver Boom 300



800-800-8586 (US) = 888-570-1113 (Canada) Visit us on the web: www.pridemobility.com

The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or -3%

Download from Www.Somanuals.com. All Manuals Search And Download.

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com