RCA SCENIUM

Optional Stand Shown Above & Sold Separately

Features	Benefits
TV Guide On Screen™[1] Interactive Program Guide	Provides instant on-screen listings of TV shows. This free, built-in service allows quick review of current and future TV programs.
Digital Light Processing™ Technology - Twice the Contrast of Other Display Technologies	Displays 16.7 million colors with no burn-in worries. SmoothPicture™ feature eliminates "screendoor" effect and provides a more film-like image.
Digital Cable Ready w/ Integrated High Definition Tuner & Off-Air HD Tuner. Additional HD Connectivity w/ HDMI™ Accepts Both Digital Video & Audio From Ext HD Devices	Delivers cable-ready HD with CableCARD™ slot and off-air HD reception of digital high definition broadcasts without the need for a separate ATSC or digital cable box.
Digital Hi-Pix™ Picture Systems with TruScan Digital Reality™ Intelligent Signal Processing - "Because the Picture Intended Should be the Picture Presented"	Synergistically optimizes picture performance by synchronizing advanced signal processing, display technologies and HD connectivity.
Advanced Audio Capabilities Including 7-Band Graphic Equalizer and SRS TruSurroundXT™[1]*, Digital Audio Output, 2 Pair Audio Outs and Subwoofer Out	Graphic equalizer w/SRS TruSurroundXT™[1]* audio processing provides a rich & lifelike audio experience. Digital audio output connects to a surround sound
3 Sets of Rear Input Jacks - 1 Set of Composite Inputs Plus 2 More Sets of Inputs That Can Be Used For Either a Composite, S-Video, or Component Connection	Simplifies connecting other components such as a home theatre system, game system, digital camera, DVD, etc. Dual-functional inputs provide additional versatility.
Thin and Lightweight Design - Weighs Less Than 95 Lbs and Measures Less Than 16" Deep	Television can be easily moved and positioned throughout the house.

TTE

RCA

SCENIUM

TV GUIDE

BRAND	
BRAND	RCA Scenium

PICTURE	
Screen Size - diagonal (inch)	50
Category	DLP™ HDTV
Aspect Ratio	16x9
CRT / Light System	DLP™ Light Engine
1st Surface Reflective Mirror	Yes
3:2 Pull Down	Reverse (On/Off/Advanced)
Adjustable Color Temp	Yes
Adjustable Picture Control	Yes
Anti-Glare Screen	Yes
Cinemascreen™	Yes - Illusion of Floating Image
Comb Filter	3D Y/C Digital Frame
Contrast Expand (B&W Stretch)	Yes - Off/Low/High
DarkChip2™ Technology	Yes
Edge Replacement	Off/Low/High
Format Control	Yes
Green Boost	Off/Low/High
Picture Presets	5+Personal
Pix Tube Pitch	0 .155mm (Screen)
Progressive Scan / Scan Rate Converter	Yes - TruScan Digital Reality™
Resolution	1280 x 720
Screen Type	High Gain, High-Resolution
Smart Lamp System	Yes
SmoothPicture™ Technology	Yes
Video Noise Reduction	Adaptive, Recursive
Viewing Angle - Horizontal	> 80 degrees
Wide Band Video Amplifier	Yes

SOUND	
Audio Processor	SRS TruSurround XT™1*
Balance Control	Yes
Dolby® Digital Pass-Through	Yes
Front Speakers (number)	4 - 2 Tweeters, 2 Mid-Range
Headphone Adjustments	w/Main Volume
Second Audio Program (SAP)	Yes
Sound Logic™ Audio Leveler	Yes
Sound Presets	7 Modes + Personal
Sound Type	Broadcast Stereo
Tone Control	7-Band Graphic Equalizer
Total Watts	20
Channels / Watts	2 Channels, 10 Watts Per

RECEPTION	
Tuning Capability	NTSC / ATSC / QAM
Digital Cable/Satellite Connections	HDMI™ / HD Component
Digital Cable Ready (DCR)	Yes - CableCARD™ Slot1°
QAM Decoding (In-The-Clear Cable)	Yes

CONVENIENCE	
Auto Channel Search	Yes
Channel Labeling	Auto
Commercial Skip	Yes
Front Panel Lock	Yes
Interactive Set-up w/ Menus	Yes
Maximum Volume Limiter	Yes
Multilingual On-Screen Display	English/French/Spanish
One-Button Launch for Inputs	Yes - Auto Tune
One-Touch VCR Record	Yes - VCR Required
Parental Control (V-Chip)	Yes - USA & Canada
Picture Freeze	Yes
Picture Reset	Yes
Picture in Guide	Yes
Power ON Indicator	Blue LED
Program Guide (Free Service)	TV Guide On Screen™1
Timers	Clock/Sleep/Turn-On

REAR CONNECTORS	
Audio/Video Inputs (Composite)	Up To 3 L&R Audio, 3 Video
S-Video Input	Up To 2 - Auto-Detectible
Component Video Input (YPrPb)	Up To 2 - SYNCROSCAN™ PLUS3^
CableCARD™ Connector	Yes
G-LINK™ Connector	Yes
HDMI (High Def Multimedia Interface)	1 for 720p, 1080i, 480p
RF Input (Antenna/Cable)	2
Digital Audio Output	SP-DIF (Optical)
Audio Outputs	1 Pr Fixed & 1 Pr Variable

Sub Woofer Output	Yes - RCA Phono
Video Output	1

FRONT CONNECTORS	
Audio/Video Inputs (Composite)	1 L&R Audio, 1 Video
Headphone Jack	Yes

SPECIFICATIONS	
Finish on Front: Screen Frame	Gloss Black
Finish on Front: Control Panel	Aluminum
Finish on Front: Control Bar	Aluminum
Finish on Front: Speaker Grill	Black
Finish on Back	Black
Product Size (WxHxD) inches	46.9 x 39.21 x 15.96
Packaging Size (WxHxD) inches	54 x 43.5 x 23.25
Weight: Product/Packaged, lbs	92 / 109.3

REMOTE CONTROL	
Model Number	RCN615TQLM1
Type	Universal 6-Device with DMI*
Backlit	LED Fully Backlit

INCLUDED ACCESSORIES	
Instruction Book Languages	English/French/Spanish

OPTIONAL ACCESSORIES	
CableCARD™ (Scrambled DCR Services)	Available from Cable Srv Provider
Stand(s)	RDLP50MD2, RTF4461W162

Revised 6/23/05

*DMI (Device Mode Indicator) - Universal remote is capable of controlling multiple devices (TV, DVD, VCR, etc). The device mode indicator identifies which device is being controlled by the remote each time you press a command button on the remote.

CableCARD is a trademark of Cable Television Laboratories, Inc.
DarkChip2 is a trademark of Texas Instruments.
DLP and Digital Light Processing are trademarks of Texas Instruments.
Dolby is a registered trademark of Dolby Laboratories.
HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.
SmoothPicture is a trademark of Texas Instruments.

1 - In the United States, TV GUIDE and other related marks are registered marks of Gemstar-TV Guide International, Inc. and/or one of its affiliates. In Canada, TV GUIDE is a registered mark of Transcontinental Inc., and is used under license by Gemstar-TV Guide International, Inc.
1° - Requires digital cable subscription. See local cable provider for more details.
1* - SRS TruSurround XT and the SRS logo are trademarks of SRS Labs, Inc.
3^ - SYNCROSCAN PLUS component inputs automatically detect video formats 720p, 1080i, 480p and 480i without the need for consumer intervention.

RCA and associated marks are trademarks of Thomson S.A. used under license to TTE Corporation.

Photos and features subject to change without notice. Illustration of product finish may vary from actual color

TTE

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com