

SANYO

15" Screen Super high resolution of more than 800 TV lines

- High-resolution colour monitors with more than 800 TV lines of horizontal resolution
- Dual NTSC / PAL system [automatic detection of input signal] (VMC-8615FP only)
- Multi-voltage applications (100 – 240V)
- Built-in speaker
- On-screen menu setting in up to 8 languages (VMC-8615FP only)

VMC-8615FP VMC-8415FP

Super High-resolution

more than 800 TV lines



VMC-8615FP



VMC-8415FP

VMC-8615FP / VMC-8415FP

Features


- More than 800 TV lines of horizontal resolution
- Dual NTSC / PAL system [auto sensing] (VMC-8615FP only)
- Two composite signals, one video input with separate Y/C signals, two audio inputs, can be selected via three buttons on the front panel (VMC-8615FP only)

- On-screen mode setting with multiple menu languages (VMC-8615FP only): English / French German / Spanish Italian / Russian / Chinese / Japanese
- Built-in compact loudspeaker (1 W)
- Durable metal cabinet
- Overscan / underscan selectable from the front panel (VMC-8615FP only)
- Auto-termination simplifies bridge wave control
- Automatic voltage selector, 100 V to 240 V AC, 50 / 60 Hz

Specifications

Model No.	VMC-8615FP	VMC-8415FP
Colour system	PAL / NTSC, automatic signal detection	PAL
Picture tube	15", 90° deflection, dot pitch: 0.27 mm	
Minimum useful screen size	285.5 x 214.0 mm	
Scanning frequency	H: 15.625 kHz, V: 50 Hz (PAL) H: 15.734 kHz, V: 59.94 Hz (NTSC)	H: 15.625 kHz, V: 50 Hz (PAL)
Horizontal resolution	More than 800 TV lines	
Brightness max.	45-50 FL	
Contrast max.	100 ± 5 FL	
Input terminals	Y/C: Mini-DIN 4-pin x 1 Video: BNC x 2, 1.0 V p-p composite video (75 ohms) Audio: RCA x 2, 400 mV	Y/C: Mini-DIN 4-pin x 1 Video: BNC x 1, 1.0 V p-p composite video (75 ohms) Audio: RCA x 1, 400 mV rms Signal: I/P switch
Output terminals	Y/C: Mini-DIN 4-pin x 1, loop-through Video out: BNC x 2, loop-through Audio out: RCA x 2, output 1 W	Y/C: Mini-DIN 4-pin x 1, loop-through Video out: BNC x 1, loop-through Audio out: RCA x 1, output 1 W
Front panel controls	Power SW / OSD / Contrast / Brightness / Enter CH A / CH B / CH Y/C / Overscan/Underscan	Power SW / VR controller x 4
OSD controls	Colour / Tint / Brightness / Contrast / Title Sharpness / Volume / Language / Version	—
On-screen menu languages	English / French / German / Spanish Italian / Russian / Chinese / Japanese	—
Speaker	Built-in x 1, 1 W	
Power source	100 V to 240 V AC, 50 / 60 Hz, automatic	
Power consumption	95 W	
Operating conditions	Temperature: -10 to +50°C, Humidity: 15 to 90% RH	
Storage conditions	Temperature: -20 to +65°C, Humidity: 15 to 90% RH	
Dimensions (W x H x D)	368 x 361 x 376 mm	
Weight	15.0 kg	

Dimensions



Other Colour Video Monitors

NOTE: Specifications subject to change without notice.



VMC-8621PA
More than 450 TV lines of horizontal resolution
• Three channels of audio and video input
• Overscan / underscan selectable from front panel
• On-screen mode setting, 6 menu languages built in
• Voltage selector (100-240 V AC)



VMC-8619PA
More than 800 TV lines of horizontal resolution
• EIA rack mountable
• Three channels of audio and video input
• Overscan / underscan selectable from front panel
• On-screen mode setting, 6 menu languages built in
• Auto voltage selector (100-240 V AC)



VMC-8114PA
More than 400 TV lines of horizontal resolution
• S-VIDEO input and output terminals
• Overscan / underscan selectable from front panel
• Built-in compact loudspeaker (1W)
• Auto voltage selector (100-240 V AC)



DI Solutions Company of SANYO Electric Co., Ltd., obtained Quality Management System ISO 9001 and Environmental Management System ISO 14001 certifications.

Caution: Please consult the instruction manual to ensure safe and proper operation of the product.

Distributed by:

SANYO

SANYO Electric Co., Ltd.
www.sanyosecurity.com

©2003 SANYO Printed in Japan '03.6.MA.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>