

DVR I6-8600 Combo 16 Channel H264 DVR

With Pre-Installed 250GB HDD & 8 CCD Day/Night Cameras



Advanced H264 recording

- State-of-the-art H264 compression records at a lower bit rate for high quality playback, longer recording with less storage required
- Amazing video images from 240fps recording, 480fps live view
- Ready to record with pre-installed 250GB Seagate SV35 Hard Drive
- Easy back-up via USB port
- Multiple recording modes including motion detection, timer, event recording (alarm, motion detection), recording list with playback in single or multi-screen mode

Easy to set-up and use

- Pentaplex operation for simultaneous recording, playback, setup, backup and network surveillance
- Enhanced simple to use graphic user interface (GUI) with mouse operation via USB
- View live from your 3G enabled mobile cell phone
- View recorded video one channel at a time

Sophisticated networking

- Sophisticated network capabilities including remote live view, remote playback, PTZ camera control and remote menu setup
- Supports dual streaming to adjust the network bit rate for easy remote viewing without affecting recording quality
- Remote viewing is a snap with IE browser support from downloadable software

Swann MaxiBrite CCD Cameras x 8


- 8 Swann MaxiBrite indoor/outdoor 1/4" Sharp SuperHAD sensor CCD cameras
- 30 infra-red LEDs for powerful night vision up to 66ft (20m)
- Sturdy anti-corrosive & weather resistant casing for use outdoors or indoors
- 50ft (15m) BNC white cables x 8
- Add 8 extra cameras for complete 16 channel surveillance



DVR I6-8600 Combo

I6 Channel H264 DVR

With Pre-Installed 250GB HDD & 8 CCD Day/Night Cameras



TECHNICAL SPECIFICATIONS

Digital Video Recorder

Compression Format	Standard H.264 Baseline
Video Output	Composite: 1.0V p-p/75Ω, BNC x 2 S-Video x 1, VGA x 1
Video Input	Composite: 1.0V p-p/75Ω, BNC x 16
Display Resolution	640 x 480 (NTSC)
Record Resolution	320 x 240, 640 x 480 (NTSC)
Display Frame rate	480fps (NTSC)
Record Frame rate	240fps, 60fps (NTSC)
Audio Input	-8dB~22k, RCA x 4
Audio Output	-8dB~92dB, RCA x 1
Alarm Output	4CH
Record Mode	Manual / Sensor / Timer / Motion detection
Simplex/Duplex/Triplex	Pentaplex
Network Interface	RJ45 (LAN, INTERNET)
PTZ Control	YES
Communication Interface	RS485, USB2.0 x 2 (one for backup, another for USB mouse), PS/2 x 1
Hard Disk	Pre-installed 250GB Seagate SATA
Remote Controller	YES
Power Supply	12 Volts

* Depends on your mobile phone capabilities

Cameras

Image Sensor	1/4" SuperHAD CCD
Picture Elements	NTSC 510 (H) x 492 (V)
Horizontal Resolution	420 TV Lines
S/N Ratio	More than 48dB
Minimum Illumination	0LUX
Video Output	1.0V(P-P)75Ω
Power Supply	DC 12V
Operating Current	150mA - 280mA
Video Output Connector	BNC
Infrared Wavelength	30 units 850nm
Infrared Lamps	
Illumination Distance	Up to 66ft/20m
Infrared Lamps	
Auto Switch	Night (IR on) / Day (IR off)

PACKAGE CONTENTS

- 16Ch Digital Video Recorder with Accessories
- 250GB Hard Drive (installed)
- Power Adapters x 3
- CCD Maxi-Brite™ Cameras x 8
- Power Splitter x 2
- BNC 50ft (15m) Cables x 8
- BNC to RCA 3ft (1m) Cable
- Remote Control
- DVD and Manuals
- Bonus Security Stickers x 4

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>